

# LTI 20/20 TRUSPEED® LASER SERIES

The ultimate laser for speed and distracted driving enforcement, crash scene mapping and smartphone apps.

The LTI 20/20 TruSpeed® series possesses state-of-the-art technology offered at an unmatched value for the price. It is compact, rugged and light (less than 500 g).



## Key Benefits

- Inconspicuous design
- Rugged exterior with tactile grips
- Simple operation
- Crystal-clear 7× optics with real-time illuminated data display

## SpeedCapture App

Sync it with a smartphone for photo enforcement of:

- Speeding
- Distracted Driving
- Seat Belt Use
- HOV Lane
- Stop Sign
- Red Light



## TruSpeed S Models

Se: Measures speed  
Sx: Measures speed and crash mapping data  
Sxb: Does it all and has Bluetooth® communication

All models include:

- Carrying case
- Neck strap
- Eyepiece cover
- 2 CR 123A batteries
- Operator's manual



## QuickMap 3D®

Integrate it with mapping accessories and simplified data collection software



## Specifications

Weight	0.41 kg
Size	13.2 x 11.4 x 5.3 cm
Construction	Glass-filled polycarbonate composite
Maximum Range	610 m
Speed Range	± 320 km/h
Range Accuracy	± 15 cm
Speed Accuracy	± 2 km/h

Power	(1) CR 123A battery (12 hours of operation time)
Environmental	Water resistant; NEMA 4; IP 55
Operating Temperature	-30° to 60° C
Storage Temperature	-35° to 70° C
Eye Safety	Class 1/FDA CFR 21; Europe IEC-60825-1
Bluetooth (Sxb only)	Class 2, Ver. 2.1, Backwards compatible, 128-bit encryption, iOS/Android

Specifications subject to change without notice.

# LTI 20/20 TRUSPEED® LASER SERIES

The essential laser for long-range speed detection, anti-jam technology and data collection.

The LTI 20/20 TruSpeed has an ergonomic pistol grip handle, a removable shoulder stock for increased aiming stability and the accuracy you expect from an LTI laser.




## Key Benefits

- Large icon keypad for easy operation with gloves
- Adjust the brightness level on the heads-up display for maximum visibility
- Enhanced aiming stability with the removable shoulder rest
- One-button rain mode and easy menu options

## TruSpeed Models


- LR: Longer range with optional anti-jam feature (SpeedStat software sold separately)
- dc: Internal memory for 6000 speed measurements with date and time

Upgraded 3.5x magnified sighting scope



## SpeedStat

Connect with SpeedStat to collect traffic statistics with time, date, direction and speed.



## Specifications

Weight	1 kg
Size	20 x 8 x 30 cm
Construction	Composite polycarbonate outer shell; Aluminum internal chassis
Power	2 alkaline or NiCad rechargeable C-cell batteries (up to 25 hours of cordless operation)
Environmental	Water resistant; NEMA4 & IP55

Operating Temperature	-30° to 60° C
Storage Temperature	-35° to 70° C
Eye Safety	Class 1/FDA CFR 21; Europe IEC-60825-1
Maximum Range	dc 610 m/LR 1,219 m
Speed Range	± 320 km/h
Range Accuracy	± 15 cm
Speed Accuracy	± 2 km/h

Specifications subject to change without notice.