

LVNi绿零®



Wine Cabinet Album

GREENLIFE BE WITH YOU

FASHION APPEARANCE
ENJOY LIFE





H22S-C

33 bottles/full/95L

POWER: 85W

VOLTAGE: 220~240V/50Hz

COOLING METHOD: Compressor


TEMPERATURE: 5~18°C

AMBIENT TEMPERATURE: 0~38°C

G.M/N.W: 26Kg/30Kg

PRODUCT SIZE: 480x475x835mm

PACKAGE SIZE: 550x560x900mm



H46S-C

44bottles/full/118L

POWER: 98W

VOLTAGE: 220V/50Hz

COOLING METHOD: Compressor


TEMPERATURE: 5~18°C

AMBIENT TEMPERATURE: 0~38°C

G.M/N.W: 46Kg/50Kg

PRODUCT SIZE: 598x560x840mm

PACKAGE SIZE: 660x640x900mm



H80S-C

72bottles/full/208L

POWER: 125W

VOLTAGE: 220V/50Hz

COOLING METHOD: Compressor

TEMPERATURE: 5~22°C

AMBIENT TEMPERATURE: 0~38°C

G.M/N.W: 58Kg/63Kg

PRODUCT SIZE: 598x560x1250mm

PACKAGE SIZE: 660x640x1300mm



H100S-C

103bottles/full/308L

POWER: 125W

VOLTAGE: 220V/50Hz

COOLING METHOD: Compressor

TEMPERATURE: 5~18°C

AMBIENT TEMPERATURE: 0~38°C

G.M/N.W: 68Kg/73Kg

PRODUCT SIZE: 598x560x1650mm

PACKAGE SIZE: 660x640x1700mm

A variety of shelves to choose from

Flat Shelf/Display Shelf/Multipurpose Tray/Multifunctional Cup Holder



Flat Shelf



Display Shelf



Multipurpose tray



Multifunctional cup holder

Wine cabinet color options:

Red wood grain, brown wood grain, classic black





H120S-C

144bottles/full/408L

POWER: 125W

VOLTAGE: 220V/50Hz

COOLING METHOD: Compressor

TEMPERATURE: 5~22°C

AMBIENT TEMPERATURE: 0~38°C

G.M/N.W: 80Kg/85Kg

PRODUCT SIZE: 598x700x1650mm

PACKAGE SIZE: 660x790x1700mm



H120D-C

144bottles/full/408L

POWER: 175W

VOLTAGE: 220V/50Hz

COOLING METHOD: Compressor

TEMPERATURE: 5~12°C/12~22°C

AMBIENT TEMPERATURE: 0~38°C

G.M/N.W: 80Kg/85Kg

PRODUCT SIZE: 598x700x1650mm

PACKAGE SIZE: 660x790x1700mm



H168S-C

166bottles/full/508L

POWER: 150W

VOLTAGE: 220V/50Hz

COOLING METHOD: Compressor

TEMPERATURE: 5~22°C

AMBIENT TEMPERATURE: 0~38°C

G.M/N.W: 83Kg/98Kg

PRODUCT SIZE: 595x680x1800mm

PACKAGE SIZE: 660x780x1850mm



H168D-C

166bottles/full/508L

POWER: 175W

VOLTAGE: 220V/50Hz

COOLING METHOD: Compressor

TEMPERATURE: 5~12°C/12~22°C

AMBIENT TEMPERATURE: 0~38°C

G.M/N.W: 83Kg/98Kg

PRODUCT SIZE: 598x700x1700mm

PACKAGE SIZE: 660x790x1850mm

STYLISH APPEARANCE A VARIETY OF FUNCTIONS



H200S-C



Ice Bar/Wine Cabinet/300L

POWER: 165W

VOLTAGE: 220V/50Hz

COOLING METHOD: Compressor

TEMPERATURE: 5~22°C/5~22°C

AMBIENT TEMPERATURE: 0~38°C

G.M/N.W: 102kg/108Kg

PRODUCT SIZE: 900x515x1640mm

PACKAGE SIZE: 960x620x1700mm

H200S-T



Hanging cup wine cabinet/300L

POWER: 165W	VOLTAGE: 220V/50Hz
COOLING METHOD: Compressor	TEMPERATURE: 5~22°C/5~22°C
AMBIENT TEMPERATURE: 0~38°C	G.M/N.W: 102kg/108Kg
PRODUCT SIZE: 900x515x1640mm	
PACKAGE SIZE: 960x620x1700mm	

MINIMALIST LOOK

2 METERS HIGH WINE CABINET



735
Litre

356
Bottle(approx.)



H320S-C



Full with 365 bottles/735L

POWER: 165W

VOLTAGE: 220V/50Hz

COOLING METHOD: Compressor

TEMPERATURE: 5~22°C

AMBIENT TEMPERATURE: 0~38°C

G.M/N.W: 102kg/108Kg

PRODUCT SIZE: 980x700x2000mm

PACKAGE SIZE: 1040x790x2050mm

ELECTRONIC WINE COOLER QUIET AND ENERGY SAVING





JC-48SW

20bottles/full/48L

POWER: 55W

VOLTAGE: 220V/50Hz

COOLING METHOD: Electronic chip


TEMPERATURE: 12~18°C

AMBIENT TEMPERATURE: 0~38°C

G.M/N.W: 14Kg/17Kg

PRODUCT SIZE: 400x502x530mm

PACKAGE SIZE: 448x560x585mm



JC-78SW

32bottles/full/78L

POWER: 75W

VOLTAGE: 220V/50Hz

COOLING METHOD: Electronic chip

TEMPERATURE: 12~18°C

AMBIENT TEMPERATURE: 0~38°C

G.M/N.W: 20Kg/23Kg

PRODUCT SIZE: 400x502x810mm

PACKAGE SIZE: 448x560x865mm

QUALITY HUMIDOR ENJOY THE GOOD LIFE





H46S-TC

Black/Mahogany Grain/Brown Grain

POWER: 125W

VOLTAGE: 220V/50Hz

COOLING METHOD: Compressor

TEMPERATURE: 5~22°C

AMBIENT TEMPERATURE: 0~38°C

G.M/N.W: 42Kg/46Kg

PRODUCT SIZE: 598x550x840mm

PACKAGE SIZE: 660x610x900mm



H80S-TC

Black/Mahogany Grain/Brown Grain

POWER: 125W

VOLTAGE: 220V/50Hz

COOLING METHOD: Compressor

TEMPERATURE: 5~22°C

AMBIENT TEMPERATURE: 0~38°C

G.M/N.W: 65Kg/70Kg

PRODUCT SIZE: 598x550x1250mm

PACKAGE SIZE: 660x610x1310mm



H120S-TC

Black/Mahogany Grain/Brown Grain

POWER: 125W

VOLTAGE: 220V/50Hz

COOLING METHOD: Compressor

TEMPERATURE: 5~22°C

AMBIENT TEMPERATURE: 0~38°C

G.M/N.W: 73Kg/78Kg

PRODUCT SIZE: 598x550x1650mm

PACKAGE SIZE: 660x610x1710mm



H168S-TC

Black/Mahogany Grain/Brown Grain

POWER: 125W

VOLTAGE: 220V/50Hz

COOLING METHOD: Compressor

TEMPERATURE: 5~22°C

AMBIENT TEMPERATURE: 0~38°C

G.M/N.W: 81Kg/86Kg

PRODUCT SIZE: 598x550x1800mm

PACKAGE SIZE: 660x610x1860mm

LVNI绿零®

LVNI BEIJING BRANCH

Address: No. 49, Gaolou Village, Malian Road, Fengtai District, Beijing

LVNI GUANGZHOU HEADQUARTERS/AILIPUSH Marketing Center

Address: Room 701, Chengye Building, No. 798, Xingnan Avenue,
Nancun Town, Panyu District, Guangzhou

Official website: www.lvni.net

LVNI CHENGDU BRANCH

Address: 2nd Floor, Building C, Xinwulian Port Food Packaging Machinery
Trading Center, No. 1988 Xingcheng Avenue, Xindu District, Chengdu

LVNI HUNAN BRANCH

Address: No. 4451-4495, 4th Floor, Hall 3, Yuetang International Trade City, No. 88,
Hetang Road, Furong Avenue, Yuetang District, Xiangtan City, Hunan Province

LVNI HUNAN PRODUCTION BASE

Address: Jianye Road, Economic and Technological Development Zone,
Lengshuitan District, Yongzhou City, Hunan Province

LVNI SHANGHAI BRANCH

Address: Room 211, No. 1, Weiguang Qingchuang Base, No. 523-525, Jiasong
Middle Road, Qingpu District, Shanghai

LVNI SHENZHEN BRANCH

Address: No. 26, Putian Road, Bainikeng Community, Pinghu Street Office,
Longgang District, Shenzhen

Name: Maggie Xiong (Sales Manager)

Mobile: +86 18927583976

Email: sales3@lvni-greenlife.com

Name: Junze Xie (Marketing Manager)

Mobile: +86 13660284913

Email: sales1@lvni-greenlife.com