

The Newsletter of the Kern Astronomical Society

No. 573

June 2023

KAS Open Meeting

First Friday of

Every Month

Round Table Pizza,

4200 Gosford Road, Suite 101, Bakersfield, CA

Dinner & Social 6:30 pm Meeting/Program 7:30 pm

Upcoming Meetings

June – Mark Zaslove – Astrophotography Basic Imaging

July - No Meeting

August – TBD

August – Nominations open for Club Officer election in Sept

September - Election of Club Officers

Join us on Facebook: https://www.facebook.com/groups/syzygy/

Visit our Web Page at https://www.kernastro.org

Contact us at kernastronomicalsociety@gmail.com



Reach for the Stars



Upcoming Events

June 10 – Last quarter moon star party at Chuchupate.

June 13 – Solar Viewing at Silver Creek Park. 10 am to 11 am.

June 17 – New moon star party at Chuchupate.

June 19 – Solar Viewing at MLK Park. 11 am to 12 noon.


June 27 – Solar Viewing at Buena Vista Museum. 11 am to 12 noon.

Look for more information on the June solar viewing on the club Facebook page and in your e-mail. Darren will be providing details at our June meeting.

June Speaker

Mark Zaslove is a long time friend and member of KAS and has been involved in astrophotography for many years. Many of us have had the opportunity to meet Mark at the Chuchupate star parties where he is usually photographing deep sky objects and testing equipment.





Pleiades – left. Omega Centauri – above. By: Mark Zaslove

KAS Annual Picnic

A big thank you to everyone who came out on May to our annual picnic. Special thanks to Charlie & Lucy Gutierrez and Ed Serrano for cooking the hamburgers and hot dogs and to Jerry Nelson for taking photos. And a big congratulations to Mary Carrisaliz who won the drawing for the 8" Dobsonian telescope and to Roberta Parnell and Ron Church who both won free club memberships for next year.












From the Editor:

Late spring early summer is one of my favorite times of the year. The summer solstice is fast approaching and the sun is rising before 6 AM. This year Jupiter shines bright in the deep blue of the morning twilight climbing higher above the eastern horizon each day. Perfect for an early morning cup of coffee before the traffic noise of the city spoils the peace and quiet of the morning. Meanwhile, in the evening sky, Venus and Mars are racing each other eastward along the ecliptic with Venus fast closing the gap. Venus forms a straight line with Castor and Pollux (two brightest stars in Gemini) on June 2nd and reaches greatest elongation from the sun (45°) on June 4th setting very late at night (nearly 11:30 pm) from Bakersfield. On June 22nd, Venus, Mars, and the Moon are within a small 5° circle. Nice for an evening twilight photo. The question is: Will Venus catch Mars for a planetary alignment as summer progresses or will Venus slow down its eastward movement through the ecliptic, begin retrograde motion, and make a quick exit from the evening sky to the morning sky as it passes through inferior conjunction? Keep watching.



About the Celestial Objects

Listed on this page are several of the brighter, more interesting celestial objects visible in the evening sky this month (refer to the monthly sky map). The objects are grouped into three categories. Those that can be easily seen with the naked eye (that is, without optical aid), those easily seen with binoculars, and those requiring a telescope to be appreciated. Note, all of the objects (except single stars) will appear more impressive when viewed through a telescope or very large binoculars. They are grouped in this way to highlight objects that can be seen using the optical equipment that may be available to the star gazer.

Tips for Observing the Night Sky

When observing the night sky, and in particular deep-sky objects such as star clusters, nebulae, and galaxies, it's always best to observe from a dark location. Avoid direct light from street lights and other sources. If possible observe from a dark location away from the light pollution that surrounds many of today's large

You will see more stars after your eyes adapt to the darkness—usually about 10 to 20 minutes after you go outside. Also, if you need to use a torch to view the sky map, cover the light bulb with red cellophane. This will preserve your dark vision.

Finally, even though the Moon is one of the most stunning objects to view through a telescope, its light is so bright that it brightens the sky and makes many of the fainter objects very difficult to see. So try to observe the evening sky on moonless nights around either New Moon or Last Quarter.

Astronomical Glossary

Conjunction - An alignment of two celestial bodies such that they present the least angular separation as viewed from Earth.

Constellation - A defined area of the sky containing a star pattern.

Diffuse Nebula - A cloud of gas illuminated by nearby stars.

Double Star - Two stars that appear close to each other in the sky; either linked by gravity so that they orbit each other (binary star) or lying at different distances from Earth (optical double). Apparent separation of stars is given in seconds of arc (").

Ecliptic - The path of the Sun's center on the celestial sphere as seen from Earth.

Elongation - The angular separation of two celestial bodies. For Mercury and Venus the greatest elongation occurs when they are at their most angular distance from the Sun as viewed from Earth.

Galaxy - A mass of up to several billion stars held together by gravity.

Globular Star Cluster - A ball-shaped group of several thousand old stars.

Light Year (ly) - The distance a beam of light travels at 300,000 km/sec in one

Magnitude - The brightness of a celestial object as it appears in the sky.

Open Star Cluster - A group of tens or hundreds of relatively young stars.

Opposition - When a celestial body is opposite the Sun in the sky.

Planetary Nebula - The remnants of a shell of gas blown off by a star.

Universal Time (UT) - A time system used by astronomers. Also known as Greenwich Mean Time, USA Eastern Standard Time (for example, New York) is 5 hours behind UT.

NORTHERN HEMISPHERE JUNE 2023

CELESTIAL OBJECTS

ŵ

Altair

Easily Seen with the Naked Eve

Arcturus	Boo	٠	Orange, giant K star. Name means "bear watcher". Dist=36.7 ly.
ô Cephei	Cep	٩	Cepheid prototype. Mag varies between 3.5 & 4.4 over 5.366 days. Mag 6 companion.
Deneb	Cyg	٠	Brightest star in Cygnus. One of the greatest known supergiants. Dist=1,400±200 ly.
a Herculis	Her	٩	Semi-regular variable. Magnitude varies between 3.1 & 3.9 over 90 days. Mag 5.4 companion.
Vega	Lyr	٠	The 5th brightest star in the sky. A blue-white star. Dist=25.0 ly.
Antares	Sco	٠	Red, supergiant star. Name means "rival of Mars". Dist=135.9 ly.
Polaris	UMi	٠	The North Pole Star. A telescope reveals an unrelated mag 8 companion star. Dist=433ly.
Spica	Vir	٠	Latin name means "ear of wheat" and shown held in Virgo's left hand. Dist=250 ly.

Brightest star in Aguila, Name means "the flying eagle", Dist=16.8 ly.

Easily Seen with Binoculars

η Aquilae	Aql		Bright Cepheid variable. Mag varies between 3.6 & 4.5 over 7.166 days. Dist-1,200 ly.
M3	CVn		Easy to find in binoculars. Might be glimpsed with the naked eye.
μ Cephei	Сер	٠	Herschel's Garnet Star. One of the reddest stars. Mag 3.4 to 5.1 over 730 days.
Mel 111	Com	ė.	Coma Berenices. 80 mag 5-6 stars in 5 deg. Dist-283 ly. Age-400 million years.
χ Cygni	Cyg	٠	Long period pulsating red giant. Magnitude varies between 3.3 & 14.2 over 407 days.
M39	Cyg	0	May be visible to the naked eye under good conditions. Dist-900 ly.
v Draconis	Dra		Wide pair of white stars. One of the finest binocular pairs in the sky. Dist=100 ly.
M13	Her	•	Best globular in northern skies. Discovered by Halley in 1714. Dist=23,000 ly.
M92	Her		Fainter and smaller than M13. Use a telescope to resolve its stars.
s Lyrae	Lyr	٠	Famous Double Double. Binoculars show a double star. High power reveals each a double
R Lyrae	Lyr	٠	Semi-regular variable. Magnitude varies between 3.9 & 5.0 over 46.0 days.
M12	0ph		Close to the brighter M10. Dist=18,000 ly.
M10	0ph		3 degrees from the fainter M12. Both may be glimpsed in binoculars. Dist=14,000 ly.
IC 4665	Oph	C	Large, scattered open cluster. Visible with binoculars.
6633	0ph	0	Scattered open cluster. Visible with binoculars.
M8	Sgr		Lagoon Nebula. Bright nebula bisected by a dark lane. Dist-5,200 ly.
M25	Sgr	0	Bright cluster located about 6 deg N of "teapot's" lid. Dist=1,900 ly.
M22	Sgr		A spectacular globular star cluster. Telescope will show stars. Dist=10,000 ly.
M4	Sco		A close globular. May just be visible without optical aid. Dist=7,000 ly.
M6	Sco	0	Butterfly Cluster. 30+ stars in 7x binoculars. Dist=1,960 ly.
M7	Sco	0	Superb open cluster. Visible to the naked eye. Age=260 million years. Dist=780 ly.
M5	Ser	•	Fine globular star cluster. Telescope will reveal individual stars. Dist=25,000 ly.
Mizar & Alcor	UMa	٠	Good eyesight or binoculars reveals 2 stars. Not a binary. Mizar has a mag 4 companion.
Cr 399	Vul	0	Coathanger asterism or "Brocchi's Cluster". Not a true star cluster. Dist=218 to 1,140 ly.

Telescopic Objects						
s Boötis	Boo		Red giant star (mag 2.5) with a blue-green mag 4.9 companion. Sep=2.8". Difficult to split.			
M94	CVn	0	Compact nearly face-on spiral galaxy. Dist=15 million ly.			
M51	CVn	0	Whirlpool Galaxy. First recognised to have spiral structure. Dist-25 million ly.			
M64	Com	0	Black-Eye Galaxy. Discovered by J.E. Bode in 1775 - "a small, nebulous star".			
Albireo	Cyg	•	Beautiful double star. Contrasting colours of orange and blue-green. Sep-34.4".			
61 Cygni	Cyg	•	Attractive double star. Mags 5.2 & 6.1 orange dwarfs. Dist=11.4 ly. Sep=28.4".			
y Delphini	Del	•	Appear yellow & white. Mags 4.3 & 5.2. Dist=100 ly. Struve 2725 double in same field.			
β Lyrae	Lyr	۹.	Eclipsing binary. Mag varies between 3.3 & 4.3 over 12.940 days. Fainter mag 7.2 blue star.			
M57	Lyr	+	Ring Nebula. Magnificent object. Smoke-ring shape. Dist-4,100 ly.			
M23	Sgr	c	Elongated star cluster. Telescope required to show stars. Dist=2,100 ly.			
M20	Sgr		Trifid Nebula. A telescope shows 3 dust lanes trisecting nebula. Dist=5,200 ly.			
M21	Sgr	0	A fine and impressive cluster. Dist=4,200 ly.			
M17	Sgr		Omega Nebula. Contains the star cluster NGC 6618. Dist=4,900 ly.			
M11	Sct	0	Wild Duck Cluster. Resembles a globular through binoculars. V-shaped. Dist=5,600 ly.			
M16	Ser		Eagle Nebula. Requires a telescope of large aperture. Dist=8,150 ly.			
M81	UMa	0	Beautiful spiral galaxy visible with binoculars. Easy to see in a telescope.			
M82	UMa	0	Close to M81 but much fainter and smaller.			
M87	Vir	0	Supergiant galaxy with supermassive black hole at its core. Dist=53.5 million ly.			
γ Virginis	Vir	٠	Superb pair of mag 3.5 yellow-white stars. Orbit=169 years. At their closest in 2005.			
M27	Vul	+	Dumbbell Nebula. Large, twin-lobed shape. Most spectacular planetary. Dist=975 ly.			

The Evening Sky Map (ISSN 1839-7735) Copyright @ 2000-2023 Kym Thalassoudis, All Rights Reserved.

Kern Astronomical Society InfoShare

Since 1956, the Kern Astronomical Society has promoted community awareness of current events in astronomy, and provides a forum for sharing of knowledge and experiences among amateur astronomers. Annual membership is \$25.00 which also provides membership in the Amateur Astronomical League, access to their newsletter (Reflector Magazine), and participation in observational programs.

Star Parties and Outreach

The Kern Astronomical Society typically has two Club Star Parties each month depending on the weather. Our Club Parties are held on Saturdays nearest the New Moon. We also host Public Star Parties at various locations around town during April - October. These parties are held on Saturdays nearest the first quarter Moon. In addition, we also host Lunar, Solar, and Planetary viewing for Public Schools. Requests may be directed to our Star Party Coordinator.

Club Equipment

The Kern Astronomical Society has telescopes and accessories (listed below) available for loan to Club Members in good standing. Members are encouraged to borrow the different types of telescopes in stock (especially if you are considering purchasing one). Trying out different sizes and types of telescopes can help you make an informed decision about purchases. If you have a Club telescope in your possession, you will be expected to participate in at least one public star party.

- 6" f/6, 8" f/6, 10" f/5.6, 13" f/4.5 Dobsonian telescopes, Parks Jovian 90, 3 ½" f/13 Maksukov-Cassegrain, 4" f/15 Unitron Refractor
- 8" Solar Filter
- Assorted eyepieces

Privileges and Benefits of Membership in the Kern Astronomical Society

- 1) Hold an elected position as an Officer or Board Member in the Society
- 2) Vote in the election process and on business at meetings
- 3) Go on sponsored field trips to various astronomy related events (i.e. Mt Wilson Observatory, Panamint Springs Dark Sky, etc.)
- 4) Membership in the Astronomical League which includes subscription to Reflector Magazine
- 5) Discount for Sky and Telescope Magazine
- 6) Access/use of club telescopes and related equipment / Help with use of equipment by members
- 7) You are covered under the Society's insurance at related events

KAS Club Officers/Board Members

Newsletter EditorTimothy Stonerdesert_enduro@hotmail.comWebmasterIvan Aburtoivanaburto88@gmail.com

Kern Astronomical Society

New Membership/Renewal 2023

Date:					
Name:					
Family Members:					
Address:					
City, State, Zip:					
Phone:					
Email:**					
My check #in the amount of \$ is enclosed.					
Yearly Membership \$25					
Make checks payable to: KAS (or) Kern Astronomical Society					
You can also mail this form and check to:					
Kern Astronomical Society 5501 Stockdale Hwy #10241 Bakersfield, CA 93389					
** Please provide the email address where you wish to receive the KAS newsletter (if different than	above)				
"SYZYGY":					