

A CLAMP THAT DOES IT ALL

KRONOS - THE GLASS CLAMP

- | The first adjustable clamp
- | One clamp for all glass thicknesses – from 8 mm tempered glass up to 12.76 mm laminated safety glass
- | A clamp made from one piece – no assembly of single components
- | Unsurpassed quality
- | Incomparably simple installation
- | Incredible price

KRONOS

One clamp for all applications

Inspiring Innovations.

KRONOS by ONLEVEL, the first adjustable clamp ever. While developing this clamp, apart from the price, we always also had efficiency in mind. Creativity and innovation can only work if they go hand in hand with enthusiasm – on all levels: aesthetic design, efficient products and simple installation.

All relevant glass thicknesses instantly adjustable:

Step	Glass Thickness
1	8 mm
2	4/4/2 (8.76 mm)
3	10 mm
4	5/5/2 (10.76 mm)
5	12 mm
6	6/6/2 (12.76 mm)

Essential Features

- | All relevant glass thicknesses: from 8 mm tempered glass up to 12.76 mm laminated safety glass – instantly adjustable
- | All relevant post connections – flat back and 42 mm, 48 mm post (round)
- | Considerably reduced inventory
- | Considerably reduced technical support
- | Unsurpassed quality – top grade consistent stainless steel and no unexpected widening and loosening of the grip – guaranteed
- | Concealed screws – simply attach the desired cover – clean appearance from both sides
- | Simple installation – no longer do you require fiddly assembly of single components
- | Finish will be 100% identical to post or to the entire project, whatever the colour
- | Made in Germany- timeless precision and quality





A clamp made from one piece –
no assembly of single components



Concealed screws – simply
attach the desired cover

One clamp for all glass thicknesses
– from 8 mm tempered glass up to
12.76 mm laminated safety glass



Kronos, V4A



| Length: 65 mm
| Height: 45 mm
| Sales unit: 4 pieces

Connection	flat	Ø 42.4 mm	Ø 48.3 mm
	Art. no.	Art. no.	Art. no.
	12.5500.000.31	12.5500.420.31	12.5500.480.31

Kronos, steel, mill finish



| Length: 65 mm
| Height: 45 mm
| Sales unit: 4 pieces

Connection	flat	Ø 42.4 mm	Ø 48.3 mm
	Art. no.	Art. no.	Art. no.
	12.5500.000.80	12.5500.420.80	12.5500.480.80

Kronos, galvanised steel



| Length: 65 mm
| Height: 45 mm
| Sales unit: 4 pieces

Connection	flat	Ø 42.4 mm	Ø 48.3 mm
	Art. no.	Art. no.	Art. no.
	12.5500.000.81	12.5500.420.81	12.5500.480.81

Kronos, RAL



| Length: 65 mm
| Height: 45 mm
| Sales unit: 4 pieces

Connection	flat	Ø 42.4 mm	Ø 48.3 mm
RAL	Art. no.	Art. no.	Art. no.
glossy	12.5500.000.83	12.5500.420.83	12.5500.480.83
structured matt	12.5500.000.86	12.5500.420.86	12.5500.480.86
matt	12.5500.000.88	12.5500.420.88	12.5500.480.88

Kronos Inner Section without Cover Cap



| Length: 65 mm
| Height: 45 mm
| Material: Steel/nickel, zinc-plated
| Sales unit: 4 pieces

Connection	flat	Ø 42.4 mm	Ø 48.3 mm
	Art. no.	Art. no.	Art. no.
	12.5501.000.82	12.5501.420.82	12.5501.480.82

Kronos Cover Cap, Stainless Steel V4A



| Length: 65 mm
| Height: 45 mm
| Sales unit: 4 pieces

Connection	flat	Ø 42.4 mm	Ø 48.3 mm
	Art. no.	Art. no.	Art. no.
	12.5502.000.31	12.5502.420.31	12.5502.480.31

Kronos Cover Cap, steel mill finish



| Length: 65 mm
| Height: 45 mm
| Sales unit: 4 pieces

Connection	flat	Ø 42.4 mm	Ø 48.3 mm
	Art. no.	Art. no.	Art. no.
	12.5502.000.80	12.5502.420.80	12.5502.480.80

Kronos Cover Cap, zinc-plated steel



| Length: 65 mm
| Height: 45 mm
| Sales unit: 4 pieces

Connection	flat	Ø 42.4 mm	Ø 48.3 mm
	Art. no.	Art. no.	Art. no.
	12.5502.000.81	12.5502.420.81	12.5502.480.81

Kronos cover cap RAL



| Length: 65 mm
| Height: 45 mm
| Sales unit: 4 pieces

Connection	flat	Ø 42.4 mm	Ø 48.3 mm
RAL	Art. no.	Art. no.	Art. no.
glossy	12.5502.000.83	12.5502.420.83	12.5502.480.83
structured matt	12.5502.000.86	12.5502.420.86	12.5502.480.86
matt	12.5502.000.88	12.5502.420.88	12.5502.480.88

Kronos lock pin



Lock pins must be used for pre-wall installation.
They secure the glass against slipping.

| Sales unit: 4 pieces

Model 5000	
	Art. no.
	92.5000.029.30

Kronos, adjustable screw M8 x 20 mm




You haven't drilled straight into the post? No problem. Our adjustable screw can easily make up for small differences.

| Finish exterior application: V4A (exterior)
| Sales unit: 12 pieces

Model 1050	V4A (exterior)
	Art. no.
	91.1050.820.30

Kronos glass dimensions





8, Alexandria Court
Ashton Commerce Park
Ashton-under-Lyne
Lancashire OL7 0QN
United Kingdom

T +44 0161 804 9500
F +44 0161 804 9505

info@onlevel.com
www.onlevel.com