

Unified Communications Solutions

For Small, Medium and Large Businesses

IP Video Phones for Android

GXV3275

IP Video Phone for Android™



6 lines, 6 SIP accounts, dual Gigabit ports, PoE, 7" touch screen, integrated WiFi and Bluetooth

GXV3240

IP Video Phone for Android™



6 lines, 6 SIP accounts, dual Gigabit ports, PoE, 4.3" touch screen, integrated WiFi and Bluetooth

Mid-Range IP Phones

GXP1760

Mid-Range IP Phone



6 lines, 3 SIP accounts, PoE, 24 digital BLF/speed dial keys

GXP1780/1782

Mid-Range IP Phone



8 lines, 4 SIP accounts, dual Gigabit ports (1782 only), PoE, 32 digital BLF/speed dial keys

High End IP Phones

GXP2170

High End HD IP Phone



12 lines, 6 SIP accounts, dual Gigabit ports, PoE, 48 digital BLF/speed dial keys, Bluetooth

GXP2160

High End HD IP Phone



6 lines, 6 SIP accounts, dual Gigabit ports, PoE, 24 BLF/speed dial keys, Bluetooth

GXP1630

Basic HD IP Phone



3 lines, 3 SIP accounts, dual Gigabit ports, PoE, 8 BLF/speed dial keys

GXP1620/1625

Basic HD IP Phone



2 lines, 2 SIP accounts, dual 10/100Mbps ports, PoE (GXP1625 only)

Basic IP Phones

Basic HD IP Phone

GXP1628



2 lines, 2 SIP accounts, dual Gigabit ports, PoE, 8 BLF/speed dial keys

GXP1610/GXP1615

Basic IP Phone



2 line keys, 1 SIP account, dual 10/100MBps ports, PoE (GXP1615)

GXP2140

High End HD IP Phone



4 lines, 4 SIP accounts, dual Gigabit ports, PoE, Bluetooth

GXP2135

High End HD IP Phone



8 lines, 4 SIP accounts, dual Gigabit ports, PoE, Bluetooth

GXP2130

High End HD IP Phone



3 lines, 3 SIP accounts, dual Gigabit ports PoE, Bluetooth

DECT Cordless

DP750/DP720

DECT Cordless HD IP Phones



Base station (DP750) supports 5 DP720 handsets; HD voice, Color LCD

Extension Module

GXP2200 EXT

Extension Module for IP Phones



Backlit LCD, 40 BLF/speed dial keys per module, supported by GXP2170, GXP2140 and GXV3240

Gateways

GXW4200 series

High Density FXS Gateways



Mid-Density FXS/FXO Gateways

GXW410x and GXW400x

16/24/32/48 FXS ports, multiple SIP profiles

4/8 FXO ports (GXW410x), 4/8 FXS ports (GXW400x), multiple SIP profiles, integrated NAT router

IP PBXs

UCM6100 series

IP PBX



Up to 500 users, 60 concurrent calls, 2/4/8/16 FXO ports, 2 FXS ports, auto provisioning

UCM6200 series IP PBX

UCM6202/6204: Up to 500 users, 35/45 concurrent calls, 2/4 FXO ports, 2 FXS ports, auto-provisioning, CDR

UCM6208: Up to 800 users, 100 concurrent calls, 8 FXO ports, 2 FXS ports, auto provisioning, CDR

UCM6510

IP PBX



Up to 2000 users, 200 concurrent calls, E1/T1/J1, 2 FXS ports, auto provisioning



Analog Telephone Adapters

HT812/814

Analog Telephone Adapters



2/4 FXS ports, 2/4 SIP profiles, 2 Gigabit network ports with NAT router, auto-provisioning

HT701 Analog Telephone Adapters



1 FXS port, 1 SIP profile, auto-provisioning

HT801/802

Analog Telephone Adapters



2/4 FXS ports, 2/4 SIP profiles, 2 Gigabit network ports with NAT router, auto-provisioning

HT503

Analog Telephone Adapters



1 FXS and 1 FXO, integrated router, auto-provisioning

WiFi Access Points

GWN7610 **802.11ac Access Points**



1.75Gbps wireless throughput, 250+ concurrent WiFi clients, dual band 3x3:3 MIMO technology, coverage range of up to 175 meters

GWN7600

802.11ac Wave-2 Access Points



1.27Gbps wireless throughput, 450+ concurrent WiFi clients, dual band 2x2:2 MU-MIMO technology, coverage range of up to 165 meters

Video and Voice Conferencing



Wifi and Bluetooth integrated

Gigabit Router

Ф С. С. С. С. Ф. Ф.

GWN7000

Gigabit VPN Router

7 Gigabit ports (2 WAN + 5 LAN), hardware accelerated VPN, embedded controller to manage 300+ GWN AP's, multi-WAN ports, 1 million packets/ second routing & 10Gbps aggregate switching power













GVC3202

Video Conferencing System

Supports Android, SIP and H.323 platforms, 3-way video, 2 HDMI outputs, screen-sharing, Bluetooth























Android based, 6 lines, 4.3" color screen, 7-way conference bridge, Gigabit LAN port, PoE, integrated WiFi & Bluetooth



HD IP Cameras

GXV3610 HD/Full HD series Outdoor/Indoor IP Camera



3.6mm lens ideal for wide angle monitoring, light sensors, IP66-certified weatherproof, PoE

*GXV3674 FHD*Outdoor/Indoor IP Camera



Variable-focal lens (2.8mm-12mm), weather-proof, Infrared, PoE

GXV3611_IR_HD

Indoor IP Camera



2.8mm lens for wide-angle/close-proximity monitoring, Infrared, PoE, SD card, built-in speaker/mic

GXV3672 FHD_36 Outdoor/Indoor IP Camera



3.6mm lens, weatherproof, Infrared, PoE

Video Door System

GDS3710 HD IP Video Door System

Built-in hemispheric camera for 180° view, 1080p video resolution, microphone and speaker for intercom functionality, RFID chip reader, free management system, PoE



Network Video Recorders



GVR355X series Network Video Recorder



Supports 24 or 16 cameras, up to 16TB or 4TB of storage from 2 or 4 HDDs, HDMI/VGA output

Video Encoder/Decoder



GXV3500 Video Encoder/Decoder/PAS

1-channel IP video encoder/decoder/ public address system device, H.264, PoF

Video Management Software



GSurf Pro Video Management Software

Free video management software for up to 72 Grandstream IP cameras, client/server architecture













OFFICE LOCATIONS

NORTH AMERICA

Corporate Headquarters

126 Brookline Ave, 3rd Floor Boston, MA 02215 Voice: +1 617-566-9300 Fax: +1 617-249-1987

California Office

1208 John Reed Court City of Industry, CA 91745 Voice: +1 626-638-9172 Fax: +1 617-249-1987

Dallas Office

2301 W. Plano Pkwy Suite 208 Plano, TX 75075 Voice: +1 469-241-0100 Fax: +1 617-249-1987

ASIA

Shenzhen, China Office Hangzhou, China Office

EUROPE, MIDDLE EAST & AFRICA

Morocco Office

LATIN AMERICA

Venezuela Office