



4.ONL  
3647  
1747R opt.  
1747G opt.  
1747P opt.

3669  
3669A opt.

3654

1985  
5x8x0.5PTW

3736  
3636X opt.  
3636A opt.  
3636G opt.  
3636P opt.

1675  
5x11x40B  
5116 opt.

3632  
3632A opt.  
3632X opt.  
3632G opt.  
3632P opt.

2563  
3x15RM

2735  
2735P

2548  
4x12CM

3654

5576  
5576A opt.  
3673 opt.  
3675 opt.

3671

3671

4.ONL  
3647  
1747R opt.  
1747G opt.  
1747P opt.

3186  
3x12WWM

2742

2336  
78mm

2593  
3x14 BCS

8361

3760A  
2660 opt.

2742

3740  
31.5mm

2746

3642  
3x12x5SS

3641A  
69mm

2746  
3x6MW

3739  
24mm

3631

3739  
40mm

2530A  
2530 opt.

2548  
4x12CM

3739  
40mm

2563  
3x15RM

3631

3739  
24mm

3632  
3632A opt.  
3632X opt.  
3632G opt.  
3632P opt.

2742

3187  
3x15WWM

2336  
78mm

3186  
3x12WWM

2742

3642  
3x12x5SS

3288  
3x15WST

3642  
3x12x5SS

2593  
3x14 BCS

8361

3760A  
2660 opt.

2742

2746  
3x6MW

3639

3641A  
69mm

2746  
3x6MW

3642  
3x12x5SS

2742

2754

3637

1675  
5x11x40B  
5116 opt.

3736  
3636X opt.  
3636A opt.  
3636G opt.  
3636P opt.

3740  
31.5mm

1985  
5x8x0.5PTW

2742

3187  
3x15WWM

2336  
78mm

3186  
3x12WWM

2742

1834

3x10WST

1834

3x10WST

3614

3290  
3x8WST

2056  
2075 opt.

3622A  
3622 opt.

2573  
4x15RM

3622A  
3622 opt.

2573  
4x15RM

3622A  
3622 opt.

2573  
4x15RM

3622A  
3622 opt.

2573  
4x15RM

3622A  
3622 opt.

2573  
4x15RM

3622A  
3622 opt.

2573  
4x15RM

3622A  
3622 opt.

2573  
4x15RM

3622A  
3622 opt.

2573  
4x15RM

3622A  
3622 opt.

2573  
4x15RM

3622A  
3622 opt.

2573  
4x15RM

3622A  
3622 opt.

2573  
4x15RM

3622A  
3622 opt.

2362

F-3758X  
3758A opt.  
3758T opt.  
3758R opt.  
3758P opt.  
R-3757X  
3757A opt.  
3757T opt.  
3757R opt.  
3757P opt.

3767

3768

1942  
2742X

3768

1942  
2742X

3768

1942  
2742X

3768

1942  
2742X

3768

1942  
2742X

3768

1942  
2742X

3768

1942  
2742X

3768

1942  
2742X

3768

1942  
2742X

3768

1942  
2742X

3768

1942  
2742X

3768

1942  
2742X

3768

1942  
2742X

3768

1942  
2742X

3768

8361  
8361

1765

E  
3768  
E

Limiter,  
Rear only

F-1664  
1664T opt.

R-2656  
2656T opt.

3769

F-3765A  
R-3766A

3768

3768

3768

3768

3768

3768

3768

3768

3768

3768

3768

3768

3768

3768

3768

3768

3768

3768

3768

3768

3768

3768

3768

3768

Use #1666 silicone shock oil

See Parts List for a complete listing of optional accessories.


Specifications on this page are subject to change without notice. Every attempt has been made to ensure the accuracy of this drawing; however, Traxxas cannot be held responsible for typographical or other errors.

REV 171005-R04



# Front Assembly






## Rear Assembly

# STAMPEDE

## Transmission Assembly



See Parts List for a complete listing of optional accessories.