

Ordinance No. 999

Passed February 18, 1992

ORDINANCE AMENDING SPECIFICATIONS FOR SIDEWALKS
IN THE VILLAGE OF PEMBERVILLE, OHIO.

BE IT ORDAINED BY THE COUNCIL OF THE VILLAGE OF
PEMBERVILLE, OHIO:

SECTION ONE: All sidewalks constructed or replaced on the public streets after the effective date of this ordinance shall be of concrete at least four feet wide with the inside edge of the walk located on the property line. The walks shall be at least four inches thick except at driveways where it shall be at least six inches thick. Such sidewalks shall have expansion joints every twenty feet or closer, and shall slope toward the street at a grade of one-quarter of an inch per foot.

SECTION TWO: All sidewalks constructed or replaced on the public streets after the effective date of this ordinance within the business district as designated by the zoning map shall be of concrete at least four (4) feet wide and at least six (6) inches thick. Such sidewalks shall have expansion joints and shall slope toward the street as in Section One.

SECTION THREE: All ordinances for construction of sidewalks inconsistent with this ordinance are hereby repealed.

SECTION FOUR: This ordinance will be effective at the earliest period allowed by law.

Passed: 2-18-92

Justava V. Oberhose
Mayor

Attest:

Ronald E. Cobb
Clerk