# V OUTDOOR

# DATA SHEET

## **Padel Court Mod. PANORAMIC BASIC**





Padel Court constructed with **simple pillars** is suitable for **indoor installations**.

Spectacular design to enjoy Padel of the highest level like on WPT. Allow viewers to have an **optimal inside view**.

**Install outdoors** only in areas protected from wind.

For commercial and private use.

# Mod. PANORAMIC BASIC

TECHNICAL DETAILS		INDOOR USE OUTDOOR (ONLY IN HIGH WIND PROTECTED AREAS)
Construction system		Pilar construction
Frame Steel Structure	EN 10305-5	100 x 50 x 2 mm / 30 x 30 x 2 mm
Glass modules	EN 10305-5	100 x 50 x 2 mm
Vertical pillar reinforcement	EN 10305-5	none
Corrosion protection	EN ISO 2081:2018	Galvanised
Paints and varnishes	DIN 55633	Polyester Powder coating
Tempered Glass	EN-12150-1	<b>12 mm</b> (108 m2 - 18 slabs - 3 x 2 m)
Glass stability system		2 sides
Surfaces for sports areas	EN 12235	Artificial grass in 12 mm
		fibrillated, monofilament or textured
Lighting (Optional)	EN 12193:2008	Classes I-III: 500 Lux / 300 Lux / 200 Lux
Middle net	EN 1510	approved by FEP (Spanish Padel Federation)

Manufactured according to the standards of the International Padel Federation.



All materials covering our value proposition have as origin Spain (EU-European Union), except the LED-Lighting System. For safety reasons we do NOT import any items like *glass or artificial grass* from countries outside the EU.

Preferential origin from the European Union (EU) confers certain tariff benefits (entry at a reduced or zero rate of duty).



MOST POPULAR COLOR COMBINATIONS (STEEL + TURF)

RAL 6009

RAL 9011



RAL 9011





**RAL 3005** 

RAL 9011



RAL 4007

**RAL 9011** 



### **FLOOR REQUIREMENTS**



REINFORCED CONCRETE FLOOR FREE OF WATER, GAS OR POWER TUBES

# SIMPLE PILLAR CONSTRUCTION

# Mod. PANORAMIC BASIC

### **PROS**:

- Recommended for Indoor
- Very simple design
- Budget Court Low price range
- Made out of multiple pieces to be screwed together
- Simplest construction available
- Outdoor: Only in protected areas with very low windloads.
- Low structural strength less steel
- Easy to install

### **LOGISTIC FEATURES:**

- Shipment per 40ft-OT container (Seafreight): max. 3 Padel Courts
- Shipment by truck: max. 3 Padel Courts per truck



