

# uvex

**SAFETY  
EYEWEAR**

17.01.2019

## Product Datasheet model i-vo 9160 076



**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,  
D-90766 Fürth**

### **Product characteristics**

- fashionable safety spectacles with adjustable side arms
- reliable protection provided by its perfect fit: multi-level side arm inclination and different side arm lengths allow the wearer to adjust the spectacles to suit their own face shape
- soft, uvex quattroflex arms and soft components at the nose and forehead ensure a comfortable, pressure-free fit
- the shape of the lenses ensures unrestricted peripheral vision
- suitable for construction applications

## Technical details

### Frame

Material  
Colour

Material  
Features  
Colour

Material  
Features  
Colour

Manufacturer's ID code  
Applicable EN norm  
Low-energy impact  
Resistance to high  
speed particles at  
extremes of temperat.  
Conformity symbol

### Lens

Material  
Thickness  
Coating  
Colour  
UV protection

### Front piece

TPU/TPE  
black/grey

### Side piece

PA  
5 position length adjustability  
black


### Temple

PBT+PC/TPE  
quattroflex temple  
black/grey

### Marking

W  
166  
F (45 m/s)  
T  
  
CE

PC  
3 mm  
uvex supravision sapphire  
grey 23 %  
UV 400

Filter	<b>Marking</b> 5-2,5 (DIN EN 172)
Manufacturer's ID code	W
Optical class	1
Low-energy impact	F (45 m/s)
Resistance to high speed particles at extremes of temperat.	T
Conformity symbol	CE
Factory symbol	
<b>Miscellaneous</b>	
Weight	30 g
Packing	5 spectacles per box 200 spectacles per cardboard box
Standards	DIN EN 166 + DIN EN 172
PPE Category	Category II