

# TOWELRADS ASCOT RANGE



Our aluminium radiators conduct up to 5 times more than steel, circulating heat more efficiently. Designed to be dimensionally smaller than traditional steel heat sources, they supply the same heat output at a lower cost.

A modern take on the traditional radiator and made from recycled materials, these radiators are both lightweight and slim line, making installation safer and easier.


For the full and extensive range of radiators, elements and accessories please visit our website at [www.towelrads.com](http://www.towelrads.com).



Manufacturers  
Warranty



Available in  
White & Anthracite



## FEATURES AND BENEFITS

- Lightweight and slimline.
- Modern take on traditional radiators suitable for all rooms.
- Aluminium radiator finished in white and anthracite.
- Max Working Pressure: 10 bar
- Max Working Temp: 95 degrees C

### ASCOT WHITE SINGLE

Height	Length	Product Code	Output at $\Delta T_{50}$		SECTION
			Watts	BTU	
600	407	510028	291	992	4
	612	510029	436	1487	6
	817	510030	582	1985	8
	1022	510031	727	2480	10
	1227	510032	872	2975	12
	1432	510033	1018	3473	14
1800	305	510024	590	2013	3
	407	510025	786	2681	4
	510	510026	983	3354	5
	612	510027	1179	4022	6

### ASCOT WHITE DOUBLE

Height	Length	Product Code	Output at $\Delta T_{50}$		SECTION
			Watts	BTU	
600	407	510018	390	1330	4
	612	510019	585	1996	6
	817	510020	779	2658	8
	1022	510021	974	3323	10
	1227	510022	1169	3988	12
	1432	510023	1364	4654	14
1800	305	510014	767	2617	3
	407	510015	1023	3490	4
	510	510016	1278	4360	5
	612	510017	1534	5234	6

### ASCOT ANTHRACITE SINGLE

Height	Length	Product Code	Output at $\Delta T_{50}$		SECTION
			Watts	BTU	
600	407	510099	291	992	4
	612	510100	436	1487	6
	817	510101	582	1985	8
	1022	510102	727	2480	10
	1227	510103	872	2975	12
	1432	510104	1018	3473	14
1800	305	510095	590	2013	3
	407	510096	786	2681	4
	510	510097	983	3354	5
	612	510098	1179	4022	6


### ASCOT ANTHRACITE DOUBLE

Height	Length	Product Code	Output at $\Delta T_{50}$		SECTION
			Watts	BTU	
600	407	510089	390	1330	4
	612	510090	585	1996	6
	817	510091	779	2658	8
	1022	510092	974	3323	10
	1227	510093	1169	3988	12
	1432	510094	1364	4654	14
1800	305	510085	767	2617	3
	407	510086	1023	3490	4
	510	510087	1278	4360	5
	612	510088	1534	5234	6


# TECHNICAL DIAGRAMS

## ASCOT COLLECTION - DOUBLE

600MM  
CONFIGURATION




1800MM  
CONFIGURATION



# TECHNICAL DIAGRAMS

## ASCOT COLLECTION - SINGLE

600MM  
CONFIGURATION



1800MM  
CONFIGURATION

