


Fabulous, functional, forever.

www.eva-last.co.uk




Love your floors

TIERTM luxury flooring provides the beauty of wood in a Stone Polymer Composite (SPC) that is heat resistant, making it stable and ensuring no movement over time. Its water resistant click installation system prevents moisture ingress and the IXPE underlayer ensures sound suppression and a softer feeling underfoot. TIER™ is the cleaner, safer flooring option thanks to its VOC free manufacturing and natural antimicrobial features. $TIER^{TM}$ elevates the functionality and style of your indoor space.

LUXURY SPC INDOOR FLOORING

With CarbideCore technology

TIERS OF TIER™



WEAR LAYER

UV, scratch and slip resistant

PRINT LAYER

Photorealistic print technology

CARBIDECORE

Manufactured with solar energy

SOFT INSULATING FOAM

Reduces noise and allows for a softer feeling under foot





FSC™ certified bamboo

BENEFITS



Rigid



Heat resistant



Stable





Water resistant Sound suppression



Click installation



VOC free



Floor or wall



Antimicrobial





APPLICATIONS

TIERTM is the ultimate choice for any indoor space; a luxurious, environmentally friendly flooring that is as robust as it is beautiful. TIERTM is designed for versatility as well as durability. TIERTM can be applied to any room in your house or commercial space – including the walls. Let the good looking, low-maintenance and high-performance features of TIERTM enhance the appeal of your home or business.



CLICK SYSTEM PROFILE

 $TIER^{TM}$ flooring is made from a reliable and rigid stone plastic composite (SPC) core for added strength and longevity. The core layer is an innovative material which can be machined to exact standards, making for easy installation. The result is robust edges which will not wear away against each other or deform over time.

4.7 mm 181.0 mm

EASY INSTALLATION

Installing TIER™ slip groove flooring is quick and easy thanks to the simplified click installation system that creates a watertight, seamless finish. For details, visit the website www.tierflooring.com and download the care and installation guides.



 $TIER^{TM}$ flooring is expertly engineered to elevate the functionality and aesthetics of your indoor space. With $TIER^{TM}$, your flooring can be both practical and elegant.

TIER $^{\text{TM}}$ is available in two convenient installation methods; tongue-and-groove "click" profiles and traditional glue down profiles. The click system TIER $^{\text{TM}}$ profile allows you to easily slide and click boards into one another to create a secure, continuous installation surface. This rigid, floating system allows for quick and easy installation by utilising pre-applied backing. Other TIER $^{\text{TM}}$ profiles are designed for traditional glue down flooring installations. These more economical boards can be installed in the same manner as traditional vinyl flooring.

COLOURS AND STYLES

 $TIER^{TM}$ flooring is designed to be beautiful and livable. $TIER^{TM}$ is available in a neat range of colours that embody the natural look of wooden and restored wood flooring, without the upkeep hassles or environmental strain. They're engineered to outlast, and tastefully compliment the functionality of your home. Choose the style and colour that make your floors a standout feature.

IN STOCK COLOURS





NON-STOCK COLOURS


Can be ordered upon request











"Flooring boards" for floors - and walls


 $TIER^{TM}$ profiles are durable, low-maintenance, handsome boards that add class to your floors or even your walls. Enjoy horizontal and vertical applications that take full advantage of the beauty, resiliency and versatility of $TIER^{TM}$.

TIER $^{\text{TM}}$ is premium quality rigid core flooring from start to finish - and from top to bottom. The interior CarbideCore layer is a cutting-edge extruded composite of powdered minerals and vinyl which is extremely rigid and resilient. This specialised core material can tolerate temperatures of up to 80° C (176°F) without any adverse effects and is highly resistant to moisture absorption.



The precision of $TIER^{TM}$ flooring, when installed using the tongue-and-groove option, forms a snug, watertight fit. This keeps messes and spills from penetrating beneath the flooring, and protects your floors or walls from ever swelling, warping or buckling.





Ultimate beauty with longevity

TIERTM makes for an exceptionally barefoot friendly floor. However, it can also be used as a showstopping, protective wall covering. Boards can be installed as a floor, or tiled onto a wall, similar to a ceramic tile. The glue down tile offers an elegant appeal for kitchen, bathroom and even bedroom walls, and works great as simple DIY installation solution.

Specifications		
Core thickness (mm)	Dimensions (mm)	Boards per box
3.20	181 x 1 220	12
Underlay thickness (mm)	Thickness (mm)	Mass per board (kg)
1.00 (Optional)	4.70	1.52
Wear layer thickness (mm)	m² per board	m² per box
0.50	0.22	2.64
Wear layer type	Click system	
Engineered polymer	4-sided micro bevel	
Wall and floor applications		





Choose quality alternatives to timber that improve your lifestyle and the environment.









 $TIER^{TM}$ is setting the benchmark for eco flooring and green manufacturing processes. $TIER^{TM}$ high performance products are created using solar energy and are an ultra-low maintenance, water resistant alternative to timber. With $TIER^{TM}$ indoor flooring you make a positive impact on your home and the Earth.



Forest Stewardship Council (FSC) certification ensures that products come from responsibly managed forests that provide environmental, social and economic benefits. The diverse fauna and flora who share our forests are given the time and space to recover from our use of their environments.



Made with solar energy

TIER $^{\rm IM}$ flooring is manufactured using solar power. This greatly reduces its carbon footprint to help protect the Earth and brings you peace of mind.



Euroclass B_{FI} - s1

TIER $^{\mathrm{m}}$ flooring has the highest fire resistance rating possible in its class, making it a safer and more reliable product for your home. Comprehensive fire reaction data is available for your fire engineer upon request.



sales@bswtimbersolutions.co.uk

England & Wales Tel: 01938 554 999 Scotland

Tel: 01236 454 916











