



Initial Review of 3 PCK Cases

Dr Carl Becker
University of Pennsylvania
Health System
Lancaster, PA

February - March 2016



Case One - Pre-Op



Case One – Pre-Op

- 5'11" 62 Year Old Female
- Swelling
- LCL laxity and MCL Laxity
- Extreme Pain
- Right total knee revision recommended

Case One – Post Op



Case One - Post-Op

■ Implants Used

- E right PCK femur
- Distal femoral augments x 2
- Size 3 stemmed tibia
- PCK insert E3, 20mm
- Stem extension 13.5x150mm
- Stem extension 15x150mm
- 34mm patella

■ Post Op at time of follow up patient doing well

Case Two – Pre-Op

- 6'0" 62 Year Old Male
- Pain standing, walking and during movement
- Decreased ROM
- Pain, numbing and sharp pain in joint area
- Left total knee revision surgery

Case Two - Pre-Op



Case Two – Post-Op



Case Two - Post-Op

■ Implants Used


- E left PCK femur
- Posterior femoral augments x 2
- Distal femoral augments x 2
- Size 5 stemmed tibia base plate
- 15x150 stem extension
- 16,5x150mm stem extension
- E5-6 17mm PCK insert

■ Patient doing well at time of follow up

Case Three – Pre-Op

- 5'8" 72 Year Old Male
- Increased pain and swelling
- No Infection
- Instability medio-laterally
- Tibial loosening
- Need for right total knee revision

Case Three - Pre-Op



Case Three - Post Op



Case Three - Post-Op

■ Implants Used

- E Right PCK femur
- Posterior augments x2
- Distal augments x 2
- Size 5 stemmed tibia base plate
- 15x150mm stem extension
- 13.5x150mm stem extension
- E5-6 20mm PCK insert
- 37mm Patella