

PÖPPELMANN TEKU®

PROGRAM 2022



PÖPPELMANN

TEKU®

THE PÖPPELMANN EFFECT:

Real Circular Economy. The New Benchmark.



We do it.
More resource-saving.

Find out more now:
www.poepelmann.com/teku



CONTENT

- 1** PRODUCT OVERVIEW
-> 4 – 7
- 2** SUSTAINABILITY AT PÖPPELMANN
-> 8 – 13
- 3** PROGRAM
-> 14 – 103
- 4** BRANDING
-> 104 – 108
- 5** PICTOGRAMS IN DETAIL
-> 109
- 6** TRAY CONFIGURATOR
-> 110 – 115
- 7** BOTTOM DESIGN
-> 116 – 119
- 8** THE COMPANY
-> 120 – 123

PRODUCT OVERVIEW

SUSTAINABILITY AT PÖPPELMANN



PÖPPELMANN blue® > 8

ROUND POTS AND CONTAINERS – THERMOFORMED



VTD
Round pots 8°



VTG
Round pots 8°



VCD
Round pots and containers 5°



VCG
Round pots and containers 5°



VCC
Round pots and containers
tall 5°



VCH/VCK
Round pots and containers
tall 5°



VCE
Rose containers 5°

ROUND POTS AND CONTAINERS – INJECTION MOULDED



MXC
Round pots 6°



TO
Round pots 8°



MPB
Round pots 7°



MCI - IML
Container 5° with In-Mould
Labelling



MCI
Container 5°



MCD
Container 5°



MCL
Container 5° tall



MCH
Container 5° tall



MCP
Orchid pots



MCO
Orchid pots and containers

PRODUCT OVERVIEW

ROUND POTS AND CONTAINERS – INJECTION MOULDED



G
Netpots

> 33

S
Slitpots

> 34

PLANT SUPPORTS AND CANE HOLDER



STG
Plant supports

> 36

SH
Cane holder

> 37

SQUARE POTS



VQB
Square pots - Thermoformed
(PS)

> 39

VQF
Square pots - Thermoformed
(PP)

> 40

V...PP
Square pots - Thermoformed
(PP)

> 41

MQD
Square pots with tag lock -
Injection moulded

> 42

MQA
Square pots -
Injection moulded

> 43

MQE
Square pots with tag lock -
Injection moulded

> 44

MQF
Square pots with tag lock -
Injection moulded

> 45

BOWLS



VSA
Bowls - Thermoformed

> 47



T
Bowls - Injection moulded

> 48

HANGING BASKETS



VAA
Hanging baskets -
Thermoformed

> 49

MAK
Hanging baskets -
Injection moulded

> 51

MAL
Hanging baskets -
Injection moulded

> 50

MUK
Saucers -
Injection moulded

> 52

TCA
Hanging baskets -
Injection moulded

> 53

PRODUCT OVERVIEW

HANGERS



A & MHB > 54
Hangers - Injection moulded

DECORATIVE POTS AND CONTAINERS



VDA > 57
Decorative pots - Thermoformed



PDB > 58
Decorative containers - Injection moulded

COVERPOTS



MDF > 60
COVERPOT

TRANSPORT AND CULTIVATION TRAYS



PT > 66
Marketing trays



ST > 70
Transport and cultivation trays



D-ST > 77
Transport and cultivation trays



Normpack > 79
Transport and cultivation trays



MS + R > 85
Reusable carriers



DT > 86
Pot trays



TT > 87
Pot trays

CULTIVATION AND MARKETING TRAYS



EP > 89
Cultivation and marketing trays



TP > 90
Cultivation and marketing trays



CLAYETTE > 91
Cultivation and marketing trays

PRODUCT OVERVIEW

PROPAGATION TRAYS



ECO, BP, JP
Propagation trays



AP
Plug removers



PL
Propagation and transport trays



TK
Propagation and transport trays

BRANDING



Trend colours > 105



Printing and Labelling > 106

Sustainability at Pöppelmann.

In joint responsibility for tomorrow.

Our sustainability strategy.


We are not looking for short-term business, but a long-term partnership that is profitable for all parties. That is how we have laid it down in our corporate policy – and that is how we understand sustainable management. This attitude is best described by the notion of "**responsibility**". We assume this responsibility every day anew – for our employees and our products, for the resources of our planet and for the region which we call home.

The result.

We have identified four key fields of approach for our responsibility. They are mutually dependent, built on our corporate policy and thus express our fundamental values. In order to be able to define these four fields of approach more accurately, we have split them into three subject fields.

The entire **sustainability report** according to the Global Reporting Initiative (GRI) specifications is available online and can be downloaded from:

poepelmann.com/sustainabilityreport



PRODUCT FIELD OF APPROACH

Long-term responsible solutions.

Quality, long-term usability and product safety are the basis of our innovative plastic solutions.

EMPLOYEES FIELD OF APPROACH

A dynamic and reliable partnership.

We offer fair working conditions, comprehensive work safety, health protection and continuous further training for everybody in the team.

RESOURCES FIELD OF APPROACH

Efficient use of resources.

We avoid the consumption of fossil fuels through the widest possible use of recyclables, with the aim of closing material loops.

REGION FIELD OF APPROACH

Strong together.

Our company decisions are intended to strengthen regional structures at the location.



Circular Plastics Alliance

Alliance for the recycling economy of the EU Commission. The signatories affirm their support for the objective of the EU Commission to use ten million tons of recycled plastic in new products by the year 2025.



New Plastics Economy

By signing the Global Commitment, Pöppelmann has committed itself, among other things, to significantly increasing the proportion of recycled plastic waste from the collection of recyclable materials for the production of plastic packaging on average by 2025.

Responsibility.

Drive. Challenge. Solution.



DRIVE

Our efficient plastic products ensure that the green sector around the world can work professionally, thus making the world greener, more colourful and tastier for consumers with flowers, plants, fruit, vegetables and herbs.



CHALLENGE

Plastic is currently facing big challenges as a material of the future. The risks are made the subject of many discussions while the opportunities are quickly overlooked.



SOLUTION

Together, we embrace responsibility: Our answer is **Eco-Design** – a central component of our company-wide sustainability strategy.

The correct answer for us is **Eco-Design** of plastic packaging. The Eco-Design of plastic packaging is intended to minimise the environmental impact of plastic packaging and the packaged goods over their entire lifespan. Optimisation approaches as part of Eco-Design include **material savings**, **reusable solutions** and **the use of recycled plastic** and also alternative materials.



Reduce

We reduce the use of materials through resource-friendly article concepts and efficient production processes.



Reuse

We work on the development of products that are intended for multiple use.



Recycle


We develop trendsetting concepts to close material loops. That's why we launched the initiative PÖPPELMANN blue®.

PÖPPELMANN blue® |

100 % Recyclable Plant Pot, Plastic Content 100 % Recycled.

Resource-saving plant pots made from recycled plastics.

Environmental and climate protection are becoming ever more important for consumers. The issue of resource conservation is one that is close to our hearts too. That is why the plastic for our plant pots in **Circular360** comes directly out of the recycling bin, the recycling bag or other domestic recyclable collections where it ends up again. The raw material loop is thereby closed completely. We call this endeavour PÖPPELMANN blue®.



Advantages from which not only you benefit.

- ⊕ The raw material loop is closed (closed loop).
- ⊕ The use of recycled plastics conserves fossil resources.
- ⊕ The demand for environmentally friendly and resource-saving products is growing rapidly.
- ⊕ Recycling-friendly design (100 % recyclable).

Award-winning and certified.



The RAL Quality Mark indicates the proportion of plastic that comes from the recycling bin, recycling bag or other domestic recyclable collections.



www.blauer-engel.de/uz30a

TEKU® plant pots of the initiative PÖPPELMANN blue® are certified with the Blue Angel for the use of recycled plastic.


PÖPPELMANN blue® |

100 % Recyclable Plant Pot, Plastic Content 100 % Recycled.

This is how we close the raw material loop.

Plastic is a valuable raw material. Currently only about half of the plastic in packaging waste is reused in Germany. We want to increase this proportion and actively contribute to closing the raw material loop.

The plant pots in **Circular360** are designed so that the material can be reliably identified by waste-sorting systems. This material can consequently be used to obtain new Pöppelmann PCR granules, which are sourced entirely from the recycling bin, the recycling bag or other domestic recyclable collections.



We do it.

More resource-saving.



Watch the film:
poeppelemanntv

Award-winning and certified.



The jury says: "Brilliant solution!
Minimal use of material, super
light from 100 % recycled material.
Closed Loop!"



The TEKU® products certified by the cyclos-HTP institute are 100 % recyclable in the German Dual Systems and in comparable domestic recyclable collections in various European countries.


The Pöppelmann Effect: Real Circular Economy. The New Benchmark.

Circular360¹⁾

Inline method (Thermoforming)



Injection moulded



Characteristics:

- ⊕ PÖPPELMANN blue®
- ⊕ Circular Economy / Closed Loop
- ⊕ 100 % recyclable⁵⁾
 - NIR detectable
 - Float-sink method
- ⊕ Made of
 - Plastic = 100 % PCR HW²⁾
 - Colour (Masterbatch)
 - Filler
- ⊕ Certified
- ⊕ Printable



www.blauer-engel.de/uz30a



¹⁾ Use of PCR content and heterogeneity of the material leads to variations in gloss and colour.

²⁾ PCR HW = Post-Consumer Recycling Material from the recycling bin, recycling bag or other domestic recyclable collections

The Pöppelmann Effect: Real Circular Economy. The New Benchmark.

PCR Recyclable¹⁾

Characteristics:

- + 100 % recyclable⁵⁾

- NIR detectable
- Float-sink method

- + Made of

- Plastic = 100 % PCR³⁾
- Colour (Masterbatch)
- Filler

- + Certified



www.blauer-engel.de/uz30a

Recyclable

Characteristics:

- + 100 % recyclable⁵⁾

- NIR detectable
- Float-sink method

- + Made of

- Plastic = PCR³⁾/PIR⁴⁾/Virgin material
- Colour (Masterbatch)
- Filler

- + Certified

- + Printable




Black

Characteristics:

- + Made of

- Plastic = PIR⁴⁾/Virgin material
- Colour (Masterbatch)
- Filler

- + Printable



³⁾ PCR = Non-specified Post-Consumer Recycling Material
e. g. DE, F, DK, NL, AT, CH, NO, GB

⁴⁾ PIR = Post-Industrial Recycling Material

⁵⁾ Certified according to cyclos-HTP



>> ROUND POTS AND CONTAINERS
THERMOFORMED



www.blauer-engel.de/uz30a

VTD | Round pots 8°



DESIGN PROTECTED
PATENTED



Circular360

Excellent
and Certified

Find out more
about certificates > **12**

Item	cm	cm	L					Circular360
	Vol.							
VTD 8,5	8,5	6,5	0,23	4.500	11	49.500	52.416	V x

Circular360



Circular terracotta

Available level on request |
Special colours on request



Corresponding trays > **110**



Bottom design > **116**



Product Overview > **4**

VTG | Round pots 8°



www.blauer-engel.de/uz30a



DESIGN PROTECTED
PATENTED



Circular360

Excellent
and Certified

Find out more
about certificates > 12

Item	cm	cm	L	Vol.	EUR 120 80	EUR 120 80		Circular360				Black
	cm	cm	L	Vol.	EUR 120 80	EUR 120 80		Circular terracotta/grey	Circular taupe/grey*	Circular white/grey	Circular trend colour/grey	Black
VTG 9	9	6,8	0,27	3.780	11	41.580	49.140	I	x			x
VTG 10	10	7,9	0,38	2.850	11	31.350	35.937	I	x			x
VTG 10,5	10,5	8,3	0,43	2.520	11	27.720	34.770	I	x			x
VTG 11	11	8,6	0,50	2.548	11	28.028	29.484	I	x			x
VTG 12	12	9,4	0,65	1.659	11	18.249	20.808	I	x	x		x
VTG 13	13	10,2	0,84	1.332	11	14.652	17.640	IV-1	x	x		x
VTG 14	14	10,6	1,00	1.185	11	13.035	15.168	IV-1	x	x	x	x

* only EP available

Circular360



Circular terracotta/grey Circular taupe/grey Circular white/grey Circular blackberry/grey Circular lavender/grey Circular pink/grey Circular orange/grey Circular yellow/grey Circular green/grey Circular red/grey Black

Available level on request |
Special colours on request



Corresponding trays > 110



Bottom design > 116



Product Overview > 4



PÖPPELMANN

TEKU®

VCD | Round pots and containers 5°



www.blauer-engel.de/uz30a



DESIGN PROTECTED
PATENTED



Circular360

Excellent
and Certified

Find out more
about certificates > **12**

Item	cm	cm	L					Circular360	Black
	cm	cm	Vol.					Circular terracotta	Black*
VCD 9,5	9,5	7,2	0,32	3.100	11	34.100	38.880	I	x
VCD 21	21	15,9	4,00	258	11	2.838	3.760	IV	x
VCD 22	22	17,9	4,75	234	11	2.574	3.168	IV	x

* only EP available

Circular360



Circular terracotta

Black



Black

Available level on request |
Special colours on request



Corresponding trays > **110**



Bottom design > **116**



Product Overview > **4**



PÖPPELMANN

TEKU®


www.blauer-engel.de/uz30a

VCG | Round pots and containers 5°



**DESIGN PROTECTED
PATENTED**



Circular360

Excellent
and Certified

Find out more
about certificates > 12

Item	cm	cm	L					Circular360					Black
VCG 9	9	6,8	0,29	3.600	11	39.600	48.375	I	x	x	x	x	x
VCG 10	10	7,9	0,42	2.700	11	29.700	33.858	I		x	x		x
VCG 10,5	10,5	8,2	0,46	1.960	11	21.560	27.360	I	x	x	x	x	x
VCG 10,5 K	10,5	8,2	0,46	1.904	11	20.944	25.080	I		x	x		
VCG 11	11	8,6	0,53	2.212	11	24.332	25.452	I		x	x		x
VCG 12	12	9,4	0,69	1.449	11	15.939	18.564	I	x	x	x	x	x
VCG 12 D	12	7,8	0,55	1.575	11	17.325	19.176	V			x		
VCG 13	13	10,2	0,89	1.134	11	12.474	14.940	IV-1	x	x	x	x	x
VCG 14	14	10,6	1,10	990	11	10.890	12.528	IV-1		x	x		x
VCG 14 D	14	9	0,95	1.080	11	11.880	13.392	IV-1			x		
VCG 15	15	11,5	1,50	854	11	9.394	10.206	IV-1		x	x		x
VCG 17	17	13,3	2,00	540	11	5.940	7.650	IV-1	x	x	x	x	x
VCG 19	19	14,9	3,00	392	11	4.312	5.250	IV-1	x	x	x	x	x

D: Low version

K: Label slot

Circular360

Black



Circular
blue/grey

Circular
terracotta/
grey

Circular
taupe/grey

Circular
white/grey

Circular
blackberry/
grey

Circular
lavender/
grey

Circular
pink/grey

Circular
orange/
grey

Circular
yellow/
grey

Circular
green/grey

Circular
red/grey

Black

Available level on request |
Special colours on request



Corresponding trays > 110



Bottom design > 116



Product Overview > 4

VCC | Round pots and containers tall 5°



www.blauer-engel.de/uz30a



Circular360

Excellent
and Certified

Find out more
about certificates > 12

DESIGN PROTECTED
PATENTED

Item	cm	cm	L					Circular360			Black
									Circular taupe	Circular terracotta	
VCC 9 VOL	8,5	7,2	0,27	4.365	11	48.015	52.272	V	x		x
VCC 10 VOL	9,5	8,5	0,38	2.970	11	32.670	38.550	I	x		x
VCC 12 VOL	11	10,6	0,67	1.976	11	21.736	24.960	I	x		x
VCC 13 VOL	12	10,5	0,79	1.292	11	14.212	18.216	I	x		x
VCC 14 VOL	13	11,3	1,05	1.071	11	11.781	14.300	IV-1	x	x	x
VCC 21	21	18,3	4,50	252	11	2.772	3.760	IV-1	x		x
VCC 22	22	19,1	5,00	222	11	2.442	3.096	IV-1	x		x

* only EP available



Circular terracotta Circular taupe Circular white/grey Black

Available level on request |
Special colours on request



Corresponding trays > 110



Bottom design > 116



Product Overview > 4



PÖPPELMANN

TEKU®



www.blauer-engel.de/uz30a

VCH | VCK | Round pots and containers tall 5°



**DESIGN PROTECTED
PATENTED**

Item	cm	cm	L						Circular360				Black
									Circular blue/grey	Circular terracotta/grey	Circular taupe/grey	Circular white/grey	Black
VCH 9	9	7,9	0,33	3.384	11	37.224	44.604	I	x	x			x
VCH 9 F	9	9	0,37	3.132	11	34.452	41.580	I	x	x	x		x
VCH 10	10	8,9	0,46	2.400	11	26.400	31.482	I	x	x			x
VCH 11 VOL	10,5	9,2	0,51	1.792	11	19.712	26.505	I	x	x	x	x	x
VCK 11 VOL	10,5	9	0,51	2.240	11	24.640	28.392	I	x	x	x	x	x
VCH 11	11	9,7	0,59	2.072	11	22.792	23.940	I	x	x	x	x	x
VCH 13 VOL	12	10,6	0,75	1.428	11	15.708	18.768	I	x	x	x	x	x
VCH 13	13	11,6	1,00	1.080	11	11.880	14.400	IV-1	x	x	x	x	x
VCH 14	14	12,2	1,25	915	11	10.065	11.952	IV-1	x	x	x	x	x
VCH 15	15	13,1	1,55	812	11	8.932	10.080	IV-1	x	x	x	x	x
VCH 17	17	15	2,30	500	11	5.500	7.344	IV-1	x	x	x	x	x
VCH 19	19	18,1	3,50	344	11	3.784	4.950	IV-1	x	x	x	x	x

F: Extra high version

Circular360 Black



Circular blue/grey Circular terracotta/grey Circular taupe/grey Circular white/grey Black

Available level on request |
Special colours on request



Corresponding trays > 110



Bottom design > 116



Product Overview > 4



PÖPPELMANN

TEKU®

VCE | Rose containers 5°



www.blauer-engel.de/uz30a



DESIGN PROTECTED
PATENTED



Circular360

Excellent
and Certified

Find out more
about certificates > 12

Item	cm	cm	L	Vol.	EUR 120 80	EUR 120 80		Circular360	Black
VCE 14	14	18	2,00	555	11	6.105	8.400	IV-1	x
VCE 16	16	20	3,00	330	11	3.630	5.760	IV-1	x

* only EP available

Circular360



Circular taupe

Black



Black

Available level on request |
Special colours on request



Corresponding trays > 110



Bottom design > 116



Product Overview > 4



>> ROUND POTS AND CONTAINERS
INJECTION MOULDED

MXC | Round pots 6°



www.blauer-engel.de/uz30a



Circular360

Excellent
and Certified

Find out more
about certificates > 12

PATENTED

Item	cm	cm	L						Circular360	Black
									Circular terracotta	Black
MXC 5,5	5,5	5	0,08						V-1	x
MXC 9	9	6,8	0,28						XIII-1	x
MXC 10	10	7,7	0,38						XIII-1	x
MXC 10,5	10,5	7,9	0,44						XIII	x
MXC 11	11	8,4	0,51						XIII	x
MXC 12	12	9,4	0,66						XIII	x
MXC 13	13	9,9	0,81						XIII	x
MXC 14	14	10,9	1,05						XIII	x

Circular360



Circular terracotta

Black



Black

Available level on request |
Special colours on request



Corresponding trays > 110



Bottom design > 116



Product Overview > 4



PÖPPELMANN

TEKU®



www.blauer-engel.de/uz30a

TO...D | TO...Z | Round pots 8°



Circular360

Excellent
and Certified

Find out more
about certificates > **12**

Item	cm	cm	L	Vol.	EUR 120 80	EUR 120 80	Bottom	Circular360	Black
	cm	cm	L	Vol.	EUR 120 80	EUR 120 80	Bottom	Circular terracotta	Black
TO 5	5	4,1	0,05	4.795	31	148.645	XXIV	x	
TO 6 D	6	4,6	0,08	3.660	24	87.840	XXIII-1	x	x
TO 7 D	7	5,4	0,13	3.330	22	73.260	XXIII-1	x	x
TO 8 Z	8	6,2	0,19	2.592	28	72.576	II-1	x	x
TO 9,5 D	9,5	7,3	0,32	1.952	22	42.944	VII	x	x
TO 15 D	15	11,4	1,30	525	22	11.550	VII	x	x

D: Low version

Z: Special version

Circular360



Circular terracotta

Black



Black

Available level on request |
Special colours on request



Corresponding trays > **110**



Bottom design > **116**



Product Overview > **4**



www.blauer-engel.de/uz30a

MPB | Round pots 7°



Circular360

Excellent
and Certified

Find out more
about certificates > **12**

PATENTED

Item	cm	cm	L					Circular360	Recyclable	Black
	Vol.									
MPB 6	6	5,8	0,11	4110	28	115080	II	x	x	x

Circular360



Circular taupe

Recyclable



Recyclable transparent

Black



Black

Available level on request |
Special colours on request



Corresponding trays > **110**



Bottom design > **116**



Product Overview > **4**



PÖPPELMANN

TEKU®



www.blauer-engel.de/uz30a

MCI-IML |

Container 5° with In-Mould-Labelling



Circular360

Excellent
and Certified

Find out more
about certificates > **12**

Item	cm	cm	Vol.	EUR 120 80	Circular taupe	Circular360
	cm	Vol.	EUR 120 80	XI		XI
MCI 21 - IML	21	16,4	4,00	4.200	XI	x
MCI 23 - IML	23	17,9	5,00	3.510	XI	x
MCI 26 - IML	26	21,1	7,50	2.145	XI	x

Circular360



Circular taupe

Available level on request |
Special colours on request



Corresponding trays > **110**



Bottom design > **116**



Product Overview > **4**

MCI | Containers 5°



www.blauer-engel.de/uz30a



Circular360

Excellent
and Certified

Find out more
about certificates > 12

Item	cm	cm	Vol.	 	 			Circular360		Black
	cm	cm	L		 	 		Circular taupe*	Circular terracotta	Black
MCI 15	15	11,7	1,50	400	20	8.000	10.710	XI	x	x
MCI 17	17	13,3	2,00	259	20	5.180	8.415	XI	x	x
MCI 17 K	17	13,3	2,00	259	20	5.180	8.568	XI	x*	x
MCI 18	18	14	2,50	216	22	4.752	7.200	XI	x	x
MCI 19 Z	19	14,7	3,00	208	22	4.576	6.000	XIV	x*	x
MCI 19 K	19	14,7	3,00	208	22	4.576	5.900	XI	x	x
Item	cm	cm	Vol.		 			Circular360		Black
	cm	cm	L		 		Circular taupe*	Circular terracotta	Black	
MCI 20	20	15,6	3,50	75	72	5.400	5.400	XI	x	x
MCI 21	21	16,4	4,00	70	60	4.200	4.200	XI	x	x
MCI 23	23	17,9	5,00	65	54	3.510	3.510	XI	x	x
MCI 23 K	23	17,9	5,00	65	54	3.510	3.510	XI	x*	x
MCI 26	26	21,1	7,50	55	39	2.145	2.145	XI	x	x
MCI 29	29	21,8	10,00	55	33	1.815	1.815	XI	x	x

K: Label slot

Z: Special version

* only EP available

Circular360 Black



Circular terracotta Circular taupe Black

Available level on request |
Special colours on request



Corresponding trays > 110



Bottom design > 116



Product Overview > 4

MCD | Containers 5°



www.blauer-engel.de/uz30a



Circular360

Excellent
and Certified

Find out more
about certificates > **12**

Item	cm	cm	Vol. L				Circular360	Black
MCD 31	31	22,9	12,00	30	33	990	XXIII-2	x
MCD 33	33	24,4	14,00	30	21	630	XXIII-2	x
MCD 37	37	27,4	20,00	20	24	480	XXIII-2	x
MCD 40	40	29,6	25,00	20	24	480	XXIII-2	x
MCD 45	45	33,3	35,00	11	28	308	XXIII-3	x
MCD 50	50	37	47,00	10	28	280*	XXIII-3	x

* On industrial size pallet (100 x 120 cm)

Circular360



Circular terracotta

Black



Black

Available level on request |
Special colours on request



Corresponding trays > **110**



Bottom design > **116**



Product Overview > **4**

MCL | Containers tall 5°



www.blauer-engel.de/uz30a



Circular360

Excellent
and Certified

Find out more
about certificates > **12**

Item	cm	cm	Vol.	EUR 120 80		Circular360		Black
	cm	L	EUR 120 80	Circular taupe		Circular taupe	Circular taupe	
MCL 13 K-C	13	11,3	1,00	13.680	XI-1		x	x
MCL 17	17	14,5	2,10	7.920	XI	x		x
MCL 19	19	16,7	3,10	5.400	XIV	x		x
MCL 21	21	18,5	4,30	3.700	XI	x		x
MCL 24	24	21,6	6,30	2.520	XI	x		x
MCL 27	27	24,3	9,30	1.764	XI	x		x

K-C: Label slot and shiny surface



Circular
terracotta Circular taupe Black

Available level on request |
Special colours on request



Corresponding trays > **110**



Bottom design > **116**



Product Overview > **4**



PÖPPELMANN

TEKU®

MCH | Containers tall 5°



www.blauer-engel.de/uz30a



Circular360

Excellent
and Certified

Find out more
about certificates > **12**

PATENTED

Item	cm	cm	Vol.	EUR 120 80	XV	Circular360	Black
	cm	cm	L	12.500	XV	Circular terracotta*	Black*
MCH 14	14	12,1	1,15	12.500	XV	x	x
MCH 15	15	13,2	1,40	10.530	XV	x	x
MCH 17	17	15	2,10	7.425	XV	x	x
MCH 19	19	16,7	3,00	5.300	XV	x	x
MCH 21	21	18,9	4,00	3.700	XV	x	x
MCH 24	24	21,6	6,20	2.520	XV	x	x
MCH 27	27	24,3	9,10	1.764	XV	x	x

* only EP available

Circular360



Circular terracotta

Black



Black

Available level on request |
Special colours on request



Corresponding trays > **110**



Bottom design > **116**



Product Overview > **4**

MCP | Orchid pots and containers



Recyclable

Excellent
and Certified

Find out more
about certificates > [12](#)



PATENTED

Item	cm	cm	L					Recyclable	
			Vol.						
MCP 12	11,5	10,8	0,74	576	20	11.520	14.688	XVI	x

Recyclable



Recyclable transparent

Available level on request |
Special colours on request



Corresponding trays > [110](#)



Bottom design > [116](#)



Product Overview > [4](#)



PÖPPELMANN

TEKU®

MCO | Orchid pots and containers



Recyclable

Excellent
and Certified

Find out more
about certificates > [12](#)



PATENTED

Item	cm	cm	L					Recyclable
								Recyclable transparent
MCO 12	11,4	10,8	0,74	666	20	13.320	19.000	XVII
MCO 15	14,7	12,5	1,30	385	20	7.700	10.800	XVII
MCO 17	17	14,8	1,85	224	20	4.480	7.755	XVIII

Recyclable



Recyclable transparent

Available level on request |
Special colours on request



Corresponding trays > [110](#)



Bottom design > [116](#)



Product Overview > [4](#)

G | Netpots



Item	cm	cm	L	Vol.	EUR 120 80		Black
							Black
G 5	5	5	0,07	4.250	22	93.500	x

Black



Black

Available level on request |
Special colours on request



Corresponding trays > **110**



Bottom design > **116**




Product Overview > **4**

S...LB | Slitpots



Item	cm	cm	L				Black
	cm	Vol.	Black				
S 5,5 LB	5,5	5	0,08	5.418	20	108.360	x

Black



Black

Available level on request |
Special colours on request



Corresponding trays > [110](#)



Bottom design > [116](#)



Product Overview > [4](#)



>> PLANT SUPPORTS
AND CANE HOLDER



STG | Plant supports



Recyclable

Zertifiziert
und ausgezeichnet

Mehr erfahren zu
den Zertifikaten > 12

Item	 cm	 cm	 cm					
								
STG 10-10,5	Ø 10 - 10,5	13,2	11	810	11	8.910	10.340	
STG 11	Ø 11	13,2	11	810	11	8.910	10.340	
STG 12	Ø 12	14,9	12	602	11	6.622	8.100	
STG 13 R	VTG 13; VCG 13; VCH 13; MCL 13 K-C	16,3	14	484	11	5.324	6.600	
STG 13 B-R	VTG 13; VCG 13; VCH 13; MCL 13 K-C	17	16,9	396	11	4.356	6.600	
STG 14 B-R	VTG 14; VCG 14; VCG 14 D; VCH 14; VCE 14	17,5	18	352	11	3.872	6.000	
								
Item	 cm	 cm	 cm					
								
STG 17	VCG 17; VCH 17; MCI 17; MCI 17 K; MCL 17; MCH 17	21,3	14,7	75	44	3.300	3.300	
STG 19	VCG 19; VCH 19; MCL 19; MCH 19	23,7	16,3	75	36	2.700	2.700	
STG 19 Z	MCI 19 Z; MCI 19 K	23,7	16,3	75	36	2.700	2.700	
								

B-R: Tall version + Edge clamping

R: Edge clamping

Z: Special version

Recyclable



Recyclable mossgreen

Special colours on request



Product Overview > 4

SH | Cane holder



www.blauer-engel.de/uz30a



Circular360

Excellent
and Certified

Find out more
about certificates > **12**



Item	cm	Box	EUR 120 80	Circular360	
		Stand	Stack	Circular taupe	
SH 17	VCG 17, VCH 17, MCI 17 K, MCL 17, MCH 17	1.890	12	22.680	x
SH 19	VCG 19, VCH 19, MCI 19 K, MCL 19, MCH 19	1.800	12	21.600	x

Circular360



Circular taupe

Available level on request |
Special colours on request



Product Overview > **4**



PÖPPELMANN

TEKU®



>> **SQUARE POTS**



www.blauer-engel.de/uz30a



VQB (PS) | Square pots



**DESIGN PROTECTED
PATENTED**


Item	cm	cm	L	Vol.	120 EUR	80 EUR	Bottom	PCR Recyclable	Black
VQB 9x9x8	9 x 9	8	0,44	2.350	12	28.200	31.590	XX	x
VQB 9x9x9,5	9 x 9	9,5	0,52	2.280	12	27.360	30.888	XX	x

PS: Polystyrene

PCR Recyclable Black



PCR Recyclable grey



Black

Available level on request |
Special colours on request



Corresponding trays > **110**



Bottom design > **116**



Product Overview > **4**


www.blauer-engel.de/uz30a

VQF | Square pots



**DESIGN PROTECTED
PATENTED**

Item	cm	cm	L					Circular360	Black
	cm	cm	Vol.						
VQF 7x7x6,5	7 x 7	6,5	0,18	4.720	11	51.920	60.146	VI	x x
VQF 7x7x8	7 x 7	8	0,23	4.560	11	50.160	59.160	VI	x x
VQF 8x8x7	8 x 8	7	0,29	3.990	11	43.890	44.460	III	x x
VQF 8x8x8	8 x 8	8	0,33	3.920	11	43.120	46.020	XIX	x x
VQF 11x11x11,5	11 x 11	11,5	0,98	840	11	9.240	15.840*	III	x x
VQF 11x11x15,5	11 x 11	15,5	1,25	756	11	8.316	15.048*	III	x x

* On industrial size pallet (100 x 120 cm)

Circular360 Black



Circular taupe/grey Circular taupe Black

Available level on request |
Special colours on request



Corresponding trays > 110



Bottom design > 116



Product Overview > 4



PÖPPELMANN

TEKU®



Circular360

Excellent
and Certified

Find out more
about certificates > 12



www.blauer-engel.de/uz30a

V...PP (PP) | Square pots



PATENTED
DESIGN PROTECTED



Circular360

Excellent
and Certified

Find out more
about certificates > **12**

Item	cm	cm	L	Vol.	EUR 120	EUR 80		Circular360	Black
V 9x9x8 PP	9 x 9	8	0,50	2.160	14	30.240	34.320	XX	x
V 9x9x10 PP	9 x 9	10	0,59	2.120	12	25.440	33.264	XX	x
V 11x11x12 PP	11 x 11	12	1,00	850	14	11.900	17.220	XX	x

PP: Polypropylene

Circular360



Circular taupe

Black



Black

Available level on request |
Special colours on request



Corresponding trays > **110**



Bottom design > **116**



Product Overview > **4**



PÖPPELMANN

TEKU®

MQD | Square pots with tag lock



www.blauer-engel.de/uz30a



Circular360

Excellent
and Certified

Find out more
about certificates > **12**

Item	cm	cm	L					Circular360	Black
	cm	cm	Vol.						
MQD 9x9x9,5	9 x 9	9,5	0,49	880	22	19.360	26.200	VIII	x x
MQD 9x9x10	9 x 9	10	0,51	860	22	18.920	26.208	VIII	x x
MQD 13x13x13	13 x 13	13	1,45	396	22	8.712	10.530	VIII	x x

Circular360



Circular taupe

Black



Black

Available level on request |
Special colours on request



Corresponding trays > **110**



Bottom design > **116**



Product Overview > **4**



PÖPPELMANN

TEKU®

MQA | Square pots



www.blauer-engel.de/uz30a



Circular360

Excellent
and Certified

Find out more
about certificates > 12

Item	cm	cm	L			Circular360	Black
	cm	cm	L				
10x10x11	10 x 10	11	0,69	667	28	18.676	XX-1
Item	cm	cm	L			Circular360	Black
	cm	cm	L				
15x15x20	15 x 15	20	3,50	130	65	8.450	XX-1

Circular360



Circular taupe

Black



Black

Available level on request |
Special colours on request



Corresponding trays > 110



Bottom design > 116



Product Overview > 4



www.blauer-engel.de/uz30a

MQE | Square-round container with tag lock



Circular360

Excellent
and Certified

Find out more
about certificates > **12**

Item	cm	cm	L					Circular360	Black
	cm	cm	L						
MQE 11x11x11	11 x 11	11	1,00	414	22	9.108	14.784	x	x
MQE 14x14x14	14 x 14	14	2,00	192	20	3.840	6.600	x	x
MQE 16x16x16	16 x 16	16	3,00	128	22	2.816	5.040	x	x
MQE 18,5x18,5x20	18,5 x 18,5	20	5,00	104	22	2.288	3.072	x	x

* only EP available

Circular360



Circular taupe

Black



Black

Available level on request |
Special colours on request



Corresponding trays > **110**



Bottom design > **116**



Product Overview > **4**



www.blauer-engel.de/uz30a

MQF | Square-round container with tag lock



Circular360

Excellent
and Certified

Find out more
about certificates > **12**

Item	cm	cm	L	 	 	 		Circular360	Black
	cm	cm	Vol.						
MQF 14x14x22	14 x 14	22	3,00	220	12	2.640	4.400	x	x
MQF 16x16x21,5	16 x 16	21,5	4,00	80	22	1.760	3.640	x	x
MQF 18,5x18,5x25	18,5 x 18,5	25	6,00	64	22	1.408	2.208	x	x

* only EP available

Circular360



Circular taupe

Black



Black

Available level on request |
Special colours on request



Corresponding trays > **110**



Bottom design > **116**



Product Overview > **4**



**>> BOWLS, HANGING BASKETS
AND HANGERS**

VSA | Bowls



www.blauer-engel.de/uz30a



Circular360

Excellent
and Certified

Find out more
about certificates > **12**



PATENTED

Item	cm	cm	L						Circular360			
	Vol.								Circular terracotta/grey	Circular terracotta	Circular white/grey	
VSA 17	17	7,6	1,10	MHB 33	740	11	8.140	9.384	IV	x		x
VSA 19	19	8,7	1,50	MHB 33	584	11	6.424	6.900	IV	x		x
VSA 21	21	9,5	2,20	MHB 33	408	11	4.488	5.280	IV		x	x
VSA 23 VOL	22	10	2,50	MHB 38	305	12	3.660	4.428	IV		x	x

Circular360



Circular terracotta/
grey Circular
terracotta Circular
white/grey

Available level on request |
Special colours on request



Matching hanger > **54**



Bottom design > **116**



Product Overview > **4**



PÖPPELMANN

TEKU®



www.blauer-engel.de/uz30a

T | Bowls



Circular360

Excellent
and Certified

Find out more
about certificates > **12**

Item	cm	cm	L		EUR 120 80	EUR 120 80		Circular360
T 17	17	7,4	1,00	80	132	10.560	10.560	XXVI
T 20	20	8,7	1,65	50	100	5.000	5.000	XXV
T 23	23	10	2,50	60	72	4.320	4.320	XXV
T 27	27	11,7	4,10	50	48	2.400	2.400	XXV
T 30	30	13	5,60	35	55	1.925	1.925	XXV
T 35	35	15,2	9,00	30	35	1.050	1.050	XXV

Circular360



Circular terracotta

Available level on request |
Special colours on request



Bottom design > **116**



Product Overview > **4**



PÖPPELMANN

TEKU®



www.blauer-engel.de/uz30a



Circular360

Excellent
and Certified

Find out more
about certificates > **12**



Item	cm	cm	L						Circular360		
									Circular terracotta/grey	Circular terracotta	Circular white/grey
VAA 15	15	10,1	1,15	MHB 33	874	11	9.614		XXII	x	x
VAA 17	17	10,7	1,60	MHB 33	598	11	6.578	7.452	XXII-1	x	x
VAA 19	19	12,6	2,50	MHB 33	368	11	4.048	4.876	XXII-1	x	x
VAA 21	21	13,7	3,00	MHB 33	322	11	3.542	4.416	XXII-1	x	x
VAA 22/23 VOL	22	14,9	3,60	MHB 38	230	11	2.530	2.944	XXII	x	x

Circular360



Circular terracotta/
grey Circular
terracotta Circular
white/grey

Available level on request |
Special colours on request



Matching hanger > **54**



Corresponding trays > **110**



Bottom design > **116**



Product Overview > **4**


www.blauer-engel.de/uz30a

MAL | Hanging baskets



Circular360

Excellent
and Certified

Find out more
about certificates > 12



PATENTED
DESIGN PROTECTED

Item	cm	cm	L						Circular360			Recyclable	
	cm	cm	L						Circular terracotta	Circular pine green	Circular anthracite	Recyclable white	Recyclable trend colour
MAL 20	20	13,4	3,00	MHB 33	46	80	3.680	3.680	XXI	x	x	x	x
MAL 25	25	15,4	5,00	MHB 38; MHB 45	46	60	2.760	2.760	XXI	x	x	x	x
MAL 27	27	16,4	6,00	MHB 38; MHB 45	46	48	2.208	2.208	XXI	x	x	x	x

Circular360

Recyclable



Circular terracotta
Circular pine green
Circular anthracite
Recyclable white
Recyclable blackberry
Recyclable pink
Recyclable orange
Recyclable yellow
Recyclable light green
Recyclable red

Available level on request |
Special colours on request



Matching hanger > 54



Product Overview > 4

MAK | Hanging baskets



Recyclable

Excellent
and Certified

Find out more
about certificates > [12](#)



PATENTED
DESIGN PROTECTED

Item	cm	cm	L			EUR			XII	Recyclable	
	Vol.					120	80			Recyclable terracotta	Recyclable white
MAK 20	20	13,4	3,00	MHB 33; MUK 25	46	80	3.680	3.680	XII	x	x
MAK 25	25	15,4	5,00	MHB 38; MHB 45; MUK 25	46	60	2.760	2.760	XII	x	x
MAK 27	27	16,4	6,00	MUK 27; MHB 38; MHB 45	46	48	2.208	2.208	XII	x	x

Recyclable



Recyclable
terracotta

Recyclable
white

Available level on request |
Special colours on request



Matching hanger > [54](#)



Product Overview > [4](#)

MUK | Saucers



Recyclable

Excellent
and Certified

Find out more
about certificates > [12](#)



Item								Recyclable	
	cm	cm	L		cm	cm		Recyclable terracotta	Recyclable white
MUK 25	17,3	2,4	0,40	MAK 20; MAK 25	322	32	10.304	x	x
MUK 27	19	2,6	0,50	MAK 27	276	32	8.832	x	x

Recyclable



Recyclable
terracotta

Recyclable
white

Available level on request |
Special colours on request



Product Overview > [4](#)


www.blauer-engel.de/uz30a

TCA | Hanging baskets



Circular360

Excellent
and Certified

Find out more
about certificates > 12

Item	cm	cm	L			EUR 120 80	EUR 120 80		Circular360			Recyclable	
	cm	cm	L			EUR 120 80	EUR 120 80		Circular terracotta	Circular pine green	Circular anthracite	Recyclable white	Recyclable trend colour
TCA 30	30	18,3	7,70	A 60	38	44	1.672	1.672	XXI	x	x	x	x

Circular360

Recyclable



Circular terracotta
Circular pine green
Circular anthracite
Recyclable white

Recyclable blackberry
Recyclable pink

Recyclable orange
Recyclable yellow

Recyclable light green
Recyclable red

Available level on request |
Special colours on request



Matching hanger > 54



Product Overview > 4



PÖPPELMANN

TEKU®


MHB | Hangers



Recyclable

Excellent
and Certified

Find out more
about certificates > [12](#)



Item	cm	mm				Recyclable				
						Recyclable terracotta	Recyclable white	Recyclable pine green	Recyclable anthracite	Recyclable trend colour
MHB 33	33	35	874	20	17.480	x	x	x	x	x
MHB 38	38	35	598	20	11.960	x	x	x	x	x
MHB 45	45	35	552	20	11.040	x	x	x	x	x

Recyclable



Available level on request



Product Overview > [4](#)

A | Hangers



Recyclable

Excellent
and Certified

Find out more
about certificates > [12](#)

Item	cm	mm	380	14	5.320	Recyclable				
						Recyclable terracotta	Recyclable white	Recyclable pine green	Recyclable anthracite	Recyclable trend colour
A 60	60	38				x	x	x	x	x

Recyclable



Available level on request



Product Overview > [4](#)



PÖPPELMANN

TEKU®



**>> DECORATIVE POTS
AND CONTAINERS**



www.blauer-engel.de/uz30a



Circular360

Excellent
and Certified

Find out more
about certificates > **12**



PATENTED
DESIGN PROTECTED

Item	cm	cm	L					Circular360		
								Circular terracotta/grey	Circular terracotta	Circular white/grey
VDA 17	17	10,7	1,60	580	11	6.380	7.344	IV	x	x
VDA 19	19	12,6	2,50	384	11	4.224	4.900	IV	x	x
VDA 22	22	14,9	3,60	252	11	2.772	2.952	XXIII	x	x

Circular360



Circular terracotta/
grey Circular terracotta Circular white/grey

Available level on request |
Special colours on request



Matching hanger > **54**



Corresponding trays > **110**



Bottom design > **116**



Product Overview > **4**



PDB | Decorative containers

Recyclable

Excellent
and Certified

Find out more
about certificates > [12](#)



DESIGN PROTECTED

Item	cm	cm	Vol.				Recyclable
							Recyclable terracotta
PDB 16	16	14	1,70	144	20	2.880	XXIII-4
PDB 18 K	18	15	2,30	180	12	2.160	XXIII-4
PDB 20 K	20	17	3,30	160	12	1.920	XXIII-4
Item	cm	cm	Vol.				Recyclable
							Recyclable terracotta
PDB 22	22	19	4,50	15	108	1.620	XXIII-4
PDB 24	24	20	5,80	15	90	1.350	XXIII-4
PDB 26 K	26	22	7,40	15	78	1.170	XXIII-4
PDB 28	28	24	9,30	15	66	990	XXIII-4
PDB 32	32	27	13,80	12	48	576	XXIII-4
PDB 36	36	31	19,70	11	36	396	XXIII-4
PDB 40	40	34	27,00	10	36	360	XXIII-4

K: Label slot

Recyclable



Recyclable terracotta

Available level on request |
Special colours on request



Corresponding trays > [110](#)



Bottom design > [116](#)



Product Overview > [4](#)



>> COVERPOTS

MDF COVERPOTS – 100% RECYCLABLE

MDF UNIVERSAL



7.101 | 9.101 | 11.101 |
12.101 | 14.101 | 17.101



7.102 | 9.102 | 11.102 |
12.102 | 13.102 | 14.102 |
17.102 | 19.102



9.103 | 11.103 | 12.103 |
13.103 | 14.103 | 17.103 |
19.103



7.104 | 9.104 | 11.104 |
12.104 | 14.104 | 19.104



7.105 | 9.105 | 11.105 |
12.105 | 13.105 | 14.105 |
17.105 | 19.105



7.106 | 9.106 | 11.106 |
13.106 | 14.106 | 15.106 |
17.106 | 19.106



7.107 | 9.107 | 11.107 |
12.107 | 13.107 | 14.107 |
17.107 | 19.107



7.108 | 9.108 | 11.108 |
12.108 | 14.108 | 17.108 |
19.108



7.109 | 9.109 | 11.109 |
12.109 | 13.109 | 14.109 |
15.109 | 17.109 | 19.109



7.111 | 9.111 | 11.111



7.112 | 9.112 | 11.112

MDF FOR YOUR LOVED ONES



12.201 | 13.201 | 14.201 |
17.201 | 19.201



13.202 | 17.202 | 19.202



7.203 | 12.203 | 13.203 |
14.203 | 17.203 | 19.203



12.204 | 13.204 | 14.204 |
17.204



12.205 | 13.205 | 14.205 |
17.205 | 19.205



12.206 | 13.206 | 14.206 |
17.206 | 19.206



12.207 | 13.207 |
14.207 | 17.207

MDF COVERPOTS – 100% RECYCLABLE

MDF HERBS



12.301 | 13.301 | 14.301 |
17.301



12.302 | 13.302 | 14.302 |
17.302



12.303 | 13.303 | 14.303 |
17.303

MDF EASTER



11.402 | 12.402 | 13.402 |
14.402



12.403



11.404 | 12.404 | 13.404 |
14.404



11.405 | 12.405 | 13.405 |
14.405

MDF HALLOWEEN AND AUTUMN



12.501 | 13.501 | 14.501



12.502 | 13.502 | 14.502



14.503



12.504 | 14.504

MDF CHRISTMAS



7.601 | 11.601 | 12.601 |
13.601 | 14.601 | 15.601 |
17.601 | 19.601



11.602 | 12.602 | 13.602 |
14.602 | 17.602 | 19.602



11.603 | 17.603



11.606 | 12.606 | 13.606 |
14.606 | 17.606 | 19.606



12.608 | 14.608 | 19.608



MDF | COVERPOT

Recyclable

Excellent
and Certified

Find out more
about certificates > **12**



Item			cm	cm	cm	ml	 	Recyclable		
MDF 7 D	TO 6 D; TO 7 D; MPB 6		7,5	5,6	6,6	0 - 15	600	40	24.000	x
MDF 9	VCD 9,5; VCG 9; VCH 9; MXC 9		9,4	6,8	10,5	40 - 120	600	20	12.000	x
MDF 11	VTG 10,5; VCG 10,5; VCG 10,5 K; MXC 10,5; VTG 11; VCG 11; VCH 11 VOL; VCK 11 VOL; VCH 11		11	7,8	12,2	110 - 180	594	16	9.504	x
MDF 12	VTG 12; VCG 12 D; VCG 12; VCH 13 VOL; MXC 12; MCO 12; MCP 12		12,1	8,1	13,5	110 - 312	300	20	6.000	x
MDF 13	VTG 13; VCG 13; VCH 13; MXC 13; MCL 13 K-C		13,2	9,6	15,3	240 - 360	300	16	4.800	x
MDF 14	VTG 14; VCG 14; VCG 14 D; VCH 14; MXC 14; MCH 14		14,2	9,9	15,8	250 - 530	308	16	4.928	x
MDF 15	VCG 15; VCH 15; MCI 15		15,5	11,4	17,6	350 - 650	310	9	2.790	x
MDF 17	VCG 17; VCH 17; MCL 17; MCH 17; MCI 17; MCI 17 K		17,2	12,7	19	450 - 730	153	12	1.836	x
MDF 19	VCG 19; VCH 19; MCL 19; MCI 19 K; MCI 19 Z; MCH 19		19,4	15,1	21,6	450 - 1.250	78	16	1.248	x

D: Low version



Corresponding trays > **110**

Product Overview > **4**


MDF | COVERPOT



- Integrated sight glass for monitoring the water level.
- In combination with the watering stick, the effort for irrigation and care can be reduced.
- A water reservoir in the coverpot collects excess irrigation water.
- Looking closer pays off.
Discover the **TEKU® AddedValues** online:
www.poepelmann.com/teku



Item		Special features
WS 60+	300	Not suitable for MDF 7 D
FS 6/12	300	
WICK		Reel with 1,700 m



WS 60+ FS 6/12

Individual 3D models – for impressive presentations.




>> TEKU® 3D Studio:
create individual
3D-models online

www.poepelmann.com/teku-3d

- + Free design service.
- + Templates for many TEKU® plant pots and containers.
- + Compatible with many popular graphics programmes.
- + Freely rotatable 3D model of the individually designed pots or containers (3D PDF).
- + Easier and more effective coordination with decision makers.





**>> TRANSPORT
AND CULTIVATION TRAYS**

PT | Marketing trays



PT 2556-10,5/10* PT 2556-10,5/10 D*



PT 2556-10,5/12 PT 2556-10,5/12 D



PT 2556-11x11/8* PT 2556-11x11/8 D*


www.blauer-engel.de/uz30a

PCR Recyclable

Excellent
and Certified

Find out more
about certificates > 12



Item	cm				A cm	B cm	C cm				EUR 120 80	PCR Recyclable
PT 2556-10,5/10*	VCG 10,5; VCG 10,5 K; VTG 10,5; VCH 11 VOL; VCK 11 VOL; MXC 10,5	56,2	25,3	6,8	10			5	50	1.656	x	
PT 2556-10,5/10 D*	VCG 10,5; VCG 10,5 K; VTG 10,5; VCH 11 VOL; VCK 11 VOL; MXC 10,5	56,2	25,3	6,8	10			5	50	1.656	x	
PT 2556-10,5/12	VCG 10,5; VCG 10,5 K; VTG 10,5; VCH 11 VOL; VCK 11 VOL; MXC 10,5	56,2	25,3	6,8	12			5	60	1.656	x	
PT 2556-10,5/12 D	VCG 10,5; VCG 10,5 K; VTG 10,5; VCH 11 VOL; VCK 11 VOL; MXC 10,5	56,2	25,3	6,8	12			5	60	1.656	x	
PT 2556-11x11/8*	V11x11x12 PP; VQF 11x11x11,5; MQE 11x11x11	56,2	25,3	7,5	8			5	40	1.656	x	
PT 2556-11x11/8 D*	V11x11x12 PP; VQF 11x11x11,5; MQE 11x11x11	56,2	25,3	7,5	8			5	40	1.656	x	

* With label slot

D: Stepped cultivation bottom with punched holes

PCR Recyclable



PCR Recyclable naturalgrey

Available level on request |
Special colours on request



5 Trays/ CC-shelf



Corresponding pots > 110



Product Overview > 4

PT | Marketing trays



PT 2556-12/8* PT 2556-12/8 D*



PT 2556-12/10* PT 2556-12/10 D*



PT 2556-12 F/10 PT 2556-12 F/10 D



www.blauer-engel.de/uz30a

PCR Recyclable

Excellent
and Certified

Find out more
about certificates > 12



Item	 cm	 A cm B cm C cm			8	5	40	1.656	x	PCR Recyclable
		A cm	B cm	C cm						PCR Recyclable natural grey
PT 2556-12/8*	VCG 12; VCG 12 D; VCC 13 VOL	56,2	25,3	7,5	8	5	40	1.656	x	
PT 2556-12/8 D*	VCG 12; VCG 12 D; VCC 13 VOL	56,2	25,3	7,5	8	5	40	1.656	x	
PT 2556-12/10*	VCG 12; VCG 12 D; VCC 13 VOL	56,2	25,3	7,5	10	5	50	1.656	x	
PT 2556-12/10 D*	VCG 12; VCG 12 D; VCC 13 VOL	56,2	25,3	7,5	10	5	50	1.656	x	
PT 2556-12 F/10	VCG 12; VCG 12 D; VTG 12; VCH 13 VOL; MXC 12	56,2	25,3	8,5	10	5	50	1.656	x	
PT 2556-12 F/10 D	VCG 12; VCG 12 D; VTG 12; VCH 13 VOL; MXC 12	56,2	25,3	8,5	10	5	50	1.656	x	

* With label slot

D: Stepped cultivation bottom with punched holes

PCR Recyclable



PCR Recyclable naturalgrey

Available level on request |
Special colours on request



5 Trays/ CC-shelf



Corresponding pots > 110



Product Overview > 4



PÖPPELMANN

TEKU®

PT | Marketing trays



PT 2556-13/8*

PT 2556-13/8 D*



www.blauer-engel.de/uz30a

PCR Recyclable

Excellent
and Certified

Find out more
about certificates > [12](#)



Item	cm				A cm	B cm	C cm	8	5	40	1.656	x
		PCR Recyclable	PCR Recyclable natural grey									
PT 2556-13/8*	VCG 13; VCC 14 VOL; MDF 13	56,2	25,3	7,8								
PT 2556-13/8 D*	VCG 13; VCC 14 VOL; MDF 13	56,2	25,3	7,8								

* With label slot

D: Stepped cultivation bottom with punched holes

PCR Recyclable



PCR Recyclable naturalgrey

Available level on request |
Special colours on request



5 Trays/ CC-shelf



Corresponding pots > [110](#)



Product Overview > [4](#)



PÖPPELMANN

TEKU®

PT | Marketing trays



PT 2839-10,5/8

PT 2839-10,5/8 D



PT 2839-12/6

PT 2839-12/6 B

PT 2839-12/6 D



PT 2839-13 F/6

PT 2839-13 F/6 D



www.blauer-engel.de/uz30a

PCR Recyclable

Excellent
and Certified

Find out more
about certificates > 12



Item	cm				A cm	B cm	C cm				EUR 120 80	PCR Recyclable
												PCR Recyclable natural grey
PT 2839-10,5/8	VCG 10,5; VCG 10,5 K; VCH 11 VOL; VCK 11 VOL; MXC 10,5	39,0	28,0	6,6	8	6	48	2.208	x			
PT 2839-10,5/8 D	VCG 10,5; VCG 10,5 K; VCH 11 VOL; VCK 11 VOL; MXC 10,5	39,0	28,0	6,6	8	6	48	2.208	x			
PT 2839-12/6	VCG 12; VCG 12 D; VTG 12; MXC 12	39,0	28,0	7,5	6	6	36	2.208	x			
PT 2839-12/6 B	VCG 12; VCG 12 D; VTG 12; MXC 12	39,0	28,0	7,5	6	6	36	2.208	x			
PT 2839-12/6 D	VCG 12; VCG 12 D; VTG 12; MXC 12	39,0	28,0	7,5	6	6	36	2.208	x			
PT 2839-13 F/6	VCG 13; VCH 13; MXC 13; MDF 13	39,0	28,0	9,1	6	6	36	2.208	x			
PT 2839-13 F/6 D	VCG 13; VCH 13; MXC 13; MDF 13	39,0	28,0	9,1	6	6	36	2.208	x			

B: Open bottom

D: Stepped cultivation bottom with punched holes

PCR Recyclable



PCR Recyclable naturalgrey

Available level on request |
Special colours on request



6 Trays/ CC-shelf



Corresponding pots > 110



Product Overview > 4

ST | Transport and cultivation trays



ST 3156-24/9*

ST 3156-24/9 D*




ST 3153-10,5/15

ST 3153-10,5/15 B

ST 3153-10,5/15 B7

ST 3153-10,5/15 D

Item	 cm				 A cm	 B cm	 C cm		 EUR 120 80	Black
					Black					
ST 3156-24/9*	VTD 8,5; VCC 9 VOL; VCG 9; VCH 9; VCH 9 F; VTG 9; MXC 9; MDF 9	56,5	31,5	4,9	24	4	96	980	x	
ST 3156-24/9 D*	VTD 8,5; VCC 9 VOL; VCG 9; VCH 9; VCH 9 F; VTG 9; MXC 9; MDF 9	56,5	31,5	4,9	24	4	96	980	x	
ST 3153-10,5/15	VCG 10,5; VCG 10,5 K; VTG 10,5; VCH 11 VOL; VCK 11 VOL; VTG 11; MXC 10,5	53,0	31,5	6,1	15	4	60	1.530	x	
ST 3153-10,5/15 B	VCG 10,5; VCG 10,5 K; VTG 10,5; VCH 11 VOL; VCK 11 VOL; VTG 11; MXC 10,5	53,0	31,5	6,1	15	4	60	1.530	x	
ST 3153-10,5/15 B7	VCG 10,5; VCG 10,5 K; VTG 10,5; VCH 11 VOL; VCK 11 VOL; VTG 11; MXC 10,5	53,0	31,5	6,1	15	4	60	1.530	x	
ST 3153-10,5/15 D	VCG 10,5; VCG 10,5 K; VTG 10,5; VCH 11 VOL; VCK 11 VOL; VTG 11; MXC 10,5	53,0	31,5	6,1	15	4	60	1.530	x	

* With label slot

B7: Larger bottom hole Ø 7cm

B: Open bottom

D: Stepped cultivation bottom with punched holes

Black

Black

Available level on request |
Special colours on request

4 Trays/ CC-shelf



Corresponding pots > 110



Product Overview > 4

**PÖPPELMANN****TEKU®**

ST | Transport and cultivation trays



ST 3156-12/12

ST 3156-12/12 D



ST 3156-10/13*

ST 3156-10/13 D*

Item	 cm				 A cm B cm C cm	 12	 4	 48	 980	Black
										Black
ST 3156-12/12	VCG 12; VCG 12 D; VTG 12; VCC 13 VOL; VCH 13 VOL; MCO 12; MCP 12; MXC 12; MDF 12	56,2	31,5	7,0		12	4	48	980	x
ST 3156-12/12 D	VCG 12; VCG 12 D; VTG 12; VCC 13 VOL; VCH 13 VOL; MCO 12; MCP 12; MXC 12; MDF 12	56,2	31,5	7,0		12	4	48	980	x
ST 3156-10/13*	VCG 13; VCH 13; VTG 13; VCC 14 VOL; MCL 13 K-C; MXC 13; MDF 13	56,5	31,5	7,6		10	4	40	980	x
ST 3156-10/13 D*	VCG 13; VCH 13; VTG 13; VCC 14 VOL; MCL 13 K-C; MXC 13; MDF 13	56,5	31,5	7,6		10	4	40	980	x

* With label slot

D: Stepped cultivation bottom with punched holes

Black



Black

Available level on request |
Special colours on request



4 Trays/ CC-shelf



Corresponding pots > 110



Product Overview > 4

ST | Transport and cultivation trays





ST 3156-8/13*

ST 3156-8/13 D*



ST 3156-17/6

ST 3156-17/6 D

Item	 cm	 A cm B cm C cm					 EUR 120 80	Black	
		A cm	B cm	C cm				Black	
ST 3156-8/13*	VCG 13; VCH 13; VTG 13; VCC 14 VOL; VCE 14; VTG 14; MCL 13 K-C; MXC 13; MDF 13; MXC 14; MDF 14	56,5	31,5	8,2	8	4	32	980	x
ST 3156-8/13 D*	VCG 13; VCH 13; VTG 13; VCC 14 VOL; VCE 14; VTG 14; MCL 13 K-C; MXC 13; MDF 13; MXC 14; MDF 14	56,5	31,5	8,2	8	4	32	980	x
ST 3156-17/6	VCG 17; VCH 17; MCI 17; MCI 17 K; MCH 17; MCL 17; MDF 17	56,2	31,5	8,0	6	4	24	980	x
ST 3156-17/6 D	VCG 17; VCH 17; MCI 17; MCI 17 K; MCH 17; MCL 17; MDF 17	56,2	31,5	8,0	6	4	24	980	x

* With label slot

D: Stepped cultivation bottom with punched holes

Black



Black

Available level on request |
Special colours on request

4 Trays/ CC-shelf



Corresponding pots > 110



Product Overview > 4

ST | Transport and cultivation trays



Item	 cm							Black	
		A cm	B cm	C cm					
ST 2840/8-13*	VTD 8,5; VCC 9 VOL; VCG 9; VCH 9; VCH 9 F; VTG 9; VCD 9,5; VCC 10 VOL; TO 8 Z; MXC 9; MDF 9; TO 9,5 D VCG 10; VCH 10; VTG 10; VCG 10,5; VCG 10,5 K; VTG 10,5; VCH 11 VOL; VCK 11 VOL; VCG 11; VCH 11; VTG 11; VCC 12 VOL; MXC 10; MXC 10,5; MXC 11; MDF 11 VCG 12; VCG 12 D; VTG 12; VCC 13 VOL; VCH 13 VOL; VCG 13; VCH 13; VTG 13; MXC 12; MCO 12; MCP 12; MDF 12; MXC 13	39,8	27,9	6,0	12 8 6	6 6 6	72 48 36	2.016 2.016 2.016	x
ST 2840/8-13 D*	VTD 8,5; VCC 9 VOL; VCG 9; VCH 9; VCH 9 F; VTG 9; VCD 9,5; VCC 10 VOL; TO 8 Z; MXC 9; MDF 9; TO 9,5 D VCG 10; VCH 10; VTG 10; VCG 10,5; VCG 10,5 K; VTG 10,5; VCH 11 VOL; VCK 11 VOL; VCG 11; VCH 11; VTG 11; VCC 12 VOL; MXC 10; MXC 10,5; MXC 11; MDF 11 VCG 12; VCG 12 D; VTG 12; VCC 13 VOL; VCH 13 VOL; VCG 13; VCH 13; VTG 13; MXC 12; MCO 12; MCP 12; MDF 12; MXC 13	39,8	27,9	6,0	12 8 6	6 6 6	72 48 36	2.016 2.016 2.016	x

* With label slot

D: Stepped cultivation bottom with punched holes

Black



Black

Available level on request |
Special colours on request



6 Trays/ CC-shelf



Corresponding pots > 110



Product Overview > 4

**PÖPPELMANN****TEKU®**

ST | Transport and cultivation trays



ST 2840/9,5-10,5 D



ST 2838-9/12

ST 2838-9/12 B

ST 2838-9/12 BA

ST 2838-9/12 D

Item	cm				8	6	48	1.728	Black
		A cm	B cm	C cm					
ST 2840/9,5-10,5 D	VCG 10,5; VCG 10,5 K; VCK 11 VOL; VTG 11; MXC 10,5; MDF 11	39,3	28,9	6,3	8	6	48	1.728	x
ST 2838-9/12	VTD 8,5; VCC 9 VOL; VCH 9; VCH 9 F; VTG 9; TO 8 Z; MXC 9; MDF 9	38,4	28,5	5,2	12	6	72	2.016	x
ST 2838-9/12 B	VTD 8,5; VCC 9 VOL; VCG 9; VCH 9; VCH 9 F; VTG 9; TO 8 Z; MXC 9; MDF 9	38,4	28,5	5,2	12	6	72	2.016	x
ST 2838-9/12 BA	VTD 8,5; VCC 9 VOL; VCG 9; VCH 9; VCH 9 F; VTG 9; TO 8 Z; MXC 9; MDF 9	38,4	28,5	5,2	12	6	72	2.016	x
ST 2838-9/12 D	VTD 8,5; VCC 9 VOL; VCG 9; VCH 9; VCH 9 F; VTG 9; TO 8 Z; MXC 9; MDF 9	38,4	28,5	5,2	12	6	72	2.016	x

B: Open bottom

BA: Smaller open bottom

D: Stepped cultivation bottom with punched holes

Black

Black

Available level on request |
Special colours on request

6 Trays/ CC-shelf



Corresponding pots > 110



Product Overview > 4

**PÖPPELMANN****TEKU®**

ST | Transport and cultivation trays




ST 11



ST 11 B



ST 11 C

Item	 cm	 A cm B cm C cm			8	6	48	2.200	Black
		A cm	B cm	C cm					
ST 11	VCG 10; VCH 10; VTG 10; VCG 10,5; VCG 10,5 K; VTG 10,5; VCG 11; VCH 11; VCH 11 VOL; VCK 11 VOL; VTG 11; VCC 12 VOL; VCH 13 VOL; MXC 10; MXC 10,5; MXC 11; MDF 11; MXC 12; MDF 12	39,5	29,4	6,0	8	6	48	2.200	x
ST 11 B	VCG 10; VTG 10; VCH 10; VCG 10,5; VCG 10,5 K; VTG 10,5; VCG 11; VCH 11; VTG 11; VCK 11 VOL; VCH 11 VOL; VCC 12 VOL; VCH 13 VOL; MXC 10; MXC 10,5; MXC 11; MDF 11; MXC 12; MDF 12	39,5	29,4	6,0	8	6	48	2.200	x
ST 11 C	VCG 10; VCH 10; VTG 10; VCG 10,5; VCG 10,5 K; VTG 10,5; VCG 11; VCH 11; VCH 11 VOL; VCK 11 VOL; VTG 11; VCC 12 VOL; VCH 13 VOL; MXC 10; MXC 10,5; MXC 11; MDF 11; MXC 12; MDF 12	39,5	29,4	6,0	8	6	48	2.200	x

B: Open bottom

C: With drainage slits

Black



Black

Available level on request |
Special colours on request



6 Trays/ CC-shelf



Corresponding pots > 110



Product Overview > 4



PÖPPELMANN

TEKU®

ST | Transport and cultivation trays




ST 2254-11x11/10 AZ-D* ST 2254-11x11/10 STD-D*



ST 12 ST 12 B



ST 2943-14/6 B



ST 1856-9x9/12 BD*

Item	cm	A cm	B cm	C cm					Black
									Black
ST 2254-11x11/10 AZ-D*	VQF 11x11x11,5; VCG 11; VCH 11; 10x10x11; MQE 11x11x11; MXC 11; MCO 12; MCP 12	54,1	21,6	8,0	10	6	60	1.232	x
ST 2254-11x11/10 STD-D*	VQF 11x11x15,5	54,1	21,6	11,6	10	6	60	1.188	x
ST 12	VCG 12; VCG 12 D; VTG 12; VTG 13; VCC 13 VOL; VCH 13 VOL; MXC 12; MXC 13	39,0	28,0	5,4	6	6	36	1.980	x
ST 12 B	VCG 12; VCG 12 D; VTG 12; VCC 13 VOL; VCH 13 VOL; MXC 12; MXC 13	39,0	28,0	5,4	6	6	36	1.980	x
ST 2943-14/6 B	VCG 14; VCG 14 D; VCE 14; VCH 14; VTG 14; MCH 14; MXC 14; MDF 14	42,6	28,6	7,0	6	6	36	2.000	x
ST 1856-9x9/12 BD*	VTG 9; VCG 9; VCH 9; MXC 9; VQB 9x9x9,5; MQD 9x9x9,5; MQD 9x9x10; MDF 9	56,0	18,1	5,7	12	7	84	2.160	x

* With label slot

AZ: Normal height

B: Open bottom

BD: Multi functional bottom

D: Stepped cultivation bottom with punched holes

STD: Tall version

Black



Black

Available level on request |
Special colours on request

6 Trays/ CC-shelf



Corresponding pots > 110



Product Overview > 4

D-ST | Transport and cultivation trays



D-ST 9 C/18 B



D-ST 9 C/18 D




D-ST 10,5 E/15 B



D-ST 10,5 E/15 B7



D-ST 10,5 E/15 D

Item	 cm	 A cm B cm C cm			18	4	72	1.216	Black
									Black
D-ST 9 C/18 B	VCG 9; VCH 9; VCH 9 F; VTG 9; MXC 9; MDF 9	53,0	30,0	5,0	18	4	72	1.216	x
D-ST 9 C/18 D	VCG 9; VCH 9; VCH 9 F; VTG 9; MXC 9; MDF 9	53,0	30,0	5,3	18	4	72	1.216	x
D-ST 10,5 E/15 B	V 9x9x8 PP; V 9x9x10 PP; VQB 9x9x8; VQB 9x9x9,5; VCG 10; VCH 10; VCG 10,5; VCG 10,5 K; VTG 10,5; VCG 11; VCH 11 VOL; VCK 11 VOL; VCH 11; VTG 11; 10x10x11; MQD 9x9x9,5; MQD 9x9x10; MXC 10,5; MXC 11	53,0	31,5	4,8	15	4	60	1.410	x
D-ST 10,5 E/15 B7	V 9x9x8 PP; V 9x9x10 PP; VQB 9x9x8; VQB 9x9x9,5; VCG 10; VCH 10; VCG 10,5; VCG 10,5 K; VTG 10,5; VCG 11; VCH 11; VCH 11 VOL; VCK 11 VOL; VTG 11; 10x10x11; MQD 9x9x9,5; MQD 9x9x10; MXC 10,5; MXC 11	53,0	31,5	4,8	15	4	60	1.410	x
D-ST 10,5 E/15 D	V 9x9x8 PP; V 9x9x10 PP; VQB 9x9x8; VQB 9x9x9,5; VCG 10; VCG 10,5; VCG 10,5 K; VCH 10; VTG 10,5; VCG 11; VCH 11; VCH 11 VOL; VCK 11 VOL; VTG 11; 10x10x11; MQD 9x9x9,5; MQD 9x9x10; MXC 10,5; MXC 11	53,0	31,5	5,1	15	4	60	1.410	x

B: Open bottom

B7: Larger bottom hole Ø 7cm

D: Stepped cultivation bottom with punched holes

Black



Black

Available level on request |
Special colours on request



4 Trays/ CC-shelf



Corresponding pots > 110



Product Overview > 4

D-ST | Transport and cultivation trays



D-ST 12 C/10



D-ST 12 C/10 D



D-ST 13/8 B



D-ST 13 C/8



D-ST 13 C/8 D



D-ST 15 C/6

Item	cm	A cm B cm C cm				<img alt="Tray with pots icon" data-bbox="625

NORMPACK® | Transport and cultivation trays



NORMPACK® 408



NORMPACK® 409 NORMPACK® 409 D



NORMPACK® 410

NORMPACK® 410 D



www.blauer-engel.de/uz30a

PCR Recyclable

Excellent
and Certified

Find out more
about certificates > 12



Item	 cm	 A cm B cm C cm					PCR Recyclable	PCR Recyclable natural grey
			8	5	40	1.152		
NORMPACK® 408	VCG 12; VCG 12 D; VCC 13 VOL; VCG 13; VCH 13; VCH 13 VOL; VCE 14; MXC 12; MDF 12; MCL 13 K-C; MXC 13; MDF 13	56,2 25,3 6,9					x	
NORMPACK® 408 D	VCG 12; VCG 12 D; VCG 13; VCC 13 VOL; VCH 13 VOL; VCH 13; VCE 14; MXC 12; MDF 12; MCL 13 K-C; MXC 13; MDF 13	56,2 25,3 6,9	8	5	40	1.152	x	
NORMPACK® 409	VCG 11; VCH 11; VTG 11; VCC 12 VOL; VCG 12; VCG 12 D; VTG 12; VCC 13 VOL; VCH 13 VOL; MXC 11; MDF 11; MCO 12; MCP 12; MXC 12; MDF 12	56,2 25,3 6,9	9	5	45	1.152	x	
NORMPACK® 409 D	VCG 11; VCH 11; VTG 11; VCC 12 VOL; VCG 12; VCG 12 D; VTG 12; VCC 13 VOL; VCH 13 VOL; MXC 11; MDF 11; MCO 12; MCP 12; MXC 12; MDF 12	56,2 25,3 6,9	9	5	45	1.152	x	
NORMPACK® 410	VCG 10; VCH 10; VTG 10; VCG 10,5; VCG 10,5 K; VTG 10,5; VCG 11; VCH 11; VCH 11 VOL; VCK 11 VOL; VTG 11; VCC 12 VOL; MXC 10; MXC 10,5; MXC 11	56,2 25,3 6,5	10	5	50	1.152	x	
NORMPACK® 410 D	VCG 10; VCH 10; VTG 10; VCG 10,5; VCG 10,5 K; VTG 10,5; VCG 11; VCH 11; VCH 11 VOL; VCK 11 VOL; VTG 11; VCC 12 VOL; MXC 10; MXC 10,5; MXC 11	56,2 25,3 6,5	10	5	50	1.152	x	

D: Stepped cultivation bottom with punched holes

PCR Recyclable



PCR Recyclable natural grey

Available level on request |
Special colours on request



5 Trays/ CC-shelf



Corresponding pots > 110



Product Overview > 4

NORMPACK® | Transport and cultivation trays



NORMPACK® 412

NORMPACK® 412 D



NORMPACK® 418

NORMPACK® 418 D



NORMPACK® 460

NORMPACK® 460 D



www.blauer-engel.de/uz30a

PCR Recyclable

Excellent
and Certified

Find out more
about certificates > 12



Item	 cm	 A cm B cm C cm		12	5	60	1.152	PCR Recyclable	
								PCR Recyclable	PCR natural grey
NORMPACK® 412	VCG 10; VCH 10; VTG 10; VCG 10,5; VCG 10,5 K; VTG 10,5; VCG 11; VCH 11; VCH 11 VOL; VCK 11 VOL; VCC 12 VOL; MXC 10; MXC 10,5; MXC 11; MDF 9	56,2	25,3	6,5				x	
NORMPACK® 412 D	VCG 10; VCH 10; VTG 10; VCG 10,5; VCG 10,5 K; VTG 10,5; VCG 11; VCH 11; VCH 11 VOL; VCK 11 VOL; VCC 12 VOL; MXC 10; MXC 10,5; MXC 11; MDF 9	56,2	25,3	6,5	12	5	60	1.152	x
NORMPACK® 418	VTD 8,5; VCG 9; VCH 9; VCH 9 F; VTG 9; TO 8 Z; MXC 9; MDF 7 D	56,2	25,3	5,1	18	5	90	1.152	x
NORMPACK® 418 D	VTD 8,5; VCG 9; VCH 9; VCH 9 F; VTG 9; TO 8 Z; MXC 9; MDF 7 D	56,2	25,3	5,1	18	5	90	1.152	x
NORMPACK® 460	VCG 11; VCH 11; VCC 12 VOL; VCG 12; VCG 12 D; VTG 12; VCH 13 VOL; MXC 11; MDF 11; MCO 12; MCP 12; MXC 12; MDF 12	56,2	25,3	5,1	10	5	50	1.152	x
NORMPACK® 460 D	VCH 11; VCG 11; VCC 12 VOL; VCG 12; VCG 12 D; VTG 12; VCH 13 VOL; MXC 11; MDF 11; MCO 12; MCP 12; MXC 12; MDF 12	56,2	25,3	5,1	10	5	50	1.152	x

D: Stepped cultivation bottom with punched holes

PCR Recyclable



PCR Recyclable natural grey

Available level on request |
Special colours on request



5 Trays/ CC-shelf



Corresponding pots > 110



Product Overview > 4

NORMPACK® | Transport and cultivation trays



NORMPACK® 468

NORMPACK® 468 D



NORMPACK® 478

NORMPACK® 478 D



www.blauer-engel.de/uz30a

PCR Recyclable

Excellent
and Certified

Find out more
about certificates > 12



Item	cm				A cm	B cm	C cm	18	5	90	1.152	PCR Recyclable natural grey
NORMPACK® 468	VCG 9; MXC 9	56,2	25,3	3,6	56,2	25,3	3,6	18	5	90	1.152	x
NORMPACK® 468 D	VCG 9; MXC 9	56,2	25,3	3,6	56,2	25,3	3,6	18	5	90	1.152	x
NORMPACK® 478	VCG 12; VCG 12 D; VTG 12; VCC 13 VOL; VCG 13; VCH 13; VCH 13 VOL; VTG 13; VCC 14 VOL; VCE 14; MXC 12; MCL 13 K-C; MXC 13; MXC 14	56,2	25,3	5,1	56,2	25,3	5,1	8	5	40	1.152	x
NORMPACK® 478 D	VCG 12; VCG 12 D; VTG 12; VCC 13 VOL; VCG 13; VCH 13; VCH 13 VOL; VTG 13; VCC 14 VOL; VCE 14; MXC 12; MCL 13 K-C; MXC 13; MXC 14	56,2	25,3	5,1	56,2	25,3	5,1	8	5	40	1.152	x

D: Stepped cultivation bottom with punched holes

PCR Recyclable



PCR Recyclable natural grey

Available level on request |
Special colours on request



5 Trays/ CC-shelf



Corresponding pots > 110



Product Overview > 4



PÖPPELMANN

TEKU®

NORMPACK® | Transport and cultivation trays



NORMPACK® 480

NORMPACK® 480 D



NORMPACK® 490

NORMPACK® 490 D



www.blauer-engel.de/uz30a

PCR Recyclable

Excellent
and Certified

Find out more
about certificates > 12



Item	cm				A cm	B cm	C cm				PCR Recyclable
NORMPACK® 480	VCG 10; VCH 10; VTG 10; VCG 10,5; VCG 10,5 K; VTG 10,5; VCG 11; VCH 11; VCH 11 VOL; VCK 11 VOL; VTG 11; VCH 13 VOL; MXC 10; MXC 10,5; MXC 11; MDF 11; MXC 12	56,2	25,3	5,1	10			5	50	1.152	x
NORMPACK® 480 D	VCG 10; VCH 10; VTG 10; VCG 10,5; VCG 10,5 K; VTG 10,5; VCG 11; VCH 11; VCH 11 VOL; VCK 11 VOL; VTG 11; VCH 13 VOL; MXC 10; MXC 10,5; MXC 11; MDF 11; MXC 12	56,2	25,3	5,1	10			5	50	1.152	x
NORMPACK® 490	VCG 12; VCG 12 D; VCH 13 VOL; MXC 12; MCO 12; MDF 12	56,2	25,3	7,1	10			5	50	1.152	x
NORMPACK® 490 D	VCG 12; VCG 12 D; VCH 13 VOL; MXC 12; MCO 12; MDF 12	56,2	25,3	7,1	10			5	50	1.152	x

D: Stepped cultivation bottom with punched holes

PCR Recyclable



PCR Recyclable natural grey

Available level on request |
Special colours on request



5 Trays/ CC-shelf



Corresponding pots > 110



Product Overview > 4

NORMPACK® | Transport and cultivation trays



NORMPACK® 206



NORMPACK® 206 D



NORMPACK® 208



NORMPACK® 208 D



www.blauer-engel.de/uz30a

PCR Recyclable

Excellent
and Certified

Find out more
about certificates > 12



Item	 cm	 A cm B cm C cm								PCR Recyclable
										PCR Recyclable natural grey
NORMPACK® 206	VCG 11; VCH 11; VTG 11; VCC 12 VOL; VCG 12; VCG 12 D; VTG 12; VCC 13 VOL; VCH 13 VOL; MXC 11; MDF 11; MCO 12; MCP 12; MXC 12; MDF 12	39,8	27,9	7,1	6	6	36	2.016	x	
NORMPACK® 206 D	VCG 11; VCH 11; VTG 11; VCC 12 VOL; VCG 12; VCG 12 D; VTG 12; VCC 13 VOL; VCH 13 VOL; MXC 11; MDF 11; MCO 12; MCP 12; MXC 12; MDF 12	39,8	27,9	7,1	6	6	36	2.016	x	
NORMPACK® 208	VCG 10; VCH 10; VTG 10; VCG 10,5; VCG 10,5 K; VTG 10,5; VCG 11; VCH 11; VCH 11 VOL; VCK 11 VOL; VTG 11; VCC 12 VOL; MXC 10; MXC 10,5; MXC 11; MDF 11	39,8	27,9	6,6	8	6	48	2.016	x	
NORMPACK® 208 D	VCG 10; VCH 10; VTG 10; VCG 10,5; VCG 10,5 K; VTG 10,5; VCG 11; VCH 11; VCH 11 VOL; VCK 11 VOL; VTG 11; VCC 12 VOL; MXC 10; MXC 10,5; MXC 11; MDF 11	39,8	27,9	6,6	8	6	48	2.016	x	

D: Stepped cultivation bottom with punched holes

PCR Recyclable



PCR Recyclable natural grey

Available level on request |
Special colours on request



6 Trays/ CC-shelf



Corresponding pots > 110



Product Overview > 4

NORMPACK® | Transport and cultivation trays



NORMPACK® 212



NORMPACK® 236

NORMPACK® 212 D

NORMPACK® 236 D



www.blauer-engel.de/uz30a

PCR Recyclable

Excellent
and Certified

Find out more
about certificates > 12



Item	 cm	 A cm B cm C cm			 12	 6	 72	 2.016	PCR Recyclable
NORMPACK® 212	VTD 8,5; VCC 9 VOL; VCG 9; VCH 9; VCH 9 F; VTG 9; TO 8 Z; MXC 9; MDF 7 D; MDF 9	39,8	27,9	6,1	12	6	72	2.016	x
NORMPACK® 212 D	VTD 8,5; VCC 9 VOL; VCG 9; VCH 9; VCH 9 F; VTG 9; TO 8 Z; MXC 9; MDF 7 D; MDF 9	39,8	27,9	6,1	12	6	72	2.016	x
NORMPACK® 236	VCG 12; VCG 12 D; VTG 12; VCC 13 VOL; VCG 13; VCH 13; VCH 13 VOL; VTG 13; VCC 14 VOL; VCE 14; VTG 14; MCO 12; MCP 12; MXC 12; MDF 12; MCL 13 K-C; MXC 13; MDF 13; MXC 14; MDF 14	39,8	27,9	7,1	6	6	36	2.016	x
NORMPACK® 236 D	VCG 12; VCG 12 D; VTG 12; VCC 13 VOL; VCG 13; VCH 13; VCH 13 VOL; VTG 13; VCC 14 VOL; VCE 14; VTG 14; MXC 12; MCO 12; MCP 12; MDF 12; MCL 13 K-C; MXC 13; MDF 13; MXC 14; MDF 14	39,8	27,9	7,1	6	6	36	2.016	x


D: Stepped cultivation bottom with punched holes

PCR Recyclable



PCR Recyclable natural grey

Available level on request |
Special colours on request



6 Trays/ CC-shelf



Corresponding pots > 110



Product Overview > 4

MS | R | Reusable carriers



MS 8-13 PE




R 2838/12 PP



R 3856/24 PP



R 4343-11x11/16

Item	 cm	 A cm B cm C cm	 8	 6	 6	 72	 735	Black	
								Black	Black
MS 8-13 PE	VTD 8,5; VCC 9 VOL; VCG 9; VCH 9; VCH 9 F; VVG 9; VCD 9,5; VCC 10 VOL; TO 8 Z; MXC 9; TO 9,5 D VCG 10; VCH 10; VTG 10; VCG 10,5; VCG 10,5 K; VTG 10,5; VCG 11; VCH 11; VCH 11 VOL; VCK 11 VOL; VTG 11; VCC 12 VOL; MXC 10; MXC 10,5; MXC 11; MDF 11 VCG 12; VCG 12 D; VTG 12; VCC 13 VOL; VCH 13; VCH 13 VOL; VTG 13; VCC 14 VOL; MXC 12; MCO 12; MCP 12; MDF 12; MXC 13; MDF 13	39,5	28,0	6,1	12	6	72	735	x
R 2838/12 PP	MQD 9x9x9,5; MQD 9x9x10; VQB 9x9x8; VQB 9x9x9,5; VCG 9; VCH 9; MXC 9	38,5	28,4	5,0	12	6	72	1.364	x
R 3856/24 PP	V 9x9x8 PP; V 9x9x10 PP; VQB 9x9x8; VQB 9x9x9,5; MQD 9x9x9,5; MQD 9x9x10; MXC 9; VCG 9; VCH 9; VCH 9 F; VTG 9; TO 9,5 D; VCD 9,5; VCC 10 VOL	56,5	38,3	5,0	24	3	72	605	x
R 4343-11x11/16	VQF 11x11x11,5; VQF 11x11x15,5; MQE 11x11x11	43,2	43,2	9,5	16	2	32	600*	x

PE: Polyethylene
PP: Polypropylene

* On industrial size pallet (100 x 120 cm)

Black



Black

Available level on request |
Special colours on request



Corresponding pots > 110



Product Overview > 4



PÖPPELMANN

TEKU®

DT | Pot trays



DT 8x8/18 C



DT 10,5 B/15

Item	 cm				18	5	90	1.776	Black
		A cm	B cm	C cm					
DT 8x8/18 C	VQF 8x8x7; VQF 8x8x8	50,0	25,4	7,2	18	5	90	1.776	x
DT 10,5 B/15	VCH 11 VOL; VCK 11 VOL	53,0	31,5	9,5	15	4	60	1.050	x

B: High version

C: With drainage slits

Black



Black

Available level on request |
Special colours on request



Corresponding pots > 110



Product Overview > 4

TT | Pot trays



TT 2653-13/8 AZ



TT 2653-13/8 STD



TT 2556-12/8 AZ




TT 3153-10,5/15 AZ



TT 3155-9/18 AZ



TT 3155-9/18 F

Item	 cm	 A cm B cm C cm					 EUR 120 80	Black	
		A cm	B cm	C cm					
TT 3155-9/18 AZ	VCG 9; VTG 9; MXC 9	55,0	31,0	7,3	18	4	72	1.230	x
TT 3155-9/18 F	VCH 9 F	55,0	31,0	9,4	18	4	72	1.200	x
TT 3153-10,5/15 AZ	VCG 10,5; VCG 10,5 K; VTG 10,5; MXC 10,5	53,0	31,5	8,5	15	4	60	1.110	x
TT 2556-12/8 AZ	VCG 12; MXC 12	56,2	25,3	9,8	8	5	40	1.620	x
TT 2653-13/8 AZ	VCG 13; VTG 13	53,0	26,3	10,6	8	5	40	1.440	x
TT 2653-13/8 STD	VCH 13	53,0	26,3	12,1	8	5	40	1.392	x

AZ: Normal height

STD: Tall version

F: Extra high version

Black

Black

Available level on request |
Special colours on request

Corresponding pots > 110



Product Overview > 4

**PÖPPELMANN****TEKU®**



**>> CULTIVATION
AND MARKETING TRAYS**

EP | Cultivation and marketing trays



EP 2634/12-6



EP 2832/20-10*



EP 2328/20-10*



EP 2936/20-10*

Item				ml	 	 		Black
	A cm	B cm	C cm					Black*
EP 2634/12-6	34,6	26,0	7,5	310	12	7,5	90	2728
EP 2832/20-10*	31,5	28,0	6,0	166	20	8	160	3000
EP 2328/20-10*	28,4	23,0	6,2	125	20	11	220	4104
EP 2936/20-10*	35,5	29,2	6,4	170	20	6,5	130	2112

* With label slot

Suitable carrying handle: TG 40, TG 50

** only EP available

Black



Black

Available level on request |
Special colours on request



Corresponding pots > 110



Product Overview > 4



PÖPPELMANN

TEKU®

TP | Kultur- und Verkaufstrays



TP 1818-9 AZ/4**



TP 1818-9x9/4*



TP 1828-9 AZ/6**



TP 2026-10,5/4



TP 2836-9 AZ/12-6**


www.blauer-engel.de/uz30a

PCR Recyclable

Excellent
and Certified

Find out more
about certificates > 12



Item	cm				ml	Vol.							PCR Recyclable	Black	
		A cm	B cm	C cm									PCR Recyclable	Black	
TP 1818-9 AZ/4**	VCD 9,5; VCG 9; VTG 9; MXC 9	18,3	18,3	7,0	320		4	21	84	480	11	5.280	5.610	x***	x
TP 1818-9x9/4*	VQB 9x9x8; VQB 9x9x9,5; VCG 9; VCH 9; VCH 9 F; VCD 9,5; VCC 10 VOL; MQD 9x9x9,5; MQD 9x9x10; MXC 9	18,3	18,3	5,7			4	21	84	702	11	7.722	7.722	x***	
TP 1828-9 AZ/6**	VCG 9; VTG 9; MXC 9	27,8	18,1	7,1	320		6	14	84	640	11	7.040	7.360	x	x
TP 2026-10,5/4	VCG 10; VCH 10; VTG 10; VCG 10,5; VTG 10,5; VCG 10,5 K; VCH 11 VOL; VCK 11 VOL; MXC 10; MXC 10,5	26,0	20,0	5,1			4	18	72	400	11	4.400	5.220	x***	
TP 2836-9 AZ/12-6**	VCG 9; VTG 9; MXC 9	36,2	27,8	7,1	320		12	7	84	320	11	3.520	3.680	x	x

* With label slot ** For direct planting and with label slot

AZ: Normal height, pots close flush with the edge of the trays

Suitable carrying handle: TG 40, TG 50

**** only EP available

*** only VE available

PCR Recyclable

Black

PCR Recyclable
natural grey

Black

Available level on request |
Special colours on request



Corresponding pots > 110



Product Overview > 4

CLAYETTE | Cultivation and marketing trays



CL 7x7/6 SG*




CL 7x7/10 SG*



CL 1421/12-6 SG**



CL 8x8/6 SG*



CL 8x8/10*

Item	cm	A cm B cm C cm			Single tray		Stacked trays		Cylinders		EUR		Black	
					Single tray	Stacked trays	Cylinders	EUR	Black					
CL 7x7/6 SG*	VQF 7x7x6,5; VQF 7x7x8	21,5	14,0	5,8	6	24	144	56	120	6.720	6.720	x		
CL 7x7/10 SG*	VQF 7x7x6,5; VQF 7x7x8	35,0	14,5	6,2	10	14	140	100	34	3.400	3.400	x		
CL 1421/12-6 SG**		20,8	14,2	5,1	12	24	288	56	120	6.720	6.720	x		
CL 8x8/6 SG*	VQF 8x8x7; VQF 8x8x8	24,0	16,1	6,0	6	18	108	83	75	6.225	6.200	x		
CL 8x8/10*	VQF 8x8x7; VQF 8x8x8	39,1	16,0	6,5	10	11	110	90	28	2.520	2.520	x		

* With label slot

** For direct planting and with label slot

SG: Sides closed

Black

Black

Available level on request |
Special colours on request

Corresponding pots > 110



Product Overview > 4

**PÖPPELMANN****TEKU®**



>> PROPAGATION TRAYS

ECO | BP | JP | Young plant & nursery plant trays



ECO 9/15



ECO 3156-9x9/18



ECO 8/18*



BP 3153/18



BP 3153/28



BP 3153/35 T

Item															Black		
	A cm	B cm	C cm	A cm	B cm	D cm	E cm	Vol ml									
ECO 9/15	53,0	30,0	7,3	Ø 8,8	Ø 6,3			294	AP 3053/15	15	94	4	60	78	28	2.184	x**
ECO 3156-9x9/18	56,5	31,5	8,8	8,9 x 9,3	Ø 6,3			498	AP 3156-9X9/18	18	101	4	72	68	11	748	x**
ECO 8/18*	53,0	30,0	6,4	Ø 8,1	Ø 5,9			222	AP 3053/18	18	113	4	72	80	28	2.240	x**
BP 3153/18	53,1	31,1	6,0	Ø 6,4	Ø 4,4			150		18	108	4	72	84	12	1.008	1.176 x
BP 3153/28	53,0	31,0	5,6	Ø 5,6	Ø 4,5	4,4	5,2	108		28	170	4	112	112	12	1.344	1.680 x
BP 3153/35 T	52,5	30,5	5,8	Ø 6,3	Ø 4,8			122	AP 3153/35	35	218	4	140	80	12	960	1.040 x

* With label slot

T: With interlocking for transport

** only VE available

Black



Black

Available level on request |
Special colours on request



Corresponding plug removers > 99



Product Overview > 4



PÖPPELMANN

TEKU®

ECO | BP | JP | Young plant & nursery plant trays



BP 3153/40 T




BP 3153/60 T



BP 3153-3,5/84 T



BP 3153/104 T



BP 3153-2,6/104 T



BP 3153-2,6/126 T

Item	 A cm B cm C cm			 A cm B cm D cm E cm			Vol ml	AP	m²					Black				
	A	B	C	D	E	Vol												
BP 3153/40 T	53,0	31,0	6,3	Ø 5,3	Ø 3,6	3,6	5,5	98	AP 3153/40	40	243	4	160	64	12	768	896	x
BP 3153/60 T	53,0	31,0	5,6	▫ 4,7	▫ 3,8	4	4,8	76	AP 3153/60	60	365	4	240	58	12	696	812	x
BP 3153-3,5/84 T	53,0	31,0	5,1	▫ 4,0	▫ 3,4	3,5	4,1	50		84	511	4	336	60	12	720	840	x
BP 3153/104 T	53,0	31,0	5,5	Ø 3,5	Ø 2,5	2,5	4,8	38	AP 3153/104	104	632	4	416	66	12	792	924	x
BP 3153-2,6/104 T	53,0	31,0	4,6	▫ 3,5	▫ 2,9	2,6	3,7	36		104	632	4	416	62	12	744	896	x
BP 3153-2,6/126 T	53,0	31,0	4,8	▫ 3,2	▫ 2,6	2,6	3,7			126	766	4	504	62	12	744	896	x

T: With interlocking for transport

Black

Black

Available level on request |
Special colours on request

Corresponding plug removers > 99



Product Overview > 4

**PÖPPELMANN****TEKU®**

ECO | BP | JP | Young plant & nursery plant trays



Item													Black					
	A cm	B cm	C cm	A cm	B cm	D cm	E cm	Vol ml										
BP 3153/144 T	53,0	31,0	6,2	Ø 2,7	Ø 1,8	1,9	5,3	27	AP 3153/144	144	876	4	576	66	12	792	924	x
BP 3153-2,2/144 T	53,0	31,0	4,5	□ 3,0	□ 2,4	2,2	3,9	28		144	876	4	576	62	12	744	868	x
BP 3153-2,2D/144 T	53,0	31,0	3,7	□ 3,0	□ 2,5	2,2	3	20		144	876	4	576	64	12	768	896	x
BP 3153-1,9/180 T	53,1	31,1	4,3	□ 2,5	Ø 1,7	1,9	3,6	20		180	1.089	4	720	72	12	864	1.008	x
ECO 6/28	50,0	28,0	6,3	Ø 6,2	Ø 4,7	6,2	4,7	132	AP 3050/28	28	200	5	140	120	16	1.920		x*
JP 3050/28	50,0	28,0	5,0	Ø 5,7	Ø 4,6			100	AP 3050/28	28	200	5	140	192	14	2.688		x*

T: With interlocking for transport

* only VE available

Black



Black

Available level on request |
Special colours on request



Corresponding plug removers > 99

Product Overview > 4




PÖPPELMANN

TEKU®

ECO | BP | JP | Young plant & nursery plant trays



JP 3050/42 P



BP 2850-3,5/50 T



JP 3050/50 T



JP 3050/66



JP 3050/72 P



JP 2553/72 T

Item	 A cm B cm C cm			 A cm B cm D cm E cm Vol ml									Black					
	A	B	C	D	E	Vol												
JP 3050/42 P	50,0	28,0	5,4	Ø 5,1	Ø 3,5	3,4	4,8	69	AP 3050/42	42	300	5	210	204	14	2.856	x	
BP 2850-3,5/50 T	50,0	28,0	4,3	□ 4,2	□ 3,4	3,5	3,1	41		50	357	5	250	84	11	924	968	x
JP 3050/50 T	50,0	28,0	5,0	Ø 4	Ø 3,3	3,4	4	41	AP 3050/50	50	357	5	250	180	11	1.980		x
JP 3050/66	50,0	28,0	4,2	Ø 3,9	Ø 2,8			36	AP 3050/66	66	471	5	330	186	14	2.604		x
JP 3050/72 P	50,0	28,0	5,3	4,0 x 3,7	2,8 x 2,5	2,5	4,7	50	AP 3050/72	72	514	5	360	145	11	1.595		x
JP 2553/72 T	53,0	25,0	4,5	3,6 x 3,4	3,0 x 2,8	2,8	3,8	41	AP 2553/72	72	543	5	360	90	11	990		x

P: With bottom for plugs

T: With interlocking for transport

* only VE available

Black

Black

Available level on request |
Special colours on request


Corresponding plug removers > 99




Product Overview > 4

**PÖPPELMANN****TEKU®**

ECO | BP | JP | Young plant & nursery plant trays



BP 2850-3,0/72 T



BP 2850-2,5 D/104 T



JP 3050/104 T



JP 3050/160 T



JP 3050/230 H



JP 3040/54 P

Item													Black					
	A cm	B cm	C cm	A cm	B cm	D cm	E cm	ml										
BP 2850-3,0/72 T	50,0	28,0	4,9	▫ 3,9	▫ 2,9	3	3,7	40		72	514	5	360	84	11	924	x	
BP 2850-2,5 D/104 T	50,0	28,0	4,2	▫ 3,1	▫ 2,4	2,5	3,2	22	AP 3050/104	104	632	5	520	84	11	924	968	x
JP 3050/104 T	50,0	28,0	3,8	▫ 2,9	▫ 2,4	2,5	3	21	AP 3050/104	104	742	5	520	95	11	1.045		x
JP 3050/160 T	50,0	28,0	3,8	2,4 x 2,3	2,0 x 1,9	1,9	3,2	16	AP 3050/160	160	1.142	5	800	85	14	1.190		x
JP 3050/230 H	50,0	28,0	3,4	1,9 x 1,7	1,5 x 1,3			7	AP 3050/230	230	1.642	5	1150	150	11	1.650		x
JP 3040/54 P	37,0	28,0	5,7	4,0 x 3,6	2,8 x 2,5	2,5	5,2	59	AP 3040/54	54	521	6	324	220	11	2.420		x

H: Tall version

P: With bottom for plugs

T: With interlocking for transport

* only VE available

Black



Black

Available level on request |
Special colours on request

Corresponding plug removers > 99

Product Overview > 4



ECO | BP | JP | Young plant & nursery plant trays



JP 3040/80 P



JP 3040/104

Item	 A cm B cm C cm			 A cm B cm D cm E cm			 Vol ml					 EUR 120 80	 120 80	Black	Black*		
	A cm	B cm	C cm	A cm	B cm	D cm	E cm										
JP 3040/80 P	37,0	28,0	4,5	▫ 2,8	▫ 2,1	2	4	28	AP 3040/80 H	80	772	6	480	220	11	2.420	x
JP 3040/104	37,0	28,0	4,1	2,5 x 2,3	1,8 x 1,6			18	AP 3040/104	104	1.003	6	624	220	11	2.420	x

P: With bottom for plugs

* only VE available

Black

Black

Available level on request |
Special colours on request

Corresponding plug removers > 99

Product Overview > 4

**PÖPPELMANN****TEKU®**

AP | Plug removers



Item	
AP 3053/15	ECO 9/15
AP 3156-9X9/18	ECO 3156-9x9/18
AP 3053/18	ECO 8/18
AP 3153/35	BP 3153/35 T
AP 3153/40	BP 3153/40 T
AP 3153/60	BP 3153/60 T
AP 3153/104	BP 3153/104 T
AP 3153/144	BP 3153/144 T
AP 3050/28	JP 3050/28; ECO 6/28
AP 3050/42	JP 3050/42 P
AP 3050/50	JP 3050/50 T
AP 3050/66	JP 3050/66
AP 3050/72	JP 3050/72 P
AP 2553/72	JP 2553/72 T
AP 3050/104	JP 3050/104 T
AP 3050/160	JP 3050/160 T
AP 3050/230	JP 3050/230 H
AP 3040/54	JP 3040/54 P
AP 3040/80 H	JP 3040/80 P
AP 3040/104	JP 3040/104

H: Tall version



Available level on request |
Special colours on request



Product Overview > 4

PL | Propagation & transport trays



PL 2832/20



PL 2838/16



PL 2838/24



PL 2838/48



PL 3040/12



PL 3040/20

Item	 A cm B cm C cm			 A cm B cm		ml							 EUR 120 80	Black	
	A	B	C	A	B										
PL 2832/20	31,5	28,0	6,0	6,4 x 5,9	5,0 x 4,8	178	TK 2832	20	226	8	160	304	11	3.344	x
PL 2838/16	37,5	27,5	5,9	8,4 x 6,1	7,2 x 4,8	230	TK 2838	16	155	6	96	220	11	2.420	x
PL 2838/24	37,5	27,5	5,9	5,9 x 5,5	4,7 x 4,4	149	TK 2838	24	232	6	144	230	11	2.530	x
PL 2838/48	37,5	27,5	5,9	4,1 x 4,0	2,9 x 2,8	66	TK 2838	48	465	6	288	215	11	2.365	x
PL 3040/12	38,0	27,9	6,5	8,7 x 8,5	6,5 x 6,3	370	TK 3040	12	113	6	72	160	11	1.760	x
PL 3040/20	36,0	28,0	6,5	6,4 x 6,2	4,8 x 4,6	195	TK 3040	20	198	6	120	320	11	3.520	x

Black

Black

Available level on request |
Special colours on request



Product Overview > 4



PÖPPELMANN

TEKU®


PL | Propagation & transport trays





PL 3050/15-1



PL 3671/60-1



PL 3671/60-6*

Item	 A cm B cm C cm			 A cm B cm		 ml				 EUR 120 80	Black	
PL 3050/15-1	49,7	29,8	12,0	▫ 9,3	▫ 7,0	770	15	101	4	60	1.950**	x
PL 3671/60-1	71,0	36,0	6,5	6,5 x 5,4	5,3 x 4,2	180	60	234	1	60	1.521**	x
PL 3671/60-6*	71,0	36,0	6,5	6,5 x 5,4	5,3 x 4,2	180	60	234	1	60	1.521**	x

* Suitable carrying handle: TG 40

** On industrial size pallet (100 x 120 cm)

Black



Black

Available level on request |
Special colours on request

Product Overview > 4

**PÖPPELMANN****TEKU®**

TK | Propagation & transport trays





TK 2832



TK 2838



TK 3040

Item											Black	
	A cm	B cm	C cm									
TK 2832	31,9	28,4	6,2	PL 2832/20	20	220	8	160	210	11	2.310	x
TK 2838	38,0	28,0	5,9	PL 2838/16; PL 2838/24; PL 2838/48		9	6		180	11	1.980	x
TK 3040	39,2	29,2	7,0	PL 3040/12; PL 3040/20		8	6		200	11	2.200	x

Black



Black

Available level on request |
Special colours on request



Product Overview > 4



PÖPPELMANN

TEKU®

TK | Propagation & transport trays



TK 914 S



TK 1214



TK 1520 S



TK 3040 F


www.blauer-engel.de/uz30a

PCR Recyclable

Excellent
and Certified

Find out more
about certificates > 12



Item				Vol.	 TK 3040 F	 TK 3040 F		 EUR 120 80	PCR Recyclable	
	A cm	B cm	C cm						PCR Recyclable natural grey	
TK 914 S	14,3	9,6	5,1	0,54 l	8	6	48	1.776	11	19.536
TK 1214	13,4	12,2	4,9	0,66 l	6	6	36	1.332	12	15.984
TK 1520 S	18,5	14,0	5,1	1,05 l	4	6	24	1.000	11	11.000
TK 3040 F	39,2	29,2	5,5	5,10 l		6	6	210	11	2.310

F: Shallow version

S: With label slots

PCR Recyclable



PCR Recyclable natural grey

Available level on request |
Special colours on request



Product Overview > 4



>> BRANDING



Product Overview > 4

Trend colours



VCG | VTG



TCA



MHB | A



MAL





Printing and Labelling



Looking closer pays off.
Discover the **TEKU® AddedValues** online:
www.poepelmann.com/teku



TEKU® FLEX+

TEKU® FLEX+

- ⊕ Flexible print runs
- ⊕ Intensive colour saturation
- ⊕ Photo printing on black and coloured pots
- ⊕ Finished with special coating

Labelling

- ⊕ Error-free barcoding
- ⊕ Flawless scan

Offset printing process

- ⊕ Monochrome printing
- ⊕ Multicolour printing with spot colours
- ⊕ Promotional prints

>> **TEKU® 3D Studio:**
create individual
3D-models online

www.poepelmann.com/teku-3d



PÖPPELMANN

Marketing Concepts

Focus on the producer



Focus on the region



TEKU® printing promotions



Marketing Concepts

Focus on the brand




Focus on the plant



PÖPPELMANN blue®



TEKU® Pictograms



Dimensions (cm)*




Height (cm)




Diameter (cm)



Plug dimensions (cm)



Length x width (cm)



Length x width x height (cm)



Volume (litres)



Square metres



Box



Shelf



Net



Plants



Euro pallet



Recommended saucer




Recommended hanger



Corresponding pots



Suitable planter for




Recommended plug remover




Corresponding Trays

The TEKU® pictograms in use.



The example shows: pots **per** box



The example shows: pots in a box **per** pallet

* Nominal diameter



Tray Configurator

VTD 8,5		VCD 9,5	
8,5 cm		9,5 cm	
8 °		5 °	
NORMPACK® 212; NORMPACK® 418; ST 2838-9/12; ST 2840/8-13; ST 3156-24/9; MS 8-13 PE	> 84 > 80 > 74 > 73 > 70 > 85	ST 2838-9/12; ST 2840/8-13; MS 8-13 PE; R 3856/24 PP; TP 1818-9 AZ/4; TP 1818-9x9/4	> 74 > 73 > 85 > 85 > 90 > 90

VTG 9	VTG 10	VTG 10,5	VTG 11	VTG 12					
9 cm	10 cm	10,5 cm	11 cm	12 cm					
8 °	8 °	8 °	8 °	8 °					
NORMPACK® 212; NORMPACK® 418; ST 2838-9/12; ST 2840/8-13; ST 3156-24/9; ST 1856-9x9/12 BD; D-ST 9 C/18 B; D-ST 9 C/18 D; TT 3155-9/18 AZ; MS 8-13 PE; R 2838/12 PP; R 3856/24 PP; TP 1818-9 AZ/4; TP 1818-9x9/4; TP 1828-9 AZ/6; TP 2836-9 AZ/12-6	> 84 > 80 > 74 > 73 > 70 > 76 > 77 > 77 > 87 > 85 > 85 > 85 > 90 > 90 > 90	NORMPACK® 208; NORMPACK® 410; NORMPACK® 412; NORMPACK® 480; ST 11; ST 2840/8-13; MS 8-13 PE; TP 2026-10,5/4	> 83 > 79 > 80 > 82 > 75 > 73 > 85 > 90	NORMPACK® 208; NORMPACK® 410; NORMPACK® 412; NORMPACK® 480; ST 11; ST 2840/8-13; ST 3153-10,5/15; D-ST 10,5 E/15 B; D-ST 10,5 E/15 B7; D-ST 10,5 E/15 D; PT 2556-10,5/10; PT 2556-10,5/12;	> 83 > 79 > 80 > 82 > 75 > 73 > 70 > 77 > 77 > 77 > 66 > 66	NORMPACK® 206; NORMPACK® 208; NORMPACK® 409; NORMPACK® 410; NORMPACK® 480; ST 11; ST 2840/8-13; ST 3153-10,5/15; D-ST 10,5 E/15 D; D-ST 10,5 E/15 B; MS 8-13 PE	> 83 > 83 > 79 > 79 > 82 > 75 > 73 > 77 > 77 > 85	NORMPACK® 206; NORMPACK® 236; NORMPACK® 408; NORMPACK® 409; NORMPACK® 478; ST 12; ST 2840/8-13; ST 3156-12/12; D-ST 12 C/10; PT 2556-12 F/10; PT 2839-12/6; MS 8-13 PE	> 83 > 84 > 79 > 79 > 81 > 75 > 73 > 71 > 78 > 68 > 69 > 85

VTG 13	VTG 14		VCG 9	VCG 10			
13 cm	14 cm		9 cm	10 cm			
8 °	8 °		5 °	5 °			
NORMPACK® 236; NORMPACK® 408; NORMPACK® 478; ST 12; ST 2840/8-13; ST 3156-8/13; ST 3156-10/13; D-ST 13/8 B; D-ST 13 C/8; D-ST 13 C/8 D; TT 2653-13/8 AZ; MS 8-13 PE	> 84 > 79 > 81 > 75 > 73 > 72 > 71 > 78 > 78 > 78 > 87 > 85	NORMPACK® 236; ST 2943-14/6 B; ST 3156-8/13; ST 3156-8/13 D	> 84 > 76 > 72 > 72	NORMPACK® 212; NORMPACK® 418; NORMPACK® 468; ST 2838-9/12; ST 2840/8-13; ST 3156-24/9; ST 1856-9x9/12 BD; D-ST 9 C/18 B; D-ST 9 C/18 D; TT 3155-9/18 AZ; MS 8-13 PE; R 2838/12 PP; R 3856/24 PP; TP 1818-9 AZ/4; TP 1818-9x9/4; TP 1828-9 AZ/6; TP 2836-9 AZ/12-6	> 84 > 80 > 81 > 74 > 73 > 70 > 76 > 77 > 77 > 87 > 85 > 85 > 90 > 90 > 90 > 90	NORMPACK® 208; NORMPACK® 410; NORMPACK® 412; NORMPACK® 480; ST 11; ST 2840/8-13; D-ST 10,5 E/15 B; D-ST 10,5 E/15 B7; D-ST 10,5 E/15 D; MS 8-13 PE; TP 2026-10,5/4	> 83 > 79 > 80 > 82 > 75 > 73 > 77 > 77 > 77 > 85 > 90 > 90 > 90 > 90 > 90

VCG 10,5		VCG 10,5 K		VCG 11		VCG 12		VCG 12 D	
10,5 cm		10,5 cm		11 cm		12 cm		12 cm	
5 °		5 °		5 °		5 °		5 °	
NORMPACK® 208;	> 83	NORMPACK® 208;	> 83	NORMPACK® 206;	> 83	NORMPACK® 206;	> 83	NORMPACK® 206;	> 83
NORMPACK® 410;	> 79	NORMPACK® 410;	> 79	NORMPACK® 208;	> 83	NORMPACK® 236;	> 84	NORMPACK® 236;	> 84
NORMPACK® 412;	> 80	NORMPACK® 412;	> 80	NORMPACK® 409;	> 79	NORMPACK® 408;	> 79	NORMPACK® 408;	> 79
NORMPACK® 480;	> 82	NORMPACK® 480;	> 82	NORMPACK® 410;	> 79	NORMPACK® 409;	> 79	NORMPACK® 409;	> 79
ST 11;	> 75	ST 11;	> 75	NORMPACK® 460;	> 80	NORMPACK® 460;	> 80	NORMPACK® 460;	> 80
ST 2840/8-13;	> 73	ST 2840/8-13;	> 73	NORMPACK® 480;	> 82	NORMPACK® 478;	> 81	NORMPACK® 478;	> 81
ST 3153-10,5/15;	> 70	ST 3153-10,5/15;	> 70	ST 11;	> 75	NORMPACK® 490;	> 82	NORMPACK® 490;	> 82
D-ST 10,5 E/15 B;	> 77	D-ST 10,5 E/15 B;	> 77	ST 2840/8-13;	> 73	ST 12;	> 75	ST 12;	> 75
D-ST 10,5 E/15 B7;	> 77	D-ST 10,5 E/15 B7;	> 77	ST 2254-11x11/10 AZ-D;	> 76	ST 2840/8-13;	> 73	ST 2840/8-13;	> 73
D-ST 10,5 E/15 D;	> 77	D-ST 10,5 E/15 D;	> 77	D-ST 10,5 E/15 B;	> 77	ST 3156-12/12;	> 71	ST 3156-12/12;	> 71
PT 2556-10,5/10;	> 66	PT 2556-10,5/10;	> 66	D-ST 10,5 E/15 B7;	> 77	D-ST 12 C/10;	> 78	D-ST 12 C/10;	> 78
PT 2556-10,5/12;	> 66	PT 2556-10,5/12;	> 66	D-ST 10,5 E/15 D;	> 77	PT 2556-12 F/10;	> 68	PT 2556-12 F/10;	> 68
PT 2839-10,5/8;	> 69	PT 2839-10,5/8;	> 69	MS 8-13 PE	> 85	PT 2556-12/8;	> 67	PT 2556-12/8;	> 67
TT 3153-10,5/15 AZ;	> 87	TT 3153-10,5/15 AZ;	> 87			PT 2556-12/10;	> 67	PT 2556-12/10;	> 67
MS 8-13 PE;	> 85	MS 8-13 PE;	> 90			PT 2839-12/6;	> 69	PT 2839-12/6;	> 69
TP 2026-10,5/4	> 90	TP 2026-10,5/4	> 85			TT 2556-12/8 AZ;	> 87	MS 8-13 PE	> 85
						MS 8-13 PE	> 85		

Only basic tray versions listed.



Tray Configurator

VCG 13	VCG 14	VCG 14 D	VCG 15	VCG 17	
13 cm	14 cm	14 cm	15 cm	17 cm	
5 °	5 °	5 °	5 °	5 °	
NORMPACK® 236; NORMPACK® 408; NORMPACK® 478; ST 3156-8/13; ST 3156-10/13; D-ST 13/8 B; D-ST 13 C/8; PT 2556-13/8; PT 2839-13 F/6; TT 2653-13/8 AZ	> 84 > 79 > 81 > 72 > 71 > 78 > 78 > 67 > 68 > 87	ST 2943-14/6 B > 76	ST 2943-14/6 B > 76	D-ST 15 C/6 > 78	ST 3156-17/6 > 72

VCC 9 VOL	VCC 10 VOL	VCC 12 VOL	VCC 13 VOL	VCC 14 VOL					
8,5 cm	9,5 cm	11 cm	12 cm	13 cm					
5 °	5 °	5 °	5 °	5 °					
NORMPACK® 212; NORMPACK® 418; ST 2838-9/12; ST 2840/8-13; ST 3156-24/9; MS 8-13 PE	> 84 > 80 > 74 > 73 > 70 > 85	ST 2838-9/12; ST 2840/8-13; MS 8-13 PE; R 3856/24 PP; TP 1818-9x9/4	> 74 > 73 > 85 > 85 > 90	NORMPACK® 206; NORMPACK® 208; NORMPACK® 409; NORMPACK® 410; NORMPACK® 460; NORMPACK® 480; ST 11; ST 2840/8-13; MS 8-13 PE	> 83 > 83 > 79 > 79 > 80 > 82 > 75 > 73 > 85	NORMPACK® 206; NORMPACK® 236; NORMPACK® 408; NORMPACK® 409; NORMPACK® 478; ST 3156-8/13; ST 3156-10/13; D-ST 13 C/8; PT 2556-13/8	> 83 > 84 > 79 > 79 > 81 > 75 > 73 > 71 > 71 > 78 > 67 > 67 > 85	NORMPACK® 236; NORMPACK® 408; NORMPACK® 478; ST 3156-8/13; ST 3156-10/13; D-ST 13 C/8; PT 2556-13/8	> 84 > 79 > 81 > 72 > 71 > 78 > 67

VCH 9	VCH 9 F	VCH 10	VCH 11 VOL	VCK 11 VOL					
9 cm	9 cm	10 cm	10,5 cm	10,5 cm					
5 °	5 °	5 °	5 °	5 °					
NORMPACK® 212; NORMPACK® 418; ST 2838-9/12; ST 2840/8-13; ST 3156-24/9; ST 1856-9x9/12 BD; D-ST 9 C/18 B; D-ST 9 C/18 D; D-ST 9 C/18 D; MS 8-13 PE; R 2838/12 PP; R 3856/24 PP; TP 1818-9x9/4	> 84 > 80 > 74 > 73 > 70 > 76 > 77 > 77 > 85 > 85 > 85 > 90	NORMPACK® 212; NORMPACK® 418; ST 2838-9/12; ST 2840/8-13; ST 3156-24/9; D-ST 9 C/18 B; D-ST 9 C/18 D; TT 3155-9/18 F; MS 8-13 PE; R 2838/12 PP; R 3856/24 PP; TP 1818-9x9/4	> 84 > 80 > 74 > 73 > 70 > 77 > 77 > 87 > 85 > 85 > 85 > 90	NORMPACK® 208; NORMPACK® 410; NORMPACK® 412; NORMPACK® 480; ST 11; ST 2840/8-13; D-ST 10,5 E/15 D; D-ST 10,5 E/15 B; D-ST 10,5 E/15 B7; MS 8-13 PE; TP 2026-10,5/4	> 83 > 79 > 80 > 82 > 75 > 73 > 77 > 77 > 77 > 85 > 90	NORMPACK® 208; NORMPACK® 410; NORMPACK® 412; NORMPACK® 480; ST 11; ST 2840/8-13; ST 3153-10,5/15; D-ST 10,5 E/15 B; D-ST 10,5 E/15 B7; D-ST 10,5 E/15 D; DT 10,5 B/15; PT 2556-10,5/10; PT 2556-10,5/12; PT 2839-10,5/8; MS 8-13 PE; TP 2026-10,5/4	> 83 > 79 > 80 > 82 > 75 > 73 > 70 > 77 > 77 > 77 > 86 > 66 > 66 > 69 > 85 > 90	NORMPACK® 208; NORMPACK® 410; NORMPACK® 412; NORMPACK® 480; ST 11; ST 2840/8-13; ST 3153-10,5/15; D-ST 10,5 E/15 B; D-ST 10,5 E/15 B7; D-ST 10,5 E/15 D; DT 10,5 B/15; PT 2556-10,5/10; PT 2556-10,5/12; PT 2839-10,5/8; MS 8-13 PE; TP 2026-10,5/4	> 83 > 79 > 80 > 82 > 75 > 73 > 70 > 77 > 77 > 77 > 86 > 66 > 66 > 69 > 85 > 90

VCH 11	VCH 13 VOL		VCH 13		VCH 14		VCH 15	
11 cm	12 cm		13 cm		14 cm		15 cm	
5 °	5 °		5 °		5 °		5 °	
NORMPACK® 206;	> 83	NORMPACK® 206;	> 83	NORMPACK® 236;	> 84	ST 2943-14/6 B	> 76	D-ST 15 C/6
NORMPACK® 208;	> 83	NORMPACK® 236;	> 84	NORMPACK® 408;	> 79			> 78
NORMPACK® 409;	> 79	NORMPACK® 408;	> 79	NORMPACK® 478;	> 81			
NORMPACK® 410;	> 79	NORMPACK® 409;	> 79	ST 3156-8/13;	> 72			
NORMPACK® 412;	> 80	NORMPACK® 460;	> 80	ST 3156-10/13;	> 71			
NORMPACK® 460;	> 80	NORMPACK® 478;	> 81	D-ST 13 C/8;	> 78			
NORMPACK® 480;	> 82	NORMPACK® 480;	> 82	D-ST 13/8 B;	> 78			
ST 11;	> 75	NORMPACK® 490;	> 82	PT 2839-13 F/6;	> 68			
ST 2840/8-13;	> 73	ST 11;	> 75	TT 2653-13/8 STD;	> 87			
D-ST 10.5 E/15 B;	> 77	ST 12;	> 75	MS 8-13 PE	> 85			
D-ST 10.5 E/15 B/7;	> 77	ST 2840/8-13;	> 73					
D-ST 10.5 E/15 D;	> 77	ST 3156-12/12;	> 71					
ST 2254-11x11/10 AZ-D;	> 76	D-ST 12 C/10;	> 78					
MS 8-13 PE	> 85	PT 2556-12 F/10;	> 68					
		MS 8-13 PE	> 85					

Only basic tray versions listed.



Tray Configurator

VCH 17		VCE 14	VCE 16		
17 cm		14 cm	16 cm		
5 °		5 °	5 °		
ST 3156-17/6; ST 3156-17/6 D	> 72 > 72	NORMPACK® 236; NORMPACK® 408; NORMPACK® 478; ST 2943-14/6 B; ST 3156-8/13	> 84 > 79 > 81 > 76 > 72	D-ST 15 C/6 > 78	

MXC 5,5	MXC 9	MXC 10	MXC 10,5	MXC 11				
5,5 cm	9 cm	10 cm	10,5 cm	11 cm				
6 °	6 °	6 °	6 °	6 °				
JP 3050/28	> 95	NORMPACK® 212; NORMPACK® 418; NORMPACK® 468; ST 2838-9/12; ST 2840/8-13; ST 3156-24/9; ST 1856-9x9/12 BD; D-ST 9 C/18 B; D-ST 9 C/18 D; TT 3155-9/18 AZ; MS 8-13 PE; R 2838/12 PP; R 3856/24 PP; TP 1818-9 AZ/4; TP 1818-9x9/4; TP 1828-9 AZ/6; TP 2836-9 AZ/12-6	> 84 > 80 > 81 > 74 > 73 > 70 > 76 > 77 > 77 > 87 > 85 > 85 > 85 > 90 > 90 > 90 > 90	NORMPACK® 208; NORMPACK® 410; NORMPACK® 412; NORMPACK® 480; ST 11; ST 2840/8-13; MS 8-13 PE; TP 2026-10,5/4	> 83 > 79 > 80 > 82 > 75 > 73 ST 2840/9,5-10,5 D; ST 3153-10,5/15; D-ST 10,5 E/15 B; D-ST 10,5 E/15 B7; D-ST 10,5 E/15 D; PT 2556-10,5/10; PT 2556-10,5/12; PT 2839-10,5/8; TT 3153-10,5/15 AZ; MS 8-13 PE; TP 2026-10,5/4	> 83 > 79 > 80 > 82 > 75 > 73 > 74 > 70 > 77 > 77 > 77 > 66 > 66 > 69 > 87 > 85 > 90	NORMPACK® 206; NORMPACK® 208; NORMPACK® 409; NORMPACK® 410; NORMPACK® 412; NORMPACK® 460; NORMPACK® 480; ST 11; ST 2840/8-13; D-ST 10,5 E/15 B; D-ST 10,5 E/15 B7; D-ST 10,5 E/15 D; D-ST 10,5 E/15 D; ST 2254-11x11/10 AZ-D; MS 8-13 PE	> 83 > 83 > 79 > 79 > 80 > 80 > 82 > 75 > 73 > 77 > 77 > 77 > 77 > 77 > 76 > 85

MXC 12	MXC 13	MXC 14				
12 cm	13 cm	14 cm				
6 °	6 °	6 °				
NORMPACK® 206; NORMPACK® 236; NORMPACK® 408; NORMPACK® 409; NORMPACK® 460; NORMPACK® 478; NORMPACK® 480; NORMPACK® 490; ST 2840/8-13; ST 11; ST 12;	> 83 > 84 > 79 > 79 > 80 > 81 > 82 > 82 > 82 > 73 > 72 > 71 ST 3156-8/13; D-ST 13 C/8; D-ST 13/8 B; PT 2839-13 F/6; MS 8-13 PE	> 84 > 79 > 81 > 75 > 73 > 72 > 71 > 78 > 78 > 68 > 85	NORMPACK® 236; NORMPACK® 478; ST 2943-14/6 B; ST 3156-8/13; D-ST 13 C/8	> 84 > 81 > 76 > 72 > 78		

TO 6 D	TO 7 D	TO 8 Z	TO 9,5 D	TO 15 D				
6 cm	7 cm	8 cm	9,5 cm	15 cm				
8 °	8 °	8 °	8 °	8 °				
JP 3050/28	> 95	ECO 8/18 > 93	NORMPACK® 212; NORMPACK® 418; ST 2838-9/12; ST 2840/8-13; ECO 8/18; MS 8-13 PE	> 84 > 80 > 74 > 73 > 93 > 85	ST 2838-9/12; ST 2840/8-13; MS 8-13 PE; R 3856/24 PP	> 74 > 73 > 85 > 85	D-ST 15 C/6 > 78	

Only basic tray versions listed.



PÖPPELMANN

TEKU®



Tray Configurator

MPB 6		MCI 15	MCI 17	MCI 17 K
6 cm		15 cm	17 cm	17 cm
7 °		5 °	5 °	5 °
JP 3050/28; ECO 6/28	> 95 > 95	D-ST 15 C/6	> 78	ST 3156-17/6 > 72

MCL 13 K-C	MCL 17	MCH 14	MCH 15	MCH 17
13 cm	17 cm	14 cm	15 cm	17 cm
5 °	5 °	5 °	5 °	5 °
NORMPACK® 236; NORMPACK® 408; NORMPACK® 478; D-ST 13 C/8; ST 3156-8/13; ST 3156-10/13	> 84 > 79 > 81 > 78 > 72 > 71	ST 3156-17/6 > 72	ST 2943-14/6 B > 76	D-ST 15 C/6 > 78

MCP 12		MCO 12	MCO 15
11,5 cm		11,4 cm	14,7 cm
5 °		5 °	5 °
NORMPACK® 206; NORMPACK® 236; NORMPACK® 409; NORMPACK® 460; NORMPACK® 490; ST 2840/8-13; ST 3156-12/12; D-ST 12 C/10; MS 8-13 PE	> 83 > 84 > 79 > 80 > 82 > 73 > 71 > 78 > 85	NORMPACK® 206; NORMPACK® 236; NORMPACK® 409; NORMPACK® 460; NORMPACK® 490; ST 2254-11x11/10 AZ-D; ST 2840/8-13; ST 3156-12/12; D-ST 12 C/10; MS 8-13 PE	> 83 > 84 > 79 > 80 > 82 > 76 > 73 > 71 > 78 > 85

Only basic tray versions listed.



Tray Configurator

MDF 7 D	MDF 9	MDF 11	MDF 12	MDF 13					
7 cm	9 cm	11 cm	12 cm	13 cm					
NORMPACK® 212; NORMPACK® 418; ECO 8/18	> 84 > 80 > 93	NORMPACK® 212; NORMPACK® 412; D-ST 9 C/18 B; D-ST 9 C/18 D; ST 2838-9/12; ST 1856-9x9/12 BD; ST 2840/8-13	> 84 > 80 > 77 > 77 > 74 > 76 > 73	NORMPACK® 206; NORMPACK® 208; NORMPACK® 460; NORMPACK® 480; ST 11; ST 2840/8-13; MS 8-13 PE	> 83 > 83 > 80 > 82 > 75 > 73 > 85	NORMPACK® 206; NORMPACK® 236; NORMPACK® 408; NORMPACK® 409; ST 11; ST 2840/8-13; ST 3156-12/12; MS 8-13 PE	> 83 > 84 > 79 > 79 > 75 > 73 > 71 > 85	NORMPACK® 236; NORMPACK® 408; D-ST 13/8 B; D-ST 13 C/8; ST 3156-8/13; PT 2556-13/8; PT 2839-13 F/6; MS 8-13 PE	> 84 > 79 > 78 > 78 > 72 > 68 > 69 > 85

MDF 14	MDF 15	MDF 17	
14 cm	15 cm	17 cm	
ST 2943-14/6 B; ST 3156-8/13	> 76 > 72	D-ST 15 C/6 > 78	ST 3156-17/6 > 72

VQF 7x7x6,5	VQF 7x7x8	VQF 8x8x7	VQF 8x8x8	VQF 11x11x11,5					
7 x 7 cm	7 x 7 cm	8 x 8 cm	8 x 8 cm	11 x 11 cm					
4 °	4 °	4 °	4 °	4 °					
CL 7x7/6 SG; CL 7x7/10 SG	> 91 > 91	CL 7x7/6 SG; CL 7x7/10 SG	> 91 > 91	CL 8x8/6 SG; CL 8x8/10; DT 8x8/18 C	> 91 > 91 > 86	CL 8x8/6 SG; CL 8x8/10; DT 8x8/18 C	> 91 > 91 > 86	ST 2254-11x11/10 AZ-D; PT 2556-11x11/8; R 4343-11x11/16	> 76 > 66 > 85

VQF 11x11x15,5	VQB 9x9x8	VQB 9x9x9,5		
11 x 11 cm	9 x 9 cm	9 x 9 cm		
4 °	4 °	4 °		
ST 2254-11x11/10 STD-D; > 76 R 4343-11x11/16 > 85	D-ST 10,5 E/15 B7; D-ST 10,5 E/15 D; D-ST 10,5 E/15 B; R 2838/12 PP; R 3856/24 PP; TP 1818-9x9/4	> 77 > 77 > 77 > 85 > 85 > 90	ST 1856-9x9/12 BD; D-ST 10,5 E/15 B7; D-ST 10,5 E/15 D; D-ST 10,5 E/15 B; R 2838/12 PP; R 3856/24 PP; TP 1818-9x9/4	> 76 > 77 > 77 > 77 > 85 > 85 > 90

Only basic tray versions listed.



PÖPPELMANN

TEKU®



Tray Configurator

V 9x9x8 PP	V 9x9x10 PP	V 11x11x12 PP			
9 x 9 cm	9 x 9 cm	11 x 11 cm			
5 °	5 °	5 °			
D-ST 10,5 E/15 B; D-ST 10,5 E/15 B7; D-ST 10,5 E/15 D; R 3856/24 PP	> 77 > 77 > 77 > 85	D-ST 10,5 E/15 B; D-ST 10,5 E/15 B7; D-ST 10,5 E/15 D; R 3856/24 PP	> 77 > 77 > 77 > 85	D-ST 13 C/8; PT 2556-11x11/8	> 78 > 66

MQD 9x9x9,5	MQD 9x9x10				
9 x 9 cm	9 x 9 cm				
5 °	5 °				
D-ST 10,5 E/15 B; D-ST 10,5 E/15 B7; D-ST 10,5 E/15 D; ST 1856-9x9/12 BD; R 2838/12 PP; R 3856/24 PP; TP 1818-9x9/4	> 77 > 77 > 77 > 76 > 85 > 85 > 90	D-ST 10,5 E/15 B; D-ST 10,5 E/15 B7; D-ST 10,5 E/15 D; ST 1856-9x9/12 BD; R 2838/12 PP; R 3856/24 PP; TP 1818-9x9/4	> 77 > 77 > 77 > 76 > 85 > 85 > 90		

10x10x11		MQE 11x11x11	
10 x 10 cm		11 x 11 cm	
6 °		4 °	
ST 2254-11x11/10 AZ-D; D-ST 10,5 E/15 B7; D-ST 10,5 E/15 D; D-ST 10,5 E/15 B	> 76 > 77 > 77 > 77	D-ST 13 C/8; ST 2254-11x11/10 AZ-D; PT 2556-11x11/8; R 4343-11x11/16	> 78 > 76 > 66 > 85

Only basic tray versions listed.



Bottom Design

Multi hole profile bottom

Thorough, fast irrigation and drainage as well as aeration on three levels:

1. Level with direct base contact and additional watering and drainage channels
2. Level with distance to the contact surface: for fast drainage and maximum aeration
3. Level with sloped drainage openings (internal side slits)



Profile bottom

Thorough, fast irrigation and drainage as well as aeration on two levels:

1. Level with direct base contact and additional watering and drainage channels
2. Level with distance to the contact surface: for fast drainage and maximum aeration



Multi-Hole Cross Bottom

Thorough, fast irrigation and drainage as well as aeration on three levels:

1. Level with optimum capillary drainage
2. Level with maximum distance to the contact surface, fast dripping drainage, maximum aeration
3. Level with sloped drainage openings




Bottom Design

Multi-hole star bottom


Thorough, fast irrigation and drainage as well as aeration on four levels:

1. Level with optimum capillary drainage
2. Level drainage via the centre hole
3. Level with maximum distance to the contact surface, fast dripping drainage, maximum aeration
4. Level with slopped drainage openings (internal side slits)

XI



XI-1



XII




Multi hole profile bottom


Thorough, fast irrigation and drainage as well as aeration on four levels:

1. Level with direct contact with the bottom: sloped drainage
2. Level with distance of 1.5 mm to the contact surface: optimum capillary drainage
3. Level with distance to the contact surface: fast dripping drainage, maximum aeration
4. Level with slopped drainage openings (internal side slits)


XIII



XIII-1



XIV



Multi Hole Bottom with high feet


Thorough, fast irrigation and drainage as well as aeration on three levels:

1. Level with distance to the contact surface: fast dripping drainage, maximum aeration
2. Level drainage via the centre hole
3. Level with slopped drainage openings

XV



XVI



Bottom Design

Step bottom with support function

1. Level with optimum capillary drainage through direct base contact or 1.5 mm distance to the contact surface
2. Level with drainage and aeration openings plus support function
3. Side slits in dome area: additional drainage and maximum aeration

XVII



XVIII



Multi hole profile bottom with central dome

Thorough, fast irrigation and drainage as well as aeration on three levels:

1. Level with direct base contact and additional watering and drainage channels
2. Level with distance to the contact surface: for fast drainage and maximum aeration
3. Level with slopped drainage openings (internal side slits)

XIX



Cross bottom

Thorough, fast irrigation and drainage as well as aeration on two levels:

1. Level with direct base contact and additional watering and drainage channels
2. Level with distance to the contact surface: for fast drainage and maximum aeration, punched bottom holes on two levels

XX



XX-1



Water overflow

The hanging basket series with overflow outlet offer plants a moisture reservoir

XXI



XXII



XXII-1



Bottom Design

Cross bottom


Thorough, fast irrigation and drainage as well as aeration on two levels:

1. Level with distance of 1.5 mm to the contact surface: optimum capillary drainage
2. Level with distance to the contact surface: for fast drainage and maximum aeration


XXIII



XXIII-1




XXIII-2




XXIII-3



XXIII-4



XXIII-5



Three hole bottom

Thorough, fast irrigation and drainage as well as aeration on one level.

XXIV



Eight hole bottom

Thorough, fast irrigation and drainage as well as aeration on one level.

XXV



Nine hole bottom

Thorough, fast irrigation and drainage as well as aeration on one level.

XXVI



The Company

Introducing a successful family-owned enterprise: Pöppelmann – A company you can trust.

Since 1949, Pöppelmann has developed five production sites with 700 injection moulding and thermoforming machines and extruders to become one of the leading manufacturers in the plastics processing industry.

"Made by Pöppelmann" quality is valued in over 90 countries worldwide. This includes a wide range of sectors: We supply the commercial horticulture with plant pots and cultivation systems and are also partners for numerous companies in the fields of machine and equipment engineering, the automotive, electrical, solar, food and beverage, chemical, pharmaceutical, cosmetics and medical industries, as well as surface engineering and the controls and instruments industry.

1 Plant I, Germany: Pöppelmann GmbH & Co. KG – Kunststoffwerk-Werkzeugbau, Lohne

2 France: Plastiques Pöppelmann France S.A.S., Rixheim

3 USA: Pöppelmann Plastics USA LLC, Claremont, NC

4 More than 2,500 employees worldwide stand for productivity, quality and service.




1



2



3



4

The Divisions



Pöppelmann KAPSTO®

Plastic protective elements for every application.



Pöppelmann K-TECH®

High-precision engineered injection-moulded parts.



Pöppelmann FAMAC®

Functional components and modern packaging.

Notes:

Germany

Pöppelmann GmbH & Co. KG
Kunststoffwerk-Werkzeugbau
Bakumer Straße 73
49393 Lohne / Germany
Telefon +49 4442 982-321
Telefax +49 4442 982-163
teku@poepelmann.com

France

Plastiques Pöppelmann France S.A.S.
3 rue Robert Schuman
B.P. 87
68172 Rixheim Cedex
Tél. +33 3 89 63 33 10
Fax +33 3 89 54 05 97
teku-fr@poepelmann.com

USA

Pöppelmann Plastics USA LLC
2180 Heart Drive · P.O. Box 459
Claremont, NC 28610
Phone +1 828-466-9500
Toll free +1 866-886-1556
Fax +1 828-466-9529
ppusa@poepelmann.com

Česká republika/Slovensko

Pöppelmann Plasty s.r.o.
Kaštanová 639/143
617 00 Brno, Česká republika
Tel. +420 543 250-219
Fax +420 543 250-266
teku-cz@poepelmann.com

España

Pöppelmann Ibérica S.R.L.U.
Plaça Vícenç Casanovas, 11-15
08340 Vilassar de Mar (Barcelona)
Tel. +34 93 754 09 27
Fax +34 93 754 09 21
teku-es@poepelmann.com

China

Pöppelmann Plastics Kunshan Co., Ltd.
No. 329 Jujin Road
Zhangpu Town 215321, Kunshan
Jiangsu Province, PR China
Telefon +86 512 3662 9486
ppcn@poepelmann.cn

Nederland-West

Pieter van Staalduin
Mobiel +31 6 53 14 62 67
Fax +49 4442 982-163
teku-nl@poepelmann.com

Nederland-Oost

Stefan Kaiser
Mobiel +49 151 188 70 428
Fax +49 4442 982-163
teku-nl@poepelmann.com

United Kingdom, Ireland

Paul D. Cooke
Mobile +44 7796 678682
Fax +49 4442 982-1607
PaulCooke@poepelmann.com

Italia

Stefan Marchetti
Cellulare +39 36666 05082
Fax +49 4442 982-1607
StefanMarchetti@poepelmann.com

Polska

Gabriel Staniecki
Tel. kom. +48 692468233
Fax +49 4442 982-1607
GabrielStaniecki@poepelmann.com

Danmark

Martin Paulsen
Telefon +45 40 82 62 09
Fax +49 4442 982-1607
MartinPaulsen@poepelmann.com

The product and material information included in this catalogue are based on generally available information provided, for instance, by the raw material suppliers. This information does not take into account the different effects on our product that may occur under the actual use intended by the customer.

The information provided does not constitute any promise of quality or durability, guaranteed properties or quality agreements. The purchaser or user is not exempt from the duty of carrying out his own tests and trials to ensure that the product is suitable for the specific use intended by him.

Our general terms of delivery apply.

If orders include the printing or labelling of products, then the following additional conditions apply:

The customer will immediately check the templates or samples sent for correction and, if they are correct, issue print approval without delay.

The content, design and suitability of the printed image for the purpose of use intended by the customer are the sole responsibility of the customer, unless there are errors which first arose in the subsequent production process and for which the contractor is responsible.

In the case of colour reproductions in all manufacturing processes, minor deviations from the print template do not constitute defects.

The resistance of the printed products to exposure to daylight (lightfastness) is restricted in particular by natural influences. The guide values of our suppliers limit the lightfastness of the colours to 5–6 on the Blue Wool Scale. Due to the large number of possible external influences, the suitability for the purpose of use intended by the customer is to be determined by the customer through its own tests.

If the customer provides the contractor with texts, pictures, design and colour specifications and other data, especially brand names and/or company names, for the printing of products, then the customer ensures that it possesses the requisite commercial property rights and/or other rights and that the printing, duplication, delivery and/or use of the products printed in this way do not violate any rights of third parties or applicable statutory provisions, especially provisions relating to trademark, competition, environmental and foodstuff legislation, including provisions governing the required product information. The contractor is not obligated to check for such legal infringements.

The customer indemnifies the contractor, as well as its employees and board members, from all compensation claims and costs resulting from a violation of the rights of third parties or statutory provisions for which the customer is culpable, including any legal defence costs. The right for the customer to prove its innocence is reserved. § 254 of the German Civil Code (BGB) applies accordingly. Statutory liability claims remain unaffected. The contractor expressly reserves the copyright to its own texts, drawings, drafts, layouts, samples and data.

Disclaimer:

We reserve the right to perform modifications due to errors without prior notification. Illustrations are representative.

© Copyright 01/2020 – All content, especially the texts, pictures, photographs and graphics are protected by copyright. All rights, including duplication, publication, editing and translation, remain reserved.

Duplication – even in excerpt form – or making available to the public through online media is only permitted with our consent.

© Pöppelmann Holding GmbH & Co. KG | TEKU®, KAPSTO®, K-TECH®, FAMAC® are registered trademarks of Pöppelmann Holding GmbH & Co. KG
EN/1/2022