



Agricultural Pesticides

Product List



Who we are

We are the sector of Pest Agricultural Control, Fertilizers, Chemical and Biological Fertilizers - following EgAz Trade LLC - and specialists in the work of:

Combating Agricultural Pests with Chemical and Biological products using the latest advanced research methods in the field of Pest Control and Biological - following the international standard specifications in field of production and preparation according to c GMP (current Good Manufacturing Practices) taking into consideration international standards of Quality Management Systems for products Before (Selecting API'S high Quality) , During (using cGMP aspects in production) and After(all finished products applied to standard) preparation and methods of control on the product applying I.P.C.(Internal Process Control).

Pesticide

- 1- To be in conformity with the standard specifications and the environmental management systems ISO / 14001
- 2- Match to the regulations and requirements of the Egyptian Ministry of Agriculture regarding animal health and the Egyptian Ministry of Health in respect of public safe and human health products and nutrition by The Occupational Health and Safety Department shall be applied in accordance with international and humanitarian standards OHSAS 18001



Agricultural Pesticides Product List



No.	Active Ingredient	Form	Pest
1 .	Chlorpyrifos	EC	Termite - Mole cricket – Red Palm weevil
2 .	FIPRONIL	wb	Red Palm weevil
3 .	FIPRONIL	Sc	Red Palm weevil
4 .	Lufenoron	EC	Plant Growth Regulators
5 .	Chlorpyrifos 25% + Lufenoron 5%	EC	Termite - Mole cricket – Red Palm weevil
6 .	Pymetrozine	WG	Aphids
7 .	Etofenprox	SC	White Fly
8 .	Asetmaipird	SP	White Fly + Aphids
9 .	FlonicamidFlonicamid	WG	Aphids + Thrips + White fly + Jassid

No.	Active Ingredient	Form	Pest
10 .	Thiamethoxam	WG	White fly + leaf minor
11 .	Imidacloprid	WG	White Fly + leaf minor + Jassid
12 .	Imidacloprid	SC	Beet fly + Scale insect
13 .	Thiacloprid	SC	White Fly + Aphids
14 .	Lufenoron	EC	Cotton leaf worm
15 .	Methomyl	SP	Cotton leaf worm
16 .	Emamectin benzoate + Indoxacarb	SC	Cotton leaf worm + Fruits worm
17 .	Indoxacarb	SC	Cotton leaf worm + Fruits worm
18 .	Emamectin benzoate	WDG	Cotton leaf worm



No.	Active Ingredient	Form	Pest
19 .	Cotton leaf worm	EC	Cotton leaf worm
20 .	Spinotoram	SC	Cotton leaf worm + Grape Worm
21 .	Coconut Plant Extract + Avocado Seed Extract		Public Health
22 .	Abamectin	EC	Red Mite + Leaf Minor
23 .	Emamectin Benzoate	EC	Lepidoptera on vegetables, brassicas
24 .	Acetamiprid	SP	Aphids, Thysanoptera and Lepidoptera
25 .	Imidacloprid	SC	Aphids + Thrips + Termite
26 .	Aluminum Phosphide %56	Tablets	Uses: Fumigation control of insect in stored grains
27 .	Tribenuron Methyl	DF	control of broad-leaved weeds in cereal crops
28 .	Kresoxim Methyl	SC	Cotton leaf worm



No.	Active Ingredient	Form	Pest
29 .	dimethoate	EC	fruits flies
30 .	Malathion	EC	Aphids
31 .	Diazinon	EC	Leaf Minor - Apple Stem
32 .	Chlorpyriphos	EC	Mole Cricket
33 .	Chlorpyriphos	EC	Mole Cricket
34 .	Chloropyrfos Methyl	EC	Cooton leaf worm
35 .	Imidacloprid	EC	white Fly
36 .	Fenoyroximate	EC	Red Mite
37 .	Emamectin benzoat	EC	Red Spider - Cotton leaf Worm
38 .	Esfenvalerate	EC	Boll Worms



No.	Active Ingredient	Form	Pest
39 .	Esfenvalerate	EC	Boll Worms
40 .	Chlorpyriphos	EC	Boll Worms
41 .	Profenofos	EC	Boll Worms
42 .	Profenofos	EC	boll worms on cotton
43 .	Ethoprophos	GR	blood worms on rice
44 .	methomyl	SP	cotton leaf worms on tomatoes
45 .	Malathion	EC	Fruit fly on citrus + Potatoes tuber worm
46 .	Fenitrothion	EC	blood worms on rice
47 .	Lufenuron	EC	Cotton leaf worm on cotton
48 .	Hexaflumuron	EC	Cotton leaf worm + Tuta absoluta on tomatoes



No.	Active Ingredient	Form	Pest
49 .	Dimethoate	EC	Fruit fly
50 .	Abamectin	EC	Leaf miners + Red Mite
51 .	Alpha-Cyper	EC	Boll worms on cotton
52 .	Chlorpyriphos	EC	Cut worms on potatoes + Boll worms on cotton + Corn borer on corn
53 .	chlorpyrifos methyl	EC	Cotton leaf worm on potatoes and tomatoes
54 .	Abamectine	EC	Leaf miners + Red Mite
55 .	Malathion	EC	Fruit Fly
56 .	Chlorpyriphos	EC	Cut worms on potatoes
57 .	Profenofos	EC	Cotton leaf worm on potatoes and tomatoes
58 .	chlorpyrifos methyl	EC	Cotton leaf worm on potatoes and tomatoes



No.	Active Ingredient	Form	Pest
59 .	Methomyl	SP	Cotton leaf worm on Corn
60.	Lambda-cyhalothrin	EC	Boll worms on cotton
61 .	methomyl	SP	Cotton leaf worm
62 .	imidacloprid	SC	Control dengue bugs on Grapes
63 .	lufenuron	EC	Combat grape worm fruits
64 .	chlorpyrifos	EC	Combat almond worms and beet beetle on Cotton and sugar beet
65 .	thiamethoxam	WG	Anti-spending industries on cucumber
66 .	Lambda- cyhalothrin	EC	Fight the worm bite on potatoes
67 .	indoxacarb	WG	Fight worm potato tubers
68 .	iThiacloprid	SC	Anti-aging on potatoes



No.	Active Ingredient	Form	Pest
69 .	difluben zuron	SC	Cotton leaf worm
70 .	methoxyfenozide	SC	Cotton leaf worm on sugar beet

Fungicides formulated List

No.	Active Ingredient	Form	Pest
1 .	Propineb	WP	Early Blight + Downy Mildew
2 .	Copper Oxchloride50	WB	Early Blight + Downy Mildew
3 .	Thiophanate Methyl	WB	Powdery Mildew
4 .	Cyflufenamid	EW	Powdery Mildew
5 .	Penconazol	EC	Powdery Mildew + Rust + Scab
6 .	Flusilazole	EC	Powdery Mildew + Rust + Scab
7 .	Propiconazole + Difenoconazole	EC	Powdery Mildew + Early Blight
8 .	Difenoconazole	EC	Early Blight + Stem canke
9 .	Prochloraz	EC	Powdery Mildew + Fruit Rot



No.	Active Ingredient	Form	Pest
10 .	Carbendazim	WO	Powdery Mildew + stem blight
11 .	Propamocarb	SL	Late Blight + Downy Mildew
12 .	Benthiavalicarb-isopropyl	WG	Late Blight + Downy Mildew
13 .	Difenoconazole + Azoxystrobin	SC	Powdery Mildew + Downy Mildew
14 .	Azoxystrobin	SC	Downy Mildew
15 .	Dimethomorph	WDG	Early Blight + Downy Mildew
16 .	Propineb + Dimethomorph	WG	Early Blight + Downy Mildew
17 .	Hymexazol	SL	Early Blight + Downy Mildew
18 .	Kresoxim Methyl	SC	Powdery Mildew + Rust + Scab

No.	Active Ingredient	Form	Pest
19 .	Penconazole	EC	Powdery Mildew + Scab
20 .	Propamocarb Hydrochlorid	SL	Systemic fungicide with protective action.
21 .	Thiophanate Methyl	WP	Systemic fungicide with protective and curative action. Absorbed by the leaves and roots.
22 .	Flusilazole	EC	Systemic fungicide with protective and curative action.
23 .	Copper Oxychloride	WP	important diseases
24 .	Copper Oxychloride	WP	.Fungal and bacterial diseases
25 .	Tolclofos-Methyl 20% - Thiram 30%	WP	Root rot disease

No.	Active Ingredient	Form	Pest
26 .	Thiram	WP	Early Blight
27 .	Propiconazole	EC	Powdery Mildew
28 .	Carbendazim	WP	Powdery Mildew - Scabies
29 .	Mancozab	WP	Early Blight
30 .	Sulfur	WP	Powdery Mildew
31 .	Sulfur	Dust	Powdery Mildew
32 .	Sulfur	WP	Powdery Mildew + Early Blight
33 .	Penconazole	EC	Powdery mildew
34 .	Sulfur	Dust	Powdery mildew on grape
35 .	Copper Oxychloride + Metalaxyl	WP	Powdery Mildew + Early Blight

No.	Active Ingredient	Form	Pest
36 .	Mancozab	WP	Late blight + Early blight + Downy mildew
37 .	Carbendazim	WP	Powdery mildew + Scab
38 .	Tricyclazole	WP	Blight on Rice
39 .	Carbendazim	SC	Botrytis
40 .	Sulfur	Dust	Powdery mildew
41 .	Thiophanate -Methyl	WP	Powdery mildew

No.	Active Ingredient	Form	Pest
46 .	Propiconazole	EC	yellow rust on wheat
47 .	Prochloraz	EW	Powdery mildew on Peaches
48 .	pyrimethanil	SC	fruit fruit on Strawberry
49 .	Fluazinam	SC	late Blight on potatoes
50 .	cyazofamid	SC	late Blight on potatoes
51 .	penoconazole	EC	powdery mildew'
52 .	Tetraconazole	EW	spotting of leaves on Sugar beet

Herbicides formulated List:

No.	Active Ingredient	Form	Pest
1 .	Metribuzin	WP	control wide and narrow-leaf annual weeds on tomato crop
2 .	Pyrazosulfuron-Ethyl	WP	fight dune grass - Aporkaba - Ajira
3 .	Diquat Dibromide	SL	dry the vegetative total of potatoes to facilitate harvesting
4 .	Clodinafop-Propargyl	EC	fight the annual weed grass
5 .	OxyFlourfen	EC	fight broad, narrow leafy weeds
6 .	Quinclorac	WDG	fight dune grass - Aporkaba - Ajira
7 .	Celthodim	EC	control annual and perennial grass weeds
8 .	Bispyribac-Sodium	SC	fight dune grass - Aporkaba – Ajira



No.	Active Ingredient	Form	Pest
9 .	Ethofumesate 11.2% + Desmedipham 7.1% + phenmedipham9.1%	EC	control broad annual weeds
10 .	Glyphosate isopropylammonium	SL	control annual and perennial grasses

Acaricides formulated List :

No.	Active Ingredient	Form	Pest
1 .	Abamectin	SC	Red Mite
2 .	Abamectin + Imidacloprid	CS	Red Mite
3 .	Chlorfenapyr	SC	Red Mite
4 .	Spirodiclofen	SC	Red Mite + Citrus Rust Mite
5 .	Abamectin	SC	Red Mite + Citrus Rust Mite
6 .	Cyflumetofen	SC	Red Mite + Citrus Rust Mite
7 .	Hexythiazox	EC	Red Mite
8 .	Hexythiazox	EC	Red Mite
9 .	Fenpyroximate	EC	Red Mite



No.	Active Ingredient	Form	Pest
10 .	chlorfenapyr	SC	Red Mite
11 .	fenpyroximate	SC	anti (winter eggs) for European red acarus
12 .	emamectin benzoate	SG	combat cotton leaf worm
13 .	spirodiclofen	SC	citrus acros rust



egaz[®]
Pharma

pharma@egaz.org



egaz@egaz.org



tourism@egaz.com



vp_trade@egaz.org



Main Office : Egypt, 2rep.,Ibrahim Ragi St., Al Huda Tower - Bolkly 21531- Alexandria, Egypt

Tel.: (+203)5460320

Azerbaijan: Binagodi, Rayon, 7, AZ 1116, Baku, Azerbaijan

Tel.: (+994) 559664477 - 559242160

www.egaz.org

Email : vp_trade@egaz.org