

# HSM V-Press 610

## HSM V-Press 610 vertical baling press

The HSM V-Press 610 reduces the volume of cardboard or foils in an economical way.



### Product information

To fill the press, the upper half of the doors is swung to the right



Hand wheel door lock - Easy to handle thanks to counter-rotating thread for quick opening and closing



HSM TCS (Torsion Control System) for monitoring press ram movement



Automatic start of the pressing process after closing the door



## Technical data

<b>Order number:</b>	6110154	<b>Width x Depth x Height:</b>	1198 x 823 x 1986 mm
<b>EAN</b>	4026631056243	<b>Weight:</b>	540 kg
<b>Pressing power:</b>	120 kN	<b>Method of strapping:</b>	vertical
<b>Specific pressing power:</b>	25 N/cm <sup>2</sup>	<b>Number of strappings:</b>	3
<b>Driving power:</b>	3 kW	<b>Art der Umreifung HP:</b>	Vertikal
<b>Voltage / Frequency:</b>	400 V / 50 Hz	<b>Type of consumables:</b>	Strapping tape
<b>Cycle time when idling vacío:</b>	22 s	<b>Industry type:</b>	Logistics & Distribution, Retail, Industry & Manufacturing, Print & Packaging
<b>Loading height:</b>	655 mm	<b>Press material:</b>	Plastic film, Mixed paper, Cardboard, Punch waste/residue
<b>Volume throughput at 20kg/m<sup>3</sup> (theor.):</b>	0,05 t/h	<b>Use for product line:</b>	V-Press
<b>Loading aperture width x height:</b>	800 x 495 mm		
<b>Bale weight:</b>	100 Kg		